

APT15

Pallet Transport AGV



Rated Load
1500kg



Lithium Battery
24V 60Ah



Small Turning
Radius



Navigation Method:	SLAM Navigation
Vehicle Weight:	380kg
Dimensions:	1715mm*940mm*2080mm
Aisle Width:	2500mm
Rated Load:	1500kg
Lifting Height:	200mm
Travel Speed:	≤1.4m/s
Parking Precision:	±10mm
Battery Capacity:	24V 60Ah



PT20/30/50

Pallet Handling AGV



Navigation Method:	Laser & SLAM Navigation
Vehicle Weight:	1300kg
Dimensions:	2200mm*1110mm*2256mm
Aisle Width:	3200mm
Rated Load:	5000kg
Lifting Height:	200mm
Travel Speed:	≤1.5m/s
Parking Precision:	±10mm
Battery Capacity:	24V 250Ah/315Ah

PS20

Pallet Stacker AGV



Load capacity
2000kg



Lifting height
6.0m



Lithium battery
24V250Ah



suitable for
5G network



easy maintenance



Stable & reliable
five-wheel design



Navigation method: Laser & SLAM Navigation

Truck weight: 2300kg

Dimension: 2181mm*1110mm*2750mm

Aisle width: 3200mm

Load capacity: 2000kg

Lifting height: 6000mm

Driving speed: ≤1.5m/s

Parking precision: ±10mm

Battery capacity: 24V250Ah

Type	PS20
Mast	6000 mm

h3 (mm)	Q (kg)		
6000	800	600	
5500	900	700	
5000	1000	800	
4500	1200	1000	
4000	1600	1200	
3500	2000	1600	
3000	/	2000	

c(mm)	600	700	
-------	-----	-----	--

PS15-MT

Narrow Aisle Pallet Stacking AGV



Rated Load
1500kg



Lifting Height
3500mm



Lithium Battery
24V210Ah



Supports 5G
Network



Easy Maintenance



Small Turning
Radius



Navigation Method: Laser & SLAM Navigation

Vehicle Weight: 1060kg

Dimensions: 1722mm*1040mm*2115mm

Aisle Width: 2600mm

Rated Load: 1500kg

Lifting Height: 3500mm

Travel Speed: ≤1.5m/s

Parking Precision: ±10mm

Battery Capacity: 24V 210Ah

Type		PS15-MT	
Mast		3500 mm	

h3 (mm)	Q (kg)		
3500	800		
3000	1200		
2500	1500		

c(mm)	600	
-------	-----	--

OPX15

Narrow Aisle Three-Way AGV



Rated Load
1500kg



Lifting Height
9500mm



Supports 5G
Network



Lithium Battery
48V 315Ah



Navigation Method:		Laser & SLAM Navigation	
Vehicle Weight:		6300kg	
Dimensions:		3400mm*1600mm*3400mm	
Aisle Width:		1800mm	
Rated Load:		1500kg	
Lifting Height:		9500mm	
Travel Speed:		≤1.5m/s	
Parking Precision:		±10mm	
Battery Capacity:		48V 315Ah	

Type		OPX15		
Mast		9500		

h3 (mm)	Q (kg)		
	800	600	400
9500	800	600	400
9000	900	700	500
8500	1000	800	600
8000	1100	900	700
7500	1200	1000	800
7000	1300	1100	900
6500	1500	1300	1100

c(mm)	600	700	800
-------	-----	-----	-----