

Jawaban:

1. Program PHP Percabangan Kelulusan Siswa

```
<?php

$nama = "Budi";
$nilai = 80;

if ($nilai > 75) {
    $status = "Lulus";
} else {
    $status = "Tidak Lulus";
}

echo "<h2>Status Kelulusan Siswa</h2>";
echo "Nama Siswa : " . $nama . "<br>";
echo "Nilai : " . $nilai . "<br>";
echo "Status Kelulusan : " . $status;

?>
```

2. Program PHP Tarif Parkir

```
<?php

$kendaraan = "Motor";

if ($kendaraan == "Motor") {
    $harga = 3000;
} elseif ($kendaraan == "Mobil") {
    $harga = 5000;
} else {
    $harga = "Jenis kendaraan tidak tersedia";
}

echo "<h2>Tarif Parkir</h2>";
echo "Jenis Kendaraan : " . $kendaraan . "<br>";

if (is_numeric($harga)) {
    echo "Harga Parkir : Rp " . number_format($harga, 0, "", ".");
} else {
    echo $harga;
}

?>
```

3. Program HTML + PHP Diskon Belanja

```
<!DOCTYPE html>
<html>
<head>
    <title>Diskon Belanja</title>
</head>
<body>

<h2>Form Diskon Belanja</h2>

<form method="POST">
```

Nama Pelanggan :

<input type="text" name="nama" required>

Total Belanja :

<input type="number" name="belanja" required>

<input type="submit" name="hitung" value="Hitung">

</form>

<?php

if (isset(\$_POST['hitung'])) {

 \$nama = \$_POST['nama'];

 \$belanja = \$_POST['belanja'];

 if (\$belanja > 100000) {

 \$diskon = \$belanja * 0.10;

 } else {

 \$diskon = 0;

 }

 \$totalBayar = \$belanja - \$diskon;

 echo "<hr>";

 echo "<h3>Hasil Perhitungan</h3>";

 echo "Nama Pelanggan : \$nama
";

 echo "Total Belanja : Rp " . number_format(\$belanja, 0, ",", ".") . "
";

 echo "Diskon : Rp " . number_format(\$diskon, 0, ",", ".") . "
";

 echo "Total Bayar : Rp " . number_format(\$totalBayar, 0, ",", ".");

}

?>

</body>

</html>