

Nama : Muhammad Fauzi Ramadhan

Kelas : IF-49-05

NIM : 103012500241

// Nomor 1

```
package main
import "fmt"
func main() {
    var i, j, x, n int
    var total float64
    fmt.Scan(&x, &n)
    for i, j = 1, n; i <= n; i++ {
        total = total + (float64(j) / float64(i * x))
        j = j - 1
    }
    fmt.Printf("%.3f\n", total)
}
```

// Nomor 2

```
package main
import "fmt"
func main() {
    var n int
    var a1, a2, a3 int
    var res1, res2 int
    fmt.Scan(&n)
    a1 = n / 100
    a2 = n / 10 % 10
    a3 = n % 10
    res1 = (a1 * 110000) + (a2 * 1100) + (a3 * 11)
    res2 = res1 * res1
    fmt.Println(res1, res2)
}
```

Nama: Muhammad Fauzi Ramadhan
Kelas: 1f-49-05
NIM: 103012500241

// Nomor 3

```
package main
```

```
import "fmt"
```

```
func main() {
```

```
    var a, b int
```

```
    var m1, m2, m3 bool
```

```
    var menang bool
```

```
    fmt.Scan(&a, &b)
```

```
    m1 = a == b
```

```
    m2 = a-b == 1 || b-a == 1
```

```
    m3 = a-b == 5 || b-a == 5
```

```
    menang = m1 || m2 || m3
```

```
    fmt.Println("Menang?", menang)
```

```
}
```

D:\ALPRO\tp-mod-07\tp-mod-07-01.go - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

tp-mod-07-01.go tp-mod-07-02.go tp-mod-07-03.go

```
1 package main
2
3 import "fmt"
4
5 func main() {
6     var i, j, x, n int
7     var total float64
8
9     fmt.Scan(&x, &n)
10
11     for i, j = 1, n; i <= n; i++ {
12         total = total + (float64(j) / float64(i*x))
13         j = j - 1
14     }
15
16     fmt.Printf("%.3f\n", total)
17 }
18
```

G length: 243 lines: 18 Ln: 18 Col: 1 Pos: 244 Windows (CR LF) UTF-8 INS

C:\WINDOWS\system32\cmd.

```
D:\ALPRO\tp-mod-07>go run tp-mod-07-01.go
3 4
2.139

D:\ALPRO\tp-mod-07>go run tp-mod-07-01.go
4 2
0.625

D:\ALPRO\tp-mod-07>go run tp-mod-07-01.go
2 10
11.109

D:\ALPRO\tp-mod-07>
```

```
D:\ALPRO\tp-mod-07\tp-mod-07-02.go - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
tp-mod-07-01.go tp-mod-07-02.go tp-mod-07-03.go
1 package main
2
3 import "fmt"
4
5 func main() {
6     var n int
7     var a1, a2, a3 int
8     var res1, res2 int
9
10    fmt.Scan(&n)
11
12    a1 = n / 100
13    a2 = n / 10 % 10
14    a3 = n % 10
15    res1 = (a1 * 110000) + (a2 * 1100) + (a3 * 11)
16    res2 = res1 * res1
17
18    fmt.Println(res1, res2)
19 }
20
```

G length: 269 lines: 20 Ln: 1 Col: 1 Pos: 1 Windows (CR LF) UTF-8 INS

```
C:\WINDOWS\system32\cmd.
D:\ALPRO\tp-mod-07>go run tp-mod-07-02.go
123
112233 12596246289

D:\ALPRO\tp-mod-07>go run tp-mod-07-02.go
999
999999 999998000001

D:\ALPRO\tp-mod-07>go run tp-mod-07-02.go
874
887744 788089409536

D:\ALPRO\tp-mod-07>
```

```
D:\ALPRO\tp-mod-07\tp-mod-07-03.go - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
tp-mod-07-01.go tp-mod-07-02.go tp-mod-07-03.go
1 package main
2
3 import "fmt"
4
5 func main() {
6     var a, b int
7     var m1, m2, m3 bool
8     var menang bool
9
10    fmt.Scan(&a, &b)
11
12    m1 = a == b
13    m2 = a-b == 1 || b-a == 1
14    m3 = a-b == 5 || b-a == 5
15    menang = m1 || m2 || m3
16
17    fmt.Println("Menang?", menang)
18 }
19
G length: 259 lines: 19 Ln: 1 Col: 1 Pos: 1 Windows (CR LF) UTF-8 INS
```

```
C:\WINDOWS\system32\cmd.
D:\ALPRO\tp-mod-07>go run tp-mod-07-03.go
1 1
Menang? true

D:\ALPRO\tp-mod-07>go run tp-mod-07-03.go
1 2
Menang? true

D:\ALPRO\tp-mod-07>go run tp-mod-07-03.go
3 1
Menang? false

D:\ALPRO\tp-mod-07>go run tp-mod-07-03.go
9 4
Menang? true

D:\ALPRO\tp-mod-07>
```