

ubung_spss

Fabio Votta

31 Oktober 2017

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   : 2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```

Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

AUSGABE.htm

KoeffizientenaKoeffizienten, Tabelle, 2 Stufen von Spaltenüberschriften und 2 Stufen von Zeilenüberschriften, Tabelle mit 7 Spalten und 11 Zeilen

Modell

Nicht standardisierte Koeffizienten

Standardisierte Koeffizienten

T

Sig.

RegressionskoeffizientB

Standardfehler

Beta

1

(Konstante)

7,165

,282

25,390

,000

Alter mit 18 als Nullpunkt

,039

,005

,135

7,496

,000

Abschluss umkodiert

1,199

,074

,291

16,124

,000

2

(Konstante)

5,151

,277

18,603

,000

Alter mit 18 als Nullpunkt

,040

,005

,140

8,345

,000

Abschluss umkodiert

1,244

,069

,302

18,035

,000

Geschlecht mit w=0

3,558

,160

,359

22,270

,000

a. Abhängige Variable: einkommen