

The SWMPrats website and the Widgets

Marcus W. Beck¹

¹USEPA NHEERL Gulf Ecology Division Email: beck.marcus@epa.gov

Objectives for the session (1:15 - 2:00)

- Overview of the website
- Overview of the widgets
 - SWMP summary evaluate trends of a single parameter at a single site
 - ► SWMP trends compare trends of a single parameter within and between reserves using a map
 - ► SWMP aggregate compare aggregated trends of different parameters within and between reserves

Interactive portion

There are no materials for this module, pull up the website or follow on my screen

Other modules:

• flash drive

• online: swmprats.net 2016 workshop tab

Interactive portion

There are no materials for this module, pull up the website or follow on my screen

Other modules:

- flash drive
- online: swmprats.net 2016 workshop tab

You will run examples whenever you see this guy:





 $m{S}$ ystem- $m{W}$ ide $m{M}$ onitoring $m{P}$ rogram $m{R}$ esources for the $m{A}$ nalysis of $m{T}$ ime $m{S}$ eries

An ad hoc group formed to develop and expand the capacity of the NERRS program to more effectively use SWMP data

1) Training workshops 2014, 2015, today







2) SWMPr is an open-source R package described on the website, ${\rm v}2.1.7$

```
# install/load from R
install.packages('SWMPr')
library(SWMPR)
```



- 3) SWMPrats.net (#swmprats) is our base of operations...
 - Training materials
 - SWMPr cookbook
 - Forum (POTM)
 - Widgets




Improved data integration and accessibility with a point-and-click approach

Three Shiny applications allow users to visualize trends in SWMP data

These apps allow 'reactive' use of SWMPr functions







When using the widgets, understand...

• Focus is on a single reserve or comparisons between reserves


- Focus is on a single reserve or comparisons between reserves
- Focus is on a single parameter or comparisons between parameters

- Focus is on a single reserve or comparisons between reserves
- Focus is on a single parameter or comparisons between parameters
- They are for exploration results or trends are not absolute

- Focus is on a single reserve or comparisons between reserves
- Focus is on a single parameter or comparisons between parameters
- They are for exploration results or trends are not absolute
- Data have been processed a particular way there are possible errors

- Focus is on a single reserve or comparisons between reserves
- Focus is on a single parameter or comparisons between parameters
- They are for exploration results or trends are not absolute
- Data have been processed a particular way there are possible errors
- Data are static hosted directly with app or on private site after processing, updated once a year or catastrophic error...

For summarizing trends at one site and one parameter



10 / 17

For a given *site*, *date range*, and *variable*, it shows:


- Monthly distribution with means (top left)
- Monthly distributions by boxplots (bottom left)
- Histogram frequency by month (center)
- Monthly means by years (top right)
- Monthly anomalies by year (center right)
- Annual anomalies and trend (bottom right)

Options for tabular data and saving plots/tables

Note: The plot_summary function in SWMPr is used to create the plots.

```
library(SWMPr)
## import data
data(apacpnut)
dat <- qaqc(apacpnut)</pre>
## plot
plot_summary(dat, param = 'chla_n', years = c(2007, 2013))
## get individual plots
plots <- plot_summary(dat, param = 'chla_n', years = c(2007, 2013),</pre>
 plt_sep = TRUE)
plots[[1]] # top left
plots[[3]] # middle
plots[[6]] # bottom right
## get summary data
plot_summary(dat, param = 'chla_n', year = c(2007, 2013), sum_out = TRUE)
```

Compare trends for a single parameter between reserves/space



For a *given parameter* and *date range*, at all sites:

• Evaluate annual or monthly changes

For a given parameter and date range, at all sites:

- Evaluate annual or monthly changes
- Evaluate anomalies (difference from grand mean) or observed

For a given parameter and date range, at all sites:

- Evaluate annual or monthly changes
- Evaluate anomalies (difference from grand mean) or observed
- Trends shown as increasing (red), decreasing (blue)

For a given parameter and date range, at all sites:

- Evaluate annual or monthly changes
- Evaluate anomalies (difference from grand mean) or observed
- Trends shown as increasing (red), decreasing (blue)
- Significance (based on simple regression) is shown as size of point

For a given parameter and date range, at all sites:


- Evaluate annual or monthly changes
- Evaluate anomalies (difference from grand mean) or observed
- Trends shown as increasing (red), decreasing (blue)
- Significance (based on simple regression) is shown as size of point

All trends are relative (compare)...

Zoom the map to view finer spatial scale and click to view results for single stations

Widgets of SWMPrats.net: SWMP aggregate

Compare aggregated parameters within and between reserves



15 / 17

This app allows multiple comparisons:

• Within and between sites

This app allows multiple comparisons:

- Within and between sites
- Same or different parameters

This app allows multiple comparisons:

- Within and between sites
- Same or different parameters
- Seasonal (monthly, quarterly) or annual trends

This app allows multiple comparisons:

- Within and between sites
- Same or different parameters
- Seasonal (monthly, quarterly) or annual trends
- Options for tabular data and saving plots/tables

This app allows multiple comparisons:

- Within and between sites
- Same or different parameters
- Seasonal (monthly, quarterly) or annual trends
- Options for tabular data and saving plots/tables

Water and air temperature example at ACE basin.... note the common y-axis and effect of aggregating incomplete years



Up next... Time Series Topic 1: Weighted Regression

$Questions \ref{eq:constraint} ?$