M/s. _____

_____ 30.1.22.

日期 Tarikh _____ CASH / INVOICE

编号 NO.	数量 KUANTITI	摘要 JENIS BARANG-BARANG	价目 HARGA	银额 JUMLAH (RM)
1				
2		makan t/hari		50.
3		Entertain client.		
4				
5				
6				
7				
8				
9				

NO. 6091 总计 JUMLAH RM 50.

Standard

WARUNG IKAN BAKAR KAK C
TEPI JLN BESAR GELUGOR
KERTIH 013 9122252 / 014 8262902

TERIMA OLEH 收貨人 DISAHKAN OLEH 经手人

KIARA SERVICE STATION
Company No TR0002069-U
Lot 4528 Jln Hiliran
P.Kambing
20700 K Terengganu
Terengganu
Site 1551
Telephone 09-6246464

Invoice number 60000810479

56.10 litre Pump # 04
FuelSave 95 RM 115.01
2.050 RM / litre
Total RM 115.01
Cash RM 200.00
Rounding RM 0.01
Change RM 85.00

2022-01-29 17:41:12
Customer Copy
Terminal ID 84155114
ID/STAN 132272/000000
Entry Mode MSR/1
Card Attendant Tag Card
xxxxxxxxx0105
Response 000 APPROVED
****

Attendant:
AAsyraf10

Date	Time	Nun	OPT
29/01/22	17:41	10034	04

Thank You
Have A Safe Journey



STATEMENT

Registered Name	**C. WAN NURUL AZLINI BINTI C. WAN RAMLI**
Account No.	**155184815**
Generated Date & Time	16 February 2022 03:11 PM
Transaction Period	17 January 2022 - 16 February 2022

Card Type	Card Serial No.	Card Status	Name	Vehicle No.	Vehicle Class	No. of Reload	Reload Amount (RM)	No. of Usage	Usage Amount (RM)	Other Charges (RM)	Card Balance (RM)
MALAYSIAN IC	3351604015	ACTIVE	-	-	-	1	-19.50	2	18.77	0.00	21.89

Trans No.	Transaction Date & Time	Posted Date	Trans Type	Entry Location	Entry SP	Exit Location	Exit SP	Reload Location	Transaction Amount (RM)	Balance (RM)	Class	Tag No.
63981	15/02/2022 22:11:01	16/02/2022	Reload	SHELL	56_RUBY MAX	SHELL	56_RUBY MAX	SHELL	19.50	21.89	0	00000000
63982	30/01/2022 17:13:16	31/01/2022	Usage	PLAZA KERTEH	49_EAST COAST EXPRESSWAY 2	PLAZA AJIL	49_EAST COAST EXPRESSWAY 2	-	8.77	2.39	1	00000000
63983	30/01/2022 09:57:17	30/01/2022	Usage	PLAZA AJIL	49_EAST COAST EXPRESSWAY 2	PLAZA KIJAL	49_EAST COAST EXPRESSWAY 2	-	10.00	11.16	1	00000000

PLAZA AJIL - PLAZA KIJAL = RM 10.00

PLAZA KERTEH - PLAZA AJIL = RM 8.77

RM 18.77

+ Service charge topup = RM 0.50

RM 19.27

approved