TAXSCAN PUSH · NOTIFICATION PLATFORM

Admin User Guide

How to run, read, and get the most out of your web-push notification system.

This guide is written for editors and administrators — no technical background needed. It explains, in plain language, what every screen does, what the numbers mean, what to expect when you see certain values, and exactly how to send a notification yourself.

The 30-second version

The system reads Taxscan's articles automatically and pushes only the important ones to your readers' browsers, paced sensibly so nobody is annoyed. Your job is light: **glance at the Dashboard** to check things are healthy, and **clear the Review queue** (decide on the few articles the system wasn't sure about). You can also **send anything yourself, instantly**, whenever you want.

What's inside

1 What this tool is (in one minute)

2 Logging in & your account

3 The big picture: how notifications go out

4 Your daily routine — the 5-minute check

5 Reading the Dashboard (what every number means)

6 The Review queue — your main task

7 Sending a notification yourself (Compose)

8 The other screens — Campaigns, Reports, Reads & Surfaces

9 The email digest — the Digests screen

10 Digest ads and templates (Admins)

11 Quick reference card

12 Frequently asked questions

1 What this tool is (in one minute)

Taxscan Push sends short notifications straight to your readers' web browsers — even when they aren't on the Taxscan website — to tell them about important new updates. A reader "subscribes" once by clicking *Allow* on a prompt; after that, the notifications appear on their device.

The platform does most of the work on its own:

- It **watches Taxscan's articles** as they're published.
- It **automatically sends the important ones** (e.g. Supreme Court & High Court rulings, ICAI, CBDT, CBIC, DGFT, IBBI, GSTAT, PMLA updates).
- It **holds back the less important ones** and **spaces sends out** so readers aren't overwhelmed.
- It **asks you to decide** on the few articles it isn't sure about (analysis/explainer pieces).

So your role is simple: **review and supervise**, and **send things manually** when you want to. This guide shows you how.

2 Logging in & your account

1. Go to `https://push.taxscan.in/admin/` in any browser.

2. Enter your **email** and **password**, then click *Log in*.

3. If this is your first time, you'll be given a temporary password and asked to set your own. Pick something strong and private.

Two kinds of account

Role	What they can do
Administrator	Everything below, *plus* add/remove team members and change roles (the **Users** screen), and manage the email digest's **Ads** and **Templates**.
Publisher	Use the Dashboard, Review queue, Compose/send, Campaigns, Reports, **Digests** (approve, hold, send) and Activity. Cannot manage other users, ads or templates.

Tip — changing your password

You can change your password any time from the **Change password** link in the top menu.

Keep your login private

Every action you take (sending, approving, rejecting) is recorded against your name in the **Activity** log. Don't share your account.

3 The big picture: how notifications go out

Understanding this makes everything else obvious. There are **three things** the system does with every new article:

① It decides whether the article is worth a notification

Category	What happens
SEND Major authorities Supreme Court, High Court, ICAI, CBDT, CBIC, DGFT, IBBI, GSTAT, PMLA	Queued to be sent automatically.
HOLD Tribunal orders ITAT, CESTAT, NCLAT, NCLT	Not sent (these were never pushed historically). Used only as filler if there's genuinely nothing else to send.
REVIEW Everything else Analysis & explainer articles	Sent to the **Review queue** for *you* to approve, push, or reject.

② It paces the sending so readers aren't spammed

- **At most one push every ~45 minutes.**
- **Up to ~20 notifications per day** in total.
- **Quiet hours overnight** (roughly 11 pm–7 am) — nothing sends while people sleep.
- When several articles are waiting, it sends the **most important one first** (Supreme Court > High Court > regulatory), and the others **wait their turn** — they are never lost.

③ It lets you override, instantly, whenever you want

Automatic pacing is for the routine flow. For anything urgent, you are always in control — use **Push now** in the Review queue, or **Force send** in Compose (both explained later). These go out immediately to everyone.

> **Why an article didn't go out the second it was published**
>
> This is normal and intended — the system spaces sends ~45 minutes apart to protect readers. The article isn't lost; it's waiting its turn. If it's urgent, send it yourself with **Push now** / **Force send**.

4 Your daily routine — the 5-minute check

You don't need to babysit the system. A short daily glance is enough:

1. Open the Dashboard. Look at the coloured dots next to each number. 🟢 **green** = healthy. If everything's green, you're done with this part.

2. Open the Review queue. Decide on anything waiting there — *Approve* the good analysis pieces, *Push now* the urgent ones, *Reject* the rest. Aim to leave it empty.

3. (Optional) Send anything special. Big breaking story? Use Compose to send it yourself.

That's the whole job

Glance at the Dashboard, clear the Review queue. Everything else runs automatically.

5 Reading the Dashboard

The Dashboard is your health monitor. Each metric card has a small **(i)** icon — hover it for a plain explanation. Cards that have a target show a **coloured dot**:

● **Green** — on target ● **Amber** — warning, keep an eye on it ● **Red** — below target, needs attention

What every number means & what to expect

Card	Good looks like	What it means & what to do
Active subscribers	Steadily rising	How many people are signed up to receive notifications right now — your live audience. Expect steady growth. A small sudden drop is usually just dead subscriptions being cleaned out, not lost readers.
Total sent	Always rising	The running total of notifications delivered since launch. It only ever goes up. A faster climb means more is going out and/or your audience is bigger.
Overall CTR click-through rate	● ≥ 6% ● 4–6%	Of the notifications sent, the share that people actually **clicked**. The best gauge of how interesting and relevant your pushes are. If it's low, the headlines or the choice of what to send need work.
Opt-in rate	● ≥ 5% ● 3–5%	Of the people shown the "Allow notifications?" prompt, the share who said **yes**. Measures how convincing the prompt is. Low usually means it appears at an awkward moment.
Delivery rate	● ≥ 95% ● 90–95%	Of the notifications we tried to send, the share that actually **reached the device**. The rest bounce off dead/expired subscriptions. A dip usually self-heals as dead ones are removed.
Unsubscribe rate	● < 0.5%	The share of subscribers who opted out or whose subscription died. **Lower is better.** A spike is a fatigue warning — usually too many notifications or content people didn't want.

The lower sections

- **Subscriber sources** — where your audience came from. *Recaptured* (returning visitors who already allowed notifications) is normally the biggest and should keep climbing. *Soft prompt* = fresh opt-ins from the on-site prompt.
- **30-day subscriber growth** — a simple line of new sign-ups per day. Rising or steady = healthy; flat near zero = sign-ups have stalled.
- **Opt-in funnel** — the journey from "prompt shown" → "accepted" → "subscribed". A big drop between two steps shows where readers are being lost.
- **Recent campaigns** — your latest notifications and how each performed (who it reached, clicks, CTR). Great for spotting which headlines land best.

If you see an amber notice at the top

It means a background job has failed — most often the nightly off-site backup of the subscriber list. Nothing is broken for readers and sends continue as normal, but **pass it to whoever looks after the platform**; the desk can't fix it. It can't be dismissed, and clears itself once the problem is fixed.

Don't over-react to one number

Rates need a reasonable volume to be meaningful. One slow day, or a tiny send, can swing a percentage. Look at the trend over several days, not a single reading.

6 The Review queue — your main task

Open the **Review** tab daily. It lists the articles the system wasn't sure about — mostly **analysis and explainer pieces** that don't name a specific court, plus **job/recruitment posts** (see below). For each one you have three choices:

Button	What it does	Use it when…
Approve	Adds it to the normal send queue. It goes out on the next available slot, alongside everything else.	It's a good piece worth sending, but not urgent.
Push now	**Sends it immediately to everyone**, skipping the wait. You'll be asked to confirm first. Between 11 pm and 7 am you'll be asked again — readers are promised no alerts at night, so only **Send now as Breaking** gets through; *Leave for morning* changes nothing.	It's important and you want it out right away.
Reject	Drops it — it will never be sent.	It's not worth a notification.

Goal: leave the queue empty

Clearing it daily keeps the channel fresh and means no good article sits unsent. There's no penalty for rejecting — when in doubt, reject; you're curating quality. Tribunal orders (ITAT, CESTAT, NCLAT, NCLT) do **not** appear here — they're held automatically and need no action from you.

Job postings

Job and recruitment posts from the **Job Scan** section (CA / CMA / MBA vacancies, hiring, walk-ins, internships) now land in this Review tab automatically. **The system never sends a job post on its own — it's always your call.** Use the same three buttons: *Push now* sends it to everyone straight away, *Approve* schedules it for the next slot, *Reject* drops it.

Handling job posts

- Job posts go to **all subscribers** (there's no separate "jobs" audience), so push only the ones genuinely worth interrupting everyone for.
- Even a post that names a body (e.g. “ICAI Recruitment”) comes here rather than going out automatically — that's intentional.
- **First time only:** you'll see a one-time batch of current vacancies, because the feed was just switched on. Work through them once (reject the ones not worth a push); after that only new postings appear.

Repeat headlines

If the same headline appears again **within 30 days**, the second copy is held here instead of being pushed. When the desk publishes the same story twice as two separate posts, the system can't tell it from genuinely new news — so rather than send your readers the same headline twice, it asks you.

What to do with one

- **Genuinely the same story again?** *Reject* it — subscribers already got it.
- **A headline that legitimately recurs** — the weekly Round-Up, a digest — is just *Approve*, one click. Nothing is ever discarded automatically.
- Worth the moment it takes: getting the same headline twice is the most common reason people unsubscribe.

7 Sending a notification yourself (Compose)

Use the **Compose** screen to write and send a notification by hand — for a big story, an announcement, or anything you want out on your own terms.

The fields

Field	What to put
Title	The headline the reader sees. Keep it short and punchy — this is what makes them click.
Body	One line of detail under the title.
Click URL	The page that opens when they tap the notification — usually a taxscan.in article, but you can also link a course (**academy.taxscan.in**) or a product (**shop.taxscan.in**).
Icon URL (optional)	Leave blank to use the Taxscan logo.
Target	**All subscribers**, or **By topic** (GST, Income Tax, Customs, Corporate) to reach only people interested in that area.

Choosing who receives it — check this every time

- Compose opens on **All subscribers**. Leave it there for anything meant for the whole base (results, circulars, major rulings) — that's the normal choice.
- Switch to **By topic** only when you *deliberately* want a slice. Most subscribers picked specific topics, so a single-topic push reaches only that slice (plus the few "All news" readers) — it can land on a **very small number** of people.
- If the reach shown after sending looks far below your usual full base (~all subscribers), the target was probably narrowed by accident — just re-send with **All subscribers** selected. A duplicate only means a few people get it twice, which is harmless.
- To preview without sending to anyone, use **Test on this device** (below) — it goes only to your own browser, never to subscribers.

The two important switches

Switch	What it does & when to use it
Breaking	Lets the notification go out **even during quiet hours** (overnight). Use only for genuinely urgent news. It does *not* change who receives it.
Force send (full reach)	**Reaches every eligible subscriber right now**, ignoring the normal spacing and frequency limits. Use for a major story you want everyone to get immediately. (Without this, a hand-send still respects the usual pacing.)

Scheduling

- **Send now** or **Schedule for later** (pick a date & time). Note: Force send is immediate only.
- **Send now** asks you to confirm who it goes to first. If the screen then says *"No reply from the server in time"*, don't press it again — check **Campaigns**. A repeat of the same message is refused, so it can never reach everyone twice.

Test on this device (preview before you send)

Below the compose box is a **Test on this device** panel — the easy way to see exactly how a notification will look before sending it to anyone.

- Click **Enable test notifications on this device** once, and accept the browser's permission prompt.
- Then click **Send test to my device** — the notification you composed appears on *your* browser only. **No one else receives it.**
- If notifications are blocked, allow them for this site in your browser settings and reload the page.

Always preview the important ones

Send a test to your own device first for anything that matters — a course or product link, a webinar, or any major push — so you can check the title, wording and that the link opens the right page.

Before you hit send

Double-check the **Title** (no typos — readers see it instantly) and the **Click URL** (open it once to be sure it's the right page). A notification can't be "unsent".

Good push, in 3 rules

Short, specific title · link straight to the article · send only what's genuinely worth interrupting someone for.

8 The other screens

Screen	What it's for
Queue	Articles already approved to send, waiting their automatic slot — listed in the order they'll go out. Click **Push now** on any one, then confirm, to send it immediately instead of waiting its turn. At night (11 pm – 7 am) it only goes as Breaking. If the article has been deleted from the site, it is archived instead of sent.
Campaigns	The full history of notifications sent, each with its reach, clicks, click-rate and **how much the article was actually read**. Sort by any column (e.g. **Pushed** to see the most recent sends). The **Source** column shows **Manual** (someone sent it by hand — Compose or *Push now* — with their name) or **Automatic** (the system sent it on the normal schedule), so a hand-pushed item is never mistaken for an automatic one. See the column guide below.
Reports	The **coverage report** (what we published, by category and by court), the **Reads report** (what readers actually opened) and the **Surfaces report** (what Google Discover picked up). See below.
Digests	The daily email digest: preview, approve, hold or send it, and its last 14 days. See section 9. Ads and Templates (Admins only) are in section 10.
Activity	A record of who did what and when (logins, sends, approvals, user changes). Useful for accountability and tracing "who sent that?".
Users (Admins only)	Add teammates by email invite or with a temporary password, change their role, or deactivate them. New members get a link to set their own password.
Change password	Update your own password at any time.

Adding a teammate (Admins)

On the **Users** screen choose *Invite user* (emails them a sign-up link) or *Create user* (gives you a temporary password to share). Pick **Publisher** for editors, **Administrator** only for people who also need to manage the team.

The Campaigns screen — the columns explained

Every column is sortable — click the heading. The four that tell you how a notification performed:

Column	What it counts
Sent	How many devices we delivered the notification to.
Clicked / **CTR**	How many people *tapped the notification*, and that as a share of Sent. This measures the notification — was the headline worth interrupting someone for?
Reads	How many times the **article page** was opened, by *everyone* — Google search, the homepage, social, newsletters, and push. This measures the article, not the notification. Counts come from Google Analytics.
via Push	The slice of **Reads** that arrived through a push notification. Compare it against Reads to see how much of an article's traffic *we* generated.

Reads vs Clicked — they measure different things

Clicked is about the notification; **Reads** is about the article. Reads is normally far larger than Clicked, because most readers arrive from Google rather than from us — that is expected and not a problem. A story with high Reads but low Clicked usually means the article is strong but the push headline undersold it.

A dash (—) is not a zero

— means *no read data for this link*, not "nobody read it". You'll see it on a course or product link (academy / shop pages aren't tracked here) and on articles older than read tracking. Numbers for the last day or two also keep rising for about 48 hours as Google Analytics settles.

The Reports screen — coverage at a glance

The **Reports** tab shows two heat-maps for a period — **courts/benches × dates** (ordered Supreme Court first, then the priority High Courts, then the rest) and **categories × dates** — with the count in each cell shaded red (none) to green (plenty), plus a summary line (total articles, change vs the previous period, and where coverage was missing). It answers "*did we publish enough, across enough of the map?*"

Five tabs across the top:

Tab	What it shows
Weekly	The last 7 complete days.
Monthly	The previous calendar month.
Custom	Any window you choose — pick a *From* and *To* date and click **Apply**. Up to **30 days**, both ends included; "To" can be today if you want a so-far-this-week look.
Reads	What readers actually opened, rather than what we published. See below.
Surfaces	What **Google Discover** and **Google News** picked up — the stories Google put in front of readers who weren't looking for us. See below.

- **Share it** — *Download image* or *Copy image* makes a short, phone-readable summary of the tab you're on: the headline number and its change, the top five courts and categories (or, on Surfaces, the top five articles). On a phone or tablet, *Share image* sends it to WhatsApp in one step. Need every row and column? On a computer, *Full report image* saves the whole report as one large picture.
- **It also arrives by email automatically** — every **Monday morning** (the past week) and on the **1st of each month** (the previous month). The email now ends with a **"How it was read"** section: reads by category and the ten most-read articles of the period.
- **Email me a test** sends the current report to your own inbox so you can see how it looks. Test emails always send the standing Weekly/Monthly report, so the button is off on the Custom, Reads and Surfaces tabs.

Who gets the report email (Admins)

Everyone with a login receives it. To include other internal colleagues who don't need a login, add their email under **Email recipients** on the Reports screen — they'll get the weekly & monthly email only, nothing else. This report is **internal**: it never goes to your notification subscribers.

The Reads tab — what readers actually opened

The coverage report answers "*what did we publish?*" The **Reads** tab answers the other half: "*what did people actually read?*" It uses the same two maps — **courts/benches** and **categories** — but instead of dates, the columns are trailing windows: **1 week · 1 month · 3 months · 6 months · 12 months**. Each cell is the number of article pageviews for that row

in that window, shaded by how big a share of the period it was; hover a cell for the exact figure and how many articles it covers.

Reading it together with the coverage report is where the value is:

- **Heavy coverage, light reading** — a bench or category you publish a lot of but that barely registers in Reads. Worth asking whether it deserves the desk time.
- **Light coverage, heavy reading** — the opposite, and the more interesting signal: readers want more of it than you're producing.
- The tiles along the top give total article reads per window, so you can see the direction of travel at a glance.

Where the numbers come from

Reads are Google Analytics pageviews for taxscan.in article pages — **all** traffic, not just push. The report is rebuilt once a day, so the "data as of" line under the title may be a few hours old; that's normal and nothing needs doing.

The last two days always look low

Google Analytics keeps settling recent figures for about 48 hours, so the newest days undercount slightly and then catch up. Judge trends on the longer windows, not on yesterday.

The Surfaces tab — what Google Discover picked up

Google Discover is the feed of articles Google shows people on their phone — in the Google app and on the Chrome home screen — *without them searching for anything*. Google decides what to put there. When it picks one of our stories, a lot of readers arrive at once.

This matters more than it sounds: **Discover brings taxscan.in several times more readers than Google search does**. It simply never showed up in any report before, because Google's own analytics can't tell Discover apart from ordinary search. The Surfaces tab is the only place you can see it.

It uses the same two maps as the other tabs — **courts/benches** and **categories** — plus a list of the **most picked-up articles**. **Google News** is shown alongside, but it is tiny by comparison; if it's a small share it stays folded away behind *Show breakdown* so it doesn't crowd out the part that matters.

The columns are calendar months, oldest on the left, so you can see straight away whether a subject is rising or falling. Each row also carries a small **trend line** before the numbers — the shape of that row across every month on screen — and a **Δ** column at the far right comparing the last complete month with the one before it. The bottom row of each grid totals the whole surface.

To look at one particular stretch of time instead, use **Pick a date range** above the report: it swaps the months for the period you choose next to the *same length of time immediately before it* — so you can ask "how did the Budget fortnight compare with the fortnight before". Ranges run up to 400 days, and **Back to months** returns to the month-by-month view.

These are clicks, not Reads — don't mix them up

A number here means someone **tapped our headline in the Discover feed**. The **Reads** tab counts page views from every source. They measure different things and are collected differently, so never add them together or compare one against the other. Hover any cell for the extra detail (how often the headline was shown, and the click rate).

The newest 2–3 days are missing, not low

Google reports this data a few days late, and for the very newest days it sends *nothing at all* — not smaller numbers, none. A quiet-looking recent stretch is the delay, not a drop. That's why every column looks backwards over a period instead of showing day by day.

The last column is always short

The current month is marked with a dot and shaded with fine stripes, because Google has not finished reporting it. Every headline figure and every Δ therefore compares the **last complete month**, never the part-month — otherwise the report would show a collapse on the 1st of every month. History currently starts in **January 2026**; if a line appears saying history starts later, earlier months were simply never collected and their absence says nothing about what Google picked up then.

Why some changes show a count instead of a percentage

A row that went from 9 clicks to 2,800 is a true "+31,000%", which tells you nothing and swamps every real figure next to it. Where the earlier month is too small for a percentage to mean anything, the Δ shows the movement itself — **▲ 2.8k** — instead. Hover it for the exact before-and-after.

What to look for

Discover concentrates hard: a handful of stories usually account for most of the clicks. So the useful question isn't "how do we lift the average" — it's **what did those few have in common**. Look at the most-picked-up list and check whether that kind of story is something you're publishing often, or by accident.

If the Reports screen shows an amber notice

The weekly and monthly coverage reports are also emailed automatically. If one of those scheduled emails fails to send, an **amber notice** appears at the top of Reports saying so — for example *"The weekly report email did not reach anyone"*, with the date and the reason the email provider gave.

This happened in August 2026 and nobody noticed for a week: the emails simply stopped arriving and there was nothing on screen to say why. The notice exists so that can't happen again.

- **The report itself is fine.** Only the email failed — everything is still on this screen, and *Download image* and *Copy image* work as usual.
- **You don't need to do anything technical.** Pass the message to whoever looks after the platform; the cause is almost always at the email provider.
- **It clears itself** when the next scheduled report sends successfully. You can check sooner with *Email me a test*, which sends only to you.

9 The email digest — the Digests screen

Not switched on yet — it starts with the pilot.

Besides push notifications, the platform can send Taxscan's **daily email digest** by itself: one email each morning with the best new stories, built from the same articles the push side has already approved. It replaces the digest that is put together by hand in Mailercloud today. Mailercloud still does the actual sending.

There are **two versions** every day: **Free** (newsletter readers and free sign-ups) and **Premium** (paid members, who never see the subscription ad). Each version goes out **at most once a day** and is never sent again on a later day.

When (IST)	What happens
06:30	The digest is built: up to 12 stories are picked and ranked, the ads are chosen, and both emails are **frozen**. Nothing changes them after this. A draft is created in Mailercloud (a draft cannot send by itself). Admins and publishers get a *ready for approval* email with a link to Digests — and a notification on any device where they turned it on (below).
07:30	It is sent — once it has been **approved**, while approval is required. Still not approved at **08:30**: one reminder email (and notification).
17:00	The cut-off. Anything not sent by now is **skipped** for the day, and its top 2–3 stories go into tomorrow's digest under *In case you missed it*.
11 pm – 7 am	Never. Like push, the digest is never sent at night, whatever button is pressed.

What you see and what you can press

- **Today** — the state of each version (built, waiting for approval, sent, failed, skipped) and, under *What happened*, a timeline of every step.
- **Preview** — the frozen email exactly as readers get it, at **Phone**, **Tablet** and **Desktop** width, with the inbox line (subject and preview text) above it and its size.
- **Stories** — the stories in order, with the court or authority and why they ranked.
- **Last 14 days** — each day's result, delivered, clicks, unsubscribes, bounces and complaints, with a link to the campaign in Mailercloud.

Button	What it does
Approve	Lets today's digest go out at 07:30. Press it after reading the preview.
Hold	Stops it going out. Approve it later to release it; still held at 17:00, it is skipped.
Send now	Sends both versions straight away instead of at 07:30. It asks *"Send today's digest to everyone now?"* first. Never at night, and — while approval is required — not before it is approved.
Retry now	Appears only when something failed, before 17:00. Tries again at once with the **same frozen email**; it never creates a second campaign. While sending is still switched off (the pilot's first week) it only re-makes the draft.
Test send to me	Sends that version to your own inbox only. It works only if your address is on the test list (`DIGEST_TEST_RECIPIENTS`); ask an admin.

Who can do what

Publishers can approve, hold, Send now, Retry now and test send — like Push now. **Ads** and **Templates** are for **Administrators** only, and appear in their menu only.

Failures retry by themselves

If Mailercloud doesn't answer, or the build fails, the system tries again **1, 5 and 15 minutes** later, then **every hour** until 17:00. You don't need to press anything. *Retry now* just skips the wait. A few errors are not retried because retrying can't help (a rejected API key, an exhausted plan): those send an alert email to admins straight away.

A version built later needs its own Approve

If one version was held back (for example its ad slot couldn't be filled) and is built after you approved the day, your earlier approval does **not** cover it. Its preview appears and **Approve** is offered again for that version alone. Not approved by 17:00, it is skipped.

A digest email is kept for **30 days**; after that its preview says *No longer stored* (the stories, ads and counts are kept).

Get notified on your phone

Besides the emails, anyone who can approve can get a **notification** on their own phone or computer: *"Today's digest is ready — tap to review"* when it is built, and *"Digest still waiting for approval"* at 08:30 if nobody has approved it. Tapping it opens Digests. The emails still come.

1. Open **Digests** on the device. At the top, *Notifications on this device* says **Off**.
2. Tap **Notify me on this device**, then **Allow** when the browser asks. It now says **On for this device**; **Send a test** shows what it looks like. Do this once on **each** device. **Stop notifications on this device** turns it off.

iPhone and iPad: add it to the Home Screen first

Apple allows notifications only from the Home Screen (iOS 16.4 or later). In **Safari**, open push.taxscan.in/admin, tap **Share → Add to Home Screen**, open **Taxscan Push** from the Home Screen, sign in, and tap *Notify me on this device* there. In Safari itself the screen shows this instruction instead of the button.

Blocked in browser settings: site settings (icon left of the address) → Notifications → Allow, then reload. On **Users**, admins see who has notifications on and can **Remove devices** (a lost phone); deactivating a user removes theirs. If the card says *the notification key has changed* (after a security key change), tap **Notify me on this device** once more on each device. At most 10 devices per person: an 11th turns the oldest off, and the card says which.

If the Digests screen (or the Dashboard) shows an amber notice

The digest uses the same amber notice as the rest of the platform. It stays until the cause is gone and can't be dismissed. The common ones:

The notice says	What to do
Today's digest is waiting for approval	Read the preview, then **Approve** or **Hold** before 17:00, or it is skipped.
Mailercloud is not answering; today's digest is retrying	Nothing yet — it retries by itself until 17:00.
…stopped: an ad slot cannot be filled	An admin opens **Ads**, fixes the slot named in the notice, then presses **Retry now** before 17:00. Only that version waits; the other still goes out.
Mailercloud rejected today's digest	Whoever runs the platform checks the Mailercloud key and plan, then **Retry now**.
Mailercloud did not confirm today's digest	Look in Mailercloud for today's `TS-DIGEST-` draft, then **Retry now**. Nothing is ever sent twice.

The notice says	What to do
Two campaigns named TS-DIGEST-… exist in Mailercloud	Someone copied the campaign. An admin deletes the extra one in Mailercloud; the digest carries on by itself.
Mailercloud already had today's … campaign, which this system did not create	After a database restore, or a campaign made by hand. An admin opens it in Mailercloud: delete it (a fresh one is made) or, if it is right, **Approve** that version. It never goes out without an Approve.
Mailercloud rejected the health check / is unreachable	Checked at 06:15 and 07:15 (hourly while rejected). Whoever runs the platform checks the key and plan; the digest picks itself up when it passes.
Today's digest is held: … spam-complaint rate	Yesterday's readers marked it as spam unusually often (over 0.3%). Find out why, then **Approve** or **Hold**; it never goes out by itself that day.
Today's digest settings are incomplete	A setting on the server is missing (lists, postal address, sender). Pass it to whoever runs the platform.
Part of today's digest was not delivered	Not re-sent (people who got it would get it twice). Its top stories go into tomorrow's digest.
Today's … digest used the built-in template	Today's email went out on the standard layout instead. An admin fixes the template on **Templates** (or reverts it).
Only the Free (or Premium) digest went out today	The other version was skipped; the notice says why. Its top stories roll into the next digest.
Mailercloud has stopped calling our webhook / reports it switched off	An admin switches the webhook back on in Mailercloud (see below). Sends are still checked meanwhile.
The spam-complaint rate of the last … digest is unknown	Mailercloud has not confirmed that send through the webhook (or it was never confirmed sent by 17:00), so the automatic hold can't protect today's digest. An admin checks the webhook and that campaign.
…event(s) from Mailercloud arrived without a readable address	Mailercloud still honours them on its side. Tell whoever runs the platform: the webhook format needs a look.

Don't touch TS-DIGEST- campaigns in Mailercloud

Every campaign this system creates is named `TS-DIGEST-` with the date and version, e.g. `TS-DIGEST-2026-10-23-FREE` . Don't send, copy, rename or edit them in Mailercloud by hand — the system can't see what is done there, and a copied campaign is the one way a reader could get two digests.

Unsubscribes, bounces and complaints (the history columns)

- They come from Mailercloud's **webhook**: Mailercloud calls us when someone unsubscribes, an address bounces permanently or someone marks the email as spam. We keep our own copy of who must not be mailed.
- **—** means *no data*, not zero. A day shows numbers only once Mailercloud has confirmed (through the webhook) that it sent that campaign; before that, and whenever the webhook is off, you see —.
- Admins: register the webhook for **five events only** — unsubscribe, hard bounce, spam, campaign sent and campaign error. **Never** opens or clicks: those would be hundreds of thousands of calls a day. (Opens and clicks are not read into this screen yet, so the Clicks column shows —: use the campaign report in Mailercloud.)
- Someone who unsubscribes is only mailed again if they opt in again *after* unsubscribing. A spam complaint or a permanent bounce is lifted only by a new, explicit opt-in. An address an admin blocked by hand is never lifted automatically.

Activity records every approval, hold, Send now, Retry now and test send, every ad and template change (saved, activated, scheduled, archived, reverted) and every notification device turned on, off or removed — with who did it and when.

10 Digest ads and templates (Admins)

Every digest carries **house ads** — Taxscan's own products (Academy, Shopscan), never outside advertisers — and is drawn from a **template**. Both are managed here, and both can be prepared while the digest is still switched off.

The Ads screen

The top of the screen is the **coverage check**: both emails drawn as the reader meets them, with the ad the next 06:30 build would put in each slot. A green line means every slot is filled. A slot marked empty means that version **will not go out** until it is fixed — a slot is never sent empty.

Slot	Where it sits	Notes
1	After story 4	Always shown.
2	After story 9	Only in digests with **9 or more stories**.
3	Above the footer	Always shown.

- **Three different ads per version.** The same ad never appears twice in one email, so each of Free and Premium needs at least three ads (or slot defaults) that can reach it.
- **Premium never gets the subscription ad.** A *Subscription* ad set to "Free and Premium" is listed as *Free only (never Premium)*, and Premium's slot is filled from the other ads.
- **Image:** JPEG or PNG, up to **1200 px wide**, up to **150 KB**, no taller than twice its width. One picture per ad, not resized. **Put the offer in the headline** — many readers' email apps hide images.
- **Link:** must start with `https://`, must be one of our own sites, and must not carry its own `utm_` tags (the digest adds its own, so sales can be traced back to the email).
- **Starts / Ends:** give every offer an end date, so it stops on time by itself.
- **Priority (0–100):** higher goes first; ads with equal priority take turns. **Topic:** an ad goes first when the day's top stories are on its topic. **Default for its slots:** used only when no other ad fits.
- **Archiving is final.** An archived ad can't be edited or brought back (copy its details into a new ad). Digests already sent keep it.

> **An unfillable slot holds back only that version**
>
> If, say, Premium's slot 3 can't be filled, the Free digest still goes out as normal and Premium waits. Fix the slot here (an active ad or a default for it), then press **Retry now** on Digests before 17:00. The Premium version is then built from the morning's frozen stories — and, in approval mode, needs its own Approve.

The Templates screen

In use now shows what each version's next digest is built with. Until an admin activates a template, both use the **built-in template**: close to today's hand-made digest — a dark header bar with the white Taxscan logo, Arial throughout, dark headlines, blue links and square yellow buttons. *New template* starts from a copy of it. Templates are **plain email HTML** with placeholders the digest fills:

Placeholder	What goes there
`{{preheader}}` required	The hidden inbox preview text. Put it first inside the body.
`{{stories}}` required	The stories, with ad slots 1 and 2 inside them.
`{{icymi}}` required	The *In case you missed it* stories, when there are any.
`{{ad_slot_3}}` required	The ad above the footer.

Placeholder	What goes there
`{{footer}}` required	Why the reader gets this email, the unsubscribe link and the postal address. Always the system's own text; it can be placed, never changed or removed.
Optional	`{{subject}}`, `{{date}}`, `{{home_url}}`, `{{logo}}`, `{{premium_badge}}`, `{{audience}}`.

Each required placeholder must appear **exactly once**. The four row placeholders (stories, ICYMI, slot 3, footer) must sit directly inside a table.

The checklist — every rule and its fix

Saving a draft checks it against the **biggest possible digest** (12 stories, the last 3 as *In case you missed it*, and 3 ads). **Activate** stays greyed out while any check fails.

Check	If it fails
Compiles	The HTML couldn't be read. Fix the markup the message points to.
Required placeholders, each exactly once	Add the missing one, remove the duplicate or the unknown one, and keep row placeholders inside a table.
Footer visible and not removable	Put `{{footer}}` in the visible body — not in a comment, an Outlook-only block, a hidden element, or under a style that hides it.
No scripts, forms, iframes or external styles	Remove them. Email apps block them anyway, and they are a security risk.
Every link and image passes the URL check	Links only to our own sites; images on https from our own sites.
Every image has alt text	Add a short `alt="…"` description to each image.
Worst-case email under the size budget	The limit is **90 KB**, with a warning from 75 KB, because Gmail cuts emails off at about 102 KB. Remove repeated styling or extra images.
No subscription offer in the Premium template	Remove subscribe, pricing, plans or membership links and "Subscribe now" wording from a Premium template.

- **Draft → Activate** makes it the template for that version from the next build; the one it replaces is archived and remembered. **Schedule** uses it for a few days only (say, Budget week), then the active one returns by itself.
- **Revert** (top of the screen) brings back the template it replaced, after checking it again; with nothing to go back to, the built-in template. Only drafts can be edited — **Copy** a template to change it. **Archive** is final.
- **If a template fails on the morning itself**, that version is built with the built-in template instead, and admins get an email and an amber notice naming the template. Fix it before the next morning.
- The **logo image** is a fixed file. Email apps keep images for a year, so a new logo is always added as a **new file**, never by replacing the old one. Ask whoever runs the platform.

11 Quick reference card

Daily checklist

- □ Dashboard — all dots green? (note anything amber/red)
- □ Review queue — cleared? (Approve / Push now / Reject)
- □ Anything urgent to send by hand?
- □ Digests — today's email approved (before 07:30) or deliberately held?

Target numbers at a glance

Metric	🟢 Good	🟠 Warning	🔴 Below target
Click-through rate (CTR)	≥ 6%	4–6%	< 4%
Opt-in rate	≥ 5%	3–5%	< 3%
Delivery rate	≥ 95%	90–95%	< 90%
Unsubscribe rate	< 0.5%	0.5–1%	> 1%

If you see this → do this

Situation	What to do
An article didn't send the instant it published	Normal — it's waiting its ~45-min turn. If urgent, **Push now** / **Force send**.
Push now asks "It's quiet hours"	It's between 11 pm and 7 am. *Leave for morning* (nothing changes), or **Send now as Breaking** if it truly can't wait.
Push now says "deleted from the site"	The desk removed that article, so it was archived instead of sending everyone a dead link. Nothing to do.
Reports shows "The report email was not sent"	It failed before sending (the report or recipient list couldn't be prepared). Tell whoever runs the platform; the notice clears when the next scheduled email sends.
CTR is drifting down	Be choosier about what's sent; sharpen headlines. Don't send more — send better.
Unsubscribe rate ticking up	A fatigue signal — ease off volume; make sure only genuinely useful items go out.
Delivery rate dipped	Usually dead subscriptions; it self-heals. Only worry if it stays low for days.
A big story breaks	Compose → write it → **Force send** (add **Breaking** if overnight).
Review queue is piling up	Clear it: Approve the good pieces, Reject the rest.
The same headline is sitting in Review	It was published twice within 30 days. **Reject** a true duplicate; **Approve** a legitimate repeat (weekly Round-Up).
A campaign shows **—** under Reads	No read data for that link (course/product page, or an older article) — not a zero. Nothing to fix.
Discover clicks falling month after month	Check it on **complete** months (the striped last column is unfinished). If the *All Google Discover clicks* total is falling too, it's real — raise it with whoever owns the site's search performance and bring the Surfaces tab as evidence.
An amber notice on **Digests**	Section 9 lists each one. Waiting for approval: **Approve** or **Hold** before 17:00. An ad slot can't be filled: **Ads**, then **Retry now**.
High Reads but low Clicked	The article works; the push headline undersold it. Sharpen the wording next time.

12 Frequently asked questions

Why didn't my article go out immediately?

To protect readers, the system sends about one notification every 45 minutes. Your article is in the queue and will go out on its turn — it isn't lost. For urgent items, use **Push now** or **Force send**.

Why aren't ITAT / CESTAT / NCLAT / NCLT stories being sent?

By long-standing editorial policy these tribunal orders aren't pushed — they'd dilute the channel. The system applies this automatically. If you ever want to send one, you can do it by hand in Compose.

How do I send something to everyone, right now?

In **Compose**, make sure **Target** is set to **All subscribers** (the default), write it and tick **Force send**. Or, for an item already in the Review queue, click **Push now**.

A reader says they didn't receive a notification.

Common reasons: they never subscribed (or unsubscribed), their browser blocked notifications at the OS level, or their subscription expired (counted in the delivery rate). This is normal — no system reaches 100%.

Can I use it on my phone?

Yes. On a phone, a tablet or any window narrower than about **1200 pixels**, the menu folds into the ≡ button at the top right. On a phone each list shows one item per card, with its numbers and buttons underneath — nothing is hidden off the side of the screen. **Campaigns** has a *Sort by* picker instead of clickable column headings, **Activity** keeps its filters behind a *Filters* button, and the wide report tables scroll sideways with the court or category name pinned on the left. **Push now** and Compose's **Send now** always ask you to confirm before they send, so a stray tap while scrolling can't send anything.

Can I undo a send?

No — once a notification is out, it's out. Always double-check the title and link before sending. This is also why a **deleted article** is a problem: the link inside a delivered notification can't be changed, so if the page is removed from the site afterwards, anyone tapping it lands on a "page not found". If a duplicate post has to be removed, ask the web team to **redirect** it to the copy you're keeping rather than deleting it outright.

What's the difference between Clicked and Reads on the Campaigns screen?

Clicked counts people who tapped *our notification*. **Reads** counts everyone who opened *the article*, however they got there — mostly Google. Reads being much bigger than Clicked is normal. **via Push** is the overlap: the readers we brought in.

Why does a campaign show "—" in the Reads column?

It means there's no read data for that link, *not* that nobody read it. Course and product links (academy / shop) aren't tracked, and articles from before read tracking started have no figures. Very recent sends also fill in over about 48 hours.

What is Google Discover, and why is it on the Reports screen?

Discover is the feed of articles Google shows people on their phones without them searching — in the Google app and on the Chrome home screen. Google chooses what appears there. It sends taxscan.in several times more readers than Google search does, and the **Surfaces** tab is the only place it's visible, because ordinary analytics can't separate Discover traffic from normal search traffic.

Discover clicks and Reads don't match. Which is right?

Both — they count different things. A Discover **click** is someone tapping our headline in the Google feed. A **Read** is a page view of the article from any source at all. They also arrive on different schedules: Reads appear within hours, Discover figures are 2–3 days behind. Use each for its own question and don't add them together.

The Surfaces tab shows Discover falling month after month. Is the report broken?

Almost certainly not. Two things to rule out first: the **last column is always short** (it is marked with a dot and fine stripes, because Google hasn't finished reporting it), and a single quiet month can be noise. Judge it on **complete** months and on the small **trend line** at the start of each row.

If the fall shows up across most rows and in the *All Google Discover clicks* total at the foot of the grid, it is real. Discover is Google's choice, not ours — it can drop for reasons that have nothing to do with the quality of the desk's work. That makes it a conversation to have with whoever looks after the site's search performance, and the Surfaces tab is the evidence to bring: it shows when the change started and which categories and benches it hit hardest.

Can I look at one particular stretch of time?

Yes — **Pick a date range** above the report. Choose any *From* and *To* (up to 400 days) and the grid switches to that single period alongside the *same length of time immediately before it*, with the change between them. That is the one to use for "how did the Budget fortnight compare with the fortnight before". **Back to months** returns to the month-by-month view.

The same headline turned up in my Review queue — why?

Because that headline was already published within the last 30 days. The desk sometimes posts the same story twice, and rather than push it to your readers a second time the system asks you first. Reject it if it's a genuine duplicate; approve it if it's something that legitimately recurs, like the weekly Round-Up.

An article vanished from the queue without being sent.

The system checks each article is still live on the site immediately before pushing it. If it has been deleted in the meantime, it's archived instead of sent — that's deliberate, so a notification never points at a missing page. Nothing is wrong and no action is needed.

What's the difference between "Breaking" and "Force send"?

Breaking only lets a send happen during overnight quiet hours. **Force send** makes it reach everyone immediately, ignoring the normal spacing/frequency limits. They're independent — you can use either or both.

Can the digest go out twice, or late?

No. Each version goes out at most once a day, and a day that missed its digest is never sent the next day — its best stories go into the next digest instead. *Retry now* and *Send now* always reuse the same campaign. The one thing the system can't see is a campaign copied or re-sent by hand inside Mailercloud, which is why those are left alone.

I changed an ad (or a template) — why is today's email the same?

Because the email is frozen at the 06:30 build. Changes show from the next build. The exception is a version still waiting for its ads: it is built when you press *Retry now*, with the ads as they are then.

How often should I check in?

Once a day is plenty: a quick Dashboard glance and clearing the Review queue. The system handles the rest.

Need help?

For anything this guide doesn't cover — a number that looks wrong, a screen behaving oddly, or a question about strategy — reach out to your administrator.