

Bruker MALDI Biotyper® Identification Results



■ Report Info

Report created by:

BN125649\tof-user

Report creation date/time:

18/06/2026 17:19

Server version (at report creation time):

5.1.410.7081

Tests coverage:

82 of 82 Tests selected for this report

■ Run Info

Run identifier:

180626cirad

Server version (at measuring time):

5.1.410.7081

Run created by:

BN125649\tof-user

Run creation date/time:

18/06/2026 17:00

Number of tests:

82

BTS-QC status:

Not yet performed

BTS-QC position:

Instrument identifier:

1890112.42108

■ Meaning of Consistency Categories (A - C)

Category	Interpretation
High (A)	High Consistency: The best match is a high confidence species identification. The second-best match is (1) a high confidence species identification in which the species is identical to the best match, (2) a low confidence species identification in which the species or genus is identical to the best match, or (3) a non-identification.
Low (B)	Low consistency: The requirements for high consistency are not met. The best match is a high confidence or low confidence species identification. The second-best match is (1) a high confidence or low confidence species identification in which the genus is identical to the best match or (2) a non-identification.
No (C)	No consistency: The requirements for high or low consistency are not met.

■ Meaning of log(score) Values

for Sample Type
Sample

Range		Interpretation	Symbols	Color
2,00 - 3,00		High Confidence Identification	(+++)	green
1,70 - 1,99		Low Confidence Identification	(+)	yellow
0,00 - 1,69		No organism identification possible	(-)	red

Result Overview

Sample identifier (Sample type)	Sample position	Detected species (Best match)	Log(score) (Confidence)	Detected species (Second-best match)	Log(score) (Confidence)	Consistency
STDEN_750_A1_WASP_69 (Sample)	A1	Escherichia coli	 2,45 (+++)	Escherichia coli	 2,32 (+++)	High (A)
STDEN_750_A4_R7_100 (Sample)	A4	Klebsiella pneumoniae	 2,18 (+++)	Klebsiella pneumoniae	 2,17 (+++)	High (A)
STDEN_750_A5_R8_100 (Sample)	A5	No organism identification possible	 1,30 (-)	No organism identification possible	 1,21 (-)	No (C)
STDEN_750_A6_R11_100 (Sample)	A6	Enterobacter bugandensis	 2,31 (+++)	Enterobacter bugandensis	 2,31 (+++)	High (A)
STDEN_750_A7_R12_100 (Sample)	A7	Acinetobacter baumannii	 2,03 (+++)	Acinetobacter baumannii	 2,00 (+++)	High (A)
STDEN_750_A8_R13_100 (Sample)	A8	Klebsiella pneumoniae	 2,31 (+++)	Klebsiella pneumoniae	 2,28 (+++)	High (A)
STDEN_750_A9_R9_100 (Sample)	A9	Klebsiella pneumoniae	 2,05 (+++)	Klebsiella pneumoniae	 2,05 (+++)	High (A)
STDEN_750_A10_R20_100 (Sample)	A10	Aeromonas hydrophila	 2,24 (+++)	Aeromonas hydrophila	 2,21 (+++)	High (A)
STDEN_750_A11_R22_100 (Sample)	A11	No peaks found	 0,00 (-)	No peaks found	 0,00 (-)	No (C)

Continued on next page

Continued from previous page

Sample identifier (Sample type)	Sample position	Detected species (Best match)	Log(score) (Confidence)	Detected species (Second-best match)	Log(score) (Confidence)	Consistency
STDEN_750_A12_R24_100 (Sample)	A12	Enterobacter bugandensis	 2,02 (+++)	Enterobacter ludwigii	 1,98 (+)	High (A)
STDEN_750_B2_AS001 BDX1_100 (Sample)	B2	Escherichia coli	 2,30 (+++)	Escherichia coli	 2,30 (+++)	High (A)
STDEN_750_B3_AS002 BDX 2_100 (Sample)	B3	Escherichia coli	 2,18 (+++)	Escherichia coli	 2,14 (+++)	High (A)
STDEN_750_B4_AS002 BDX 1_100 (Sample)	B4	Escherichia coli	 2,19 (+++)	Escherichia coli	 2,18 (+++)	High (A)
STDEN_750_B5_AS080 BDX 2_100 (Sample)	B5	No peaks found	 0,00 (-)	No peaks found	 0,00 (-)	No (C)
STDEN_750_B6_AS005 BDX 1_100 (Sample)	B6	Escherichia coli	 1,88 (+)	Escherichia coli	 1,80 (+)	Low (B)
STDEN_750_B7_AS005 BDX 2_100 (Sample)	B7	Escherichia coli	 2,36 (+++)	Escherichia coli	 2,33 (+++)	High (A)
STDEN_750_B8_AS056 BDX 1_100 (Sample)	B8	Escherichia coli	 2,21 (+++)	Escherichia coli	 2,21 (+++)	High (A)
STDEN_750_B9_AS006 BDX 2_100 (Sample)	B9	Escherichia coli	 2,18 (+++)	Escherichia coli	 2,04 (+++)	High (A)

Continued on next page

Continued from previous page

Sample identifier (Sample type)	Sample position	Detected species (Best match)	Log(score) (Confidence)	Detected species (Second-best match)	Log(score) (Confidence)	Consistency
STDEN_750_B10_AS006 BDX1_100 (Sample)	B10	Escherichia coli	 2,34 (+++)	Escherichia coli	 2,25 (+++)	High (A)
STDEN_750_B11_AS008 BDX1_100 (Sample)	B11	Escherichia coli	 2,27 (+++)	Escherichia coli	 2,24 (+++)	High (A)
STDEN_750_B12_AS034 BDX1_100 (Sample)	B12	Escherichia coli	 2,21 (+++)	Escherichia coli	 2,10 (+++)	High (A)
STDEN_750_C1_AS034 BDX2_100 (Sample)	C1	Escherichia coli	 2,32 (+++)	Escherichia coli	 2,28 (+++)	High (A)
STDEN_750_C2_AS078 BDX_100 (Sample)	C2	No peaks found	 0,00 (-)	No peaks found	 0,00 (-)	No (C)
STDEN_750_C3_AS069 BDX_100 (Sample)	C3	Escherichia coli	 2,31 (+++)	Escherichia coli	 2,27 (+++)	High (A)
STDEN_750_C4_AS056 BDX2_100 (Sample)	C4	Escherichia coli	 2,34 (+++)	Escherichia coli	 2,34 (+++)	High (A)
STDEN_750_C5_AS072 BDX1_100 (Sample)	C5	Escherichia coli	 2,39 (+++)	Escherichia coli	 2,36 (+++)	High (A)
STDEN_750_C6_AS072 BDX2_100 (Sample)	C6	No peaks found	 0,00 (-)	No peaks found	 0,00 (-)	No (C)

Continued on next page

Continued from previous page

Sample identifier (Sample type)	Sample position	Detected species (Best match)	Log(score) (Confidence)	Detected species (Second-best match)	Log(score) (Confidence)	Consistency
STDEN_750_C7_AS025 BDX1_100 (Sample)	C7	Escherichia coli	 2,23 (+++)	Escherichia coli	 2,23 (+++)	High (A)
STDEN_750_C8_AS025 BDX2_100 (Sample)	C8	Escherichia coli	 2,40 (+++)	Escherichia coli	 2,31 (+++)	High (A)
STDEN_750_C9_AS081 BDX2_100 (Sample)	C9	Escherichia coli	 2,51 (+++)	Escherichia coli	 2,47 (+++)	High (A)
STDEN_750_C10_AS081 BDX1_100 (Sample)	C10	Escherichia coli	 2,48 (+++)	Escherichia coli	 2,42 (+++)	High (A)
STDEN_750_C11_AS096 BDX2_100 (Sample)	C11	Escherichia coli	 2,00 (+++)	Escherichia coli	 1,95 (+)	High (A)
STDEN_750_C12_AS096 BDX1_100 (Sample)	C12	Escherichia coli	 2,00 (+++)	Escherichia coli	 1,91 (+)	High (A)
STDEN_750_D1_AS080 BDX1_100 (Sample)	D1	Escherichia coli	 2,22 (+++)	Escherichia coli	 2,22 (+++)	High (A)
STDEN_750_D2_AS059 BDX1_100 (Sample)	D2	Aeromonas veronii	 2,16 (+++)	Aeromonas veronii	 2,09 (+++)	High (A)
STDEN_750_D3_AS059 BDX2_100 (Sample)	D3	Aeromonas veronii	 2,26 (+++)	Aeromonas veronii	 2,23 (+++)	High (A)

Continued on next page

Continued from previous page

Sample identifier (Sample type)	Sample position	Detected species (Best match)	Log(score) (Confidence)	Detected species (Second-best match)	Log(score) (Confidence)	Consistency
STDEN_750_D4_CARBA AS006BDX1_100 (Sample)	D4	Aeromonas veronii	 2,13 (+++)	Aeromonas veronii	 2,06 (+++)	High (A)
STDEN_750_D5_CARBA AS006BDX2_100 (Sample)	D5	Aeromonas veronii	 2,17 (+++)	Aeromonas veronii	 2,14 (+++)	High (A)
STDEN_750_D6_AS018 BDX1_100 (Sample)	D6	Aeromonas veronii	 2,19 (+++)	Aeromonas veronii	 2,19 (+++)	High (A)
STDEN_750_D7_AS018 BDX2_100 (Sample)	D7	Aeromonas hydrophila	 2,13 (+++)	Aeromonas veronii	 2,12 (+++)	Low (B)
STDEN_750_D8_CAR- BAAS008 BDX1_100 (Sample)	D8	Aeromonas veronii	 2,23 (+++)	Aeromonas veronii	 2,18 (+++)	High (A)
STDEN_750_D9_CAR- BAAS008 BDX2_100 (Sample)	D9	Aeromonas veronii	 2,13 (+++)	Aeromonas veronii	 2,13 (+++)	High (A)
STDEN_750_D10_AS012 B1_100 (Sample)	D10	Aeromonas veronii	 2,25 (+++)	Aeromonas veronii	 2,21 (+++)	High (A)
STDEN_750_D11_AS012 B2_100 (Sample)	D11	Aeromonas veronii	 2,20 (+++)	Aeromonas veronii	 2,20 (+++)	High (A)
STDEN_750_D12_AS015 V1_100 (Sample)	D12	Aeromonas veronii	 2,28 (+++)	Aeromonas veronii	 2,10 (+++)	High (A)

Continued on next page

Continued from previous page

Sample identifier (Sample type)	Sample position	Detected species (Best match)	Log(score) (Confidence)	Detected species (Second-best match)	Log(score) (Confidence)	Consistency
STDEN_750_E1_AS015 V2_100 (Sample)	E1	Pseudomonas mendo- cina	 1,99 (+)	Pseudomonas oleovor- ans	 1,84 (+)	Low (B)
STDEN_750_E2_AS012B DX1CAR_100 (Sample)	E2	Aeromonas veronii	 2,18 (+++)	Aeromonas veronii	 2,13 (+++)	High (A)
STDEN_750_E3_AS012B DX2CAR_100 (Sample)	E3	Aeromonas veronii	 2,19 (+++)	Aeromonas veronii	 2,08 (+++)	High (A)
STDEN_750_E4_AS015B DX1CAR_100 (Sample)	E4	Aeromonas veronii	 1,95 (+)	Aeromonas veronii	 1,86 (+)	Low (B)
STDEN_750_E5_AS015B DX2CAR_100 (Sample)	E5	Aeromonas veronii	 2,12 (+++)	Aeromonas veronii	 2,08 (+++)	High (A)
STDEN_750_E6_AS019B DX1CAR_100 (Sample)	E6	Aeromonas veronii	 2,03 (+++)	Aeromonas veronii	 2,00 (+++)	High (A)
STDEN_750_E7_AS019B DX2CAR_100 (Sample)	E7	Aeromonas veronii	 2,06 (+++)	Aeromonas veronii	 2,01 (+++)	High (A)
STDEN_750_E8_AS070B DX2CAR_100 (Sample)	E8	No organism identifi- cation possible	 1,62 (-)	No organism identifi- cation possible	 1,61 (-)	No (C)
STDEN_750_E9_AS070B DX1CAR_100 (Sample)	E9	Aeromonas veronii	 1,82 (+)	Aeromonas jandaei	 1,81 (+)	Low (B)

Continued on next page

Continued from previous page

Sample identifier (Sample type)	Sample position	Detected species (Best match)	Log(score) (Confidence)	Detected species (Second-best match)	Log(score) (Confidence)	Consistency
STDEN_750_E10_61FP_100 (Sample)	E10	<i>Aeromonas hydrophila</i>	 2,38 (+++)	<i>Aeromonas hydrophila</i>	 2,31 (+++)	High (A)
STDEN_750_E11_43MP_100 (Sample)	E11	<i>Sphingobacterium thalpophilum</i>	 2,22 (+++)	<i>Sphingobacterium thalpophilum</i>	 2,08 (+++)	High (A)
STDEN_750_E12_50FP_100 (Sample)	E12	<i>Aeromonas caviae</i>	 1,98 (+)	<i>Aeromonas caviae</i>	 1,84 (+)	Low (B)
STDEN_750_F1_29FPB2_CAR_100 (Sample)	F1	<i>Enterobacter hormaechei</i>	 1,90 (+)	<i>Enterobacter bugandensis</i>	 1,84 (+)	Low (B)
STDEN_750_F2_04FP1B_ESBL_100 (Sample)	F2	No peaks found	 0,00 (-)	No peaks found	 0,00 (-)	No (C)
STDEN_750_F3_04FP2B_ESBL_100 (Sample)	F3	No peaks found	 0,00 (-)	No peaks found	 0,00 (-)	No (C)
STDEN_750_F4_06FPRE_SBL_100 (Sample)	F4	<i>Escherichia coli</i>	 2,15 (+++)	<i>Escherichia coli</i>	 2,10 (+++)	High (A)
STDEN_750_F5_13FP-BESBL_100 (Sample)	F5	<i>Enterobacter ludwigii</i>	 2,43 (+++)	<i>Enterobacter ludwigii</i>	 2,32 (+++)	High (A)
STDEN_750_F6_14MP-BESBL_100 (Sample)	F6	No peaks found	 0,00 (-)	No peaks found	 0,00 (-)	No (C)

Continued on next page

Continued from previous page

Sample identifier (Sample type)	Sample position	Detected species (Best match)	Log(score) (Confidence)	Detected species (Second-best match)	Log(score) (Confidence)	Consistency
STDEN_750_F7_24MPR 1ESBL_100 (Sample)	F7	Escherichia coli	 2,26 (+++)	Escherichia coli	 2,21 (+++)	High (A)
STDEN_750_F8_24MPR 2ESBL_100 (Sample)	F8	No peaks found	 0,00 (-)	No peaks found	 0,00 (-)	No (C)
STDEN_750_F9_28FPRE SBL_100 (Sample)	F9	No organism identification possible	 1,33 (-)	No organism identification possible	 1,26 (-)	No (C)
STDEN_750_F10_29FPR 1ESBL_100 (Sample)	F10	Escherichia coli	 2,31 (+++)	Escherichia coli	 2,27 (+++)	High (A)
STDEN_750_F11_29FPB 2ESBL_100 (Sample)	F11	Enterobacter bugandensis	 2,37 (+++)	Enterobacter kobei	 2,36 (+++)	Low (B)
STDEN_750_F12_29FPB 2ESBL_100 (Sample)	F12	Enterobacter kobei	 2,38 (+++)	Enterobacter roggenkampii	 2,30 (+++)	Low (B)
STDEN_750_G1_34FPRE SBL_100 (Sample)	G1	No peaks found	 0,00 (-)	No peaks found	 0,00 (-)	No (C)
STDEN_750_G2_34MPR ESBL_100 (Sample)	G2	Escherichia coli	 2,10 (+++)	Escherichia coli	 2,08 (+++)	High (A)
STDEN_750_G3_43FPB 1ESBL_100 (Sample)	G3	No peaks found	 0,00 (-)	No peaks found	 0,00 (-)	No (C)

Continued on next page

Continued from previous page

Sample identifier (Sample type)	Sample position	Detected species (Best match)	Log(score) (Confidence)	Detected species (Second-best match)	Log(score) (Confidence)	Consistency
STDEN_750_G4_43FPR2 ESBL_100 (Sample)	G4	Escherichia coli	 2,31 (+++)	Escherichia coli	 2,29 (+++)	High (A)
STDEN_750_G5_46MPV ESBL_100 (Sample)	G5	No peaks found	 0,00 (-)	No peaks found	 0,00 (-)	No (C)
STDEN_750_G6_55FPVE SBL_100 (Sample)	G6	Klebsiella pneumoniae	 2,26 (+++)	Klebsiella pneumoniae	 2,13 (+++)	High (A)
STDEN_750_G7_62FP- BESBL_100 (Sample)	G7	Serratia fonticola	 2,01 (+++)	Serratia fonticola	 1,99 (+)	High (A)
STDEN_750_G8_68MP- WESBL_100 (Sample)	G8	No organism identification possible	 1,49 (-)	No organism identification possible	 1,42 (-)	No (C)
STDEN_750_G9_68FP- BESBL_100 (Sample)	G9	Klebsiella oxytoca	 2,36 (+++)	Klebsiella oxytoca	 2,35 (+++)	High (A)
STDEN_750_G10_68FP B2ESBL_100 (Sample)	G10	Klebsiella oxytoca	 2,31 (+++)	Klebsiella oxytoca	 2,30 (+++)	High (A)
STDEN_750_A2_CAR3.2 _100 (Sample)	A2	No peaks found	 0,00 (-)	No peaks found	 0,00 (-)	No (C)
STDEN_750_A3_R7_100 (Sample)	A3	Klebsiella pneumoniae	 2,28 (+++)	Klebsiella pneumoniae	 2,22 (+++)	High (A)

Continued on next page

Continued from previous page						
Sample identifier (Sample type)	Sample position	Detected species (Best match)	Log(score) (Confidence)	Detected species (Second-best match)	Log(score) (Confidence)	Consistency
STDEN_750_B1_AS001 BDX2_100 (Sample)	B1	Escherichia coli	2,47 (+++)	Escherichia coli	2,46 (+++)	High (A)