
DATE	17/06/2023
TEAM ID	NM2023TMID06912
CODE	PYTHON

AI ENABLED CAR PARKING SYSTEM

An AI-enabled car parking system is a solution that leverages artificial intelligence to automate and optimize the process of parking vehicles in a parking lot or garage. The system uses sensors, cameras, and other technologies to monitor and analyze the available parking spaces, detect the presence of vehicles, and guide drivers to vacant spots.

The problem that this system aims to solve is the inefficiency and frustration associated with traditional parking systems, which often result in wasted time, fuel, and resources. Conventional parking lots and garages typically rely on manual processes and human attendants to manage the flow of vehicles, which can be slow, error-prone, and prone to congestion.

An AI-enabled car parking system can address these issues by providing real-time information on available parking spots, optimizing the use of space, and minimizing the time and effort required for parking. This can improve the overall customer experience, reduce traffic congestion and emissions, and increase revenue for parking lot operators.



MAIN.PY

import cv2 import pickle

width, height = 107, 48

try:

with open('CarParkPos', 'rb') as f:
 posList = pickle.load(f) except:

```
def mouseClick(events, x, y, flags, params):
if events == cv2.EVENT LBUTTONDOWN:
    posList.append((x, y)) if events ==
cv2.EVENT_RBUTTONDOWN:
                                 for i, pos
in enumerate(posList):
                        if x1 < x < x1 + width and
      x1, y1 = pos
y1 < y < y1 + height:
        posList.pop(i)
 with open('CarParkPos', 'wb') as f:
    pickle.dump(posList, f)
while True:
  img = cv2.imread('carParkImg.png')
for pos in posList:
    cv2.rectangle(img, pos, (pos[0] + width, pos[1] + height), (255, 0, 255), 2)
  cv2.imshow("Image", img)
  cv2.setMouseCallback("Image", mouseClick)
cv2.waitKey(1)
```

posList = []

OUTPUT FOR MAIN.PY



Main_Trackbars.py

```
import cv2 import
pickle import
cvzone import
numpy as np
cap = cv2.VideoCapture('carPark.mp4')
width, height = 103, 43 with
open('polygons', 'rb') as f:
  posList = pickle.load(f)
def empty(a):
  pass
cv2.namedWindow("Vals") cv2.resizeWindow("Vals",
640, 240) cv2.createTrackbar("Val1", "Vals", 25, 50,
empty) cv2.createTrackbar("Val2", "Vals", 16, 50,
empty) cv2.createTrackbar("Val3", "Vals", 5, 50,
empty)
def checkSpaces():
```

```
spaces = 0 for
pos in posList:
                  w, h
    x, y = pos
= width, height
    imgCrop = imgThres[y:y + h, x:x + w]
count = cv2.countNonZero(imgCrop)
    if count < 900:
      color = (0, 200, 0)
thic = 5
              spaces
+= 1
else:
      color = (0, 0, 200)
thic = 2
    cv2.rectangle(img, (x, y), (x + w, y + h), color, thic)
    cv2.putText(img, str(cv2.countNonZero(imgCrop)), (x, y + h - 6),
cv2.FONT_HERSHEY_PLAIN, 1,
           color, 2)
  cvzone.putTextRect(img, f'Free: {spaces}/{len(posList)}', (50, 60), thickness=3,
offset=20,
```

```
colorR=(0, 200, 0))
```

np.ones((3, 3), np.uint8)

while True: # Get image frame success, img = cap.read() if cap.get(cv2.CAP PROP POS FRAMES) == cap.get(cv2.CAP_PROP_FRAME_COUNT): cap.set(cv2.CAP_PROP_POS_FRAMES, 0) # img = cv2.imread('img.png') imgGray = cv2.cvtColor(img, cv2.COLOR BGR2GRAY) imgBlur = cv2.GaussianBlur(imgGray, (3, 3), 1) # ret, imgThres = cv2.threshold(imgBlur, 150, 255, cv2.THRESH_BINARY) val1 = cv2.getTrackbarPos("Val1", "Vals") val2 = cv2.getTrackbarPos("Val2", "Vals") val3 = cv2.getTrackbarPos("Val3", "Vals") if val1 % 2 == 0: val1 += 1 if val3 % 2 == 0: val3 += 1imgThres = cv2.adaptiveThreshold(imgBlur, 255, cv2.ADAPTIVE THRESH GAUSSIAN C, cv2.THRESH_BINARY_INV, val1, val2) imgThres = cv2.medianBlur(imgThres, val3) kernel =

```
imgThres = cv2.dilate(imgThres, kernel, iterations=1)

checkSpaces()

# Display Output


cv2.imshow("Image", img)

# cv2.imshow("ImageGray", imgThres)

# cv2.imshow("ImageBlur", imgBlur)

key = cv2.waitKey(1) if key == ord('r'):
    pass
```

Output For Main_Trackbars.py



ParkingSpacePicker.py

```
import cv2 import pickle
import cvzone import
numpy as np
# Video feed
cap = cv2.VideoCapture('carPark.mp4')
with open('CarParkPos', 'rb') as f:
  posList = pickle.load(f)
width, height = 107, 48 def
checkParkingSpace(imgPro):
  spaceCounter = 0
for pos in posList:
    x, y = pos
    imgCrop = imgPro[y:y + height, x:x + width]
# cv2.imshow(str(x * y), imgCrop)
                                      count =
cv2.countNonZero(imgCrop)
                                 if count <
           color = (0, 255, 0)
900:
      thickness = 5
spaceCounter += 1
                       else:
      color = (0, 0, 255)
thickness = 2
```

```
cv2.rectangle(img, pos, (pos[0] + width, pos[1] + height), color, thickness)
cvzone.putTextRect(img, str(count), (x, y + height - 3), scale=1,
thickness=2, offset=0, colorR=color)
  cvzone.putTextRect(img, f'Free: {spaceCounter}/{len(posList)}', (100, 50),
scale=3,
              thickness=5, offset=20, colorR=(0,200,0)) while
True:
  if cap.get(cv2.CAP PROP POS FRAMES) ==
cap.get(cv2.CAP_PROP_FRAME_COUNT):
cap.set(cv2.CAP PROP POS FRAMES, 0) success,
img = cap.read()
  imgGray = cv2.cvtColor(img, cv2.COLOR_BGR2GRAY)
imgBlur = cv2.GaussianBlur(imgGray, (3, 3), 1)
  imgThreshold = cv2.adaptiveThreshold(imgBlur, 255,
cv2.ADAPTIVE_THRESH_GAUSSIAN_C,
                     cv2.THRESH BINARY INV, 25, 16)
imgMedian = cv2.medianBlur(imgThreshold, 5) kernel
= np.ones((3, 3), np.uint8)
  imgDilate = cv2.dilate(imgMedian, kernel, iterations=1)
  checkParkingSpace(imgDilate)
cv2.imshow("Image", img)
```

cv2.imshow("ImageBlur", imgBlur)
cv2.imshow("ImageThres", imgMedian)
cv2.waitKey(10)

OUTPUT FOR CARPARKLMG.PNY

