
RENNER

3" STILE AND RAIL FRAME WITH FURNITURE VENEER CENTER DOOR PANEL. SOLID WOOD DRAWER FRONT



OPTION	AVAILABILITY
OVERLAY	DESIGNER*, CLASSIC, FULL, INSET
DRAWER FRONT	SLAB
DRW FRONT OPTION	5PCF(\$52/DRWF), INSET-IODF
OUTSD. PROFILE	K*, A,C,E,F,M,S,W,AA,AB,AG,AH
INSIDE PROFILE	#19
PANEL PROFILE	P
WOOD SPECIES	ALL EXCEPT PECAN, RUSTIC OAK, RUSTIC PECAN, WALNUT
MULLION	ALL (INSERTS)
RADIUS DOORS	NO 10 Maria Ma
PANEL END	YES
PRICE COLUMN	

NOTES/CAUTIONS

- On maple with opaque finishes, the door center panel will be MDF unless an available special effect is specified.
- · Maple upcharge does not apply when specifying opaque finishes unless an available special effect is specified.
- Minimum door width is 6 3/4". Utility cabinet door width minimum is 7 1/4".
- Minimum 5PCF drawer front height is 4 13/16".
- Maximum door height that Omega will warranty against warping is 61 1/4"; doors over 48" high will receive a center rail.
- Door center panels are furniture veneer. Drawer fronts are solid wood.
- · Color variation may be noticeable between panels, rails, and stiles.
- · See Door, Glaze, and Special Effect Availability Chart in Section C for Glaze and Special Effect availability for this door style.

* Milèna Has Zhy Frame (Rails + Stries)

DOOR & DRAWER FRONT OUTSIDE PROFILES


Door Styles listed under drawings have indicated profile as standard offering. A E (Has Fontaine square Lodge REMNER comers) M F Guthrie Monterey Puritan Clayton **Plymouth** Benson Madrid Morris Tarin Renner Blair Manor Plainfield Mecca Marion Cancun Metro Desoto miler Brookside Archa Brentwood Tunisia Danville Brookside Cathedral Highland Vail Laroche Brookside Square Holton Lynnville Milena AB AG Ultima Wellington Arch Wellington Cathedral Prescott Wellington Square Kentwood Portage AH ΑI (Venice Square MDF Door Pennison Cottage Style Only) Hinson Wyatt 10 (Drawer fronts only) (DSLAB drawer front only) (Inset only) AD (SLAB drawer front and (ESLAB drawer front only) Overlay Filler only) Outside Profile

- * Drawings are not to scale, they are for shape representation only.
- * Consult charts on pages C18-27 for individual door profile offerings.

(Overlay Filler only)

DOOR & DRAWER FRONT INSIDE PROFILES

Door Styles listed under drawings have indicated profile as standard offering.




DRAWER FRONT OPTIONS

Refer to the individual Door Style Specifications Pages and the Door & Drawer Front Overlay & Profile Option Chart for standard and optional drawer front availability.

Omega's optional solid wood drawer fronts are described below. The profile you select for the doors will automatically be placed on the drawer front, unless specified. In most cases this is desirable to unify the appearance,


The "IO" profile is designed for inset cabinetry, and is available on drawer fronts only.

SLAB DRAWER FRONT (SLAB)




Available for some door styles as standard. This option is available on other door styles, as indicated, at no upcharge.

ELITE SLAB DRAWER FRONT (ESLAB)



NOT AVAILABLE IN RUSTICS, ALDER, or QTRSAWN OAK. Minimum ESLAB height is 4 13/16". Minimum width is 5 3/4".

DECORATIVE SLAB DRAWER FRONT (DSLAB)



NOT AVAILABLE IN RUSTICS. ALDER, or QTRSAWN OAK. This option is available, where indicated, at a \$34. List per drawer front upcharge. Minimum DSLAB height is 4 13/16". Minimum width is 5 3/4".

5-PC REVERSED PANEL DRAWER FRONT (5PCF)




Available for some door styles as standard. This option is available on

other door styles, as indicated, at a \$52. List per drawer front upcharge. Minimum wood 5PCF height is 4 13/16" for most door styles. (See

the individual door specifications, in this section, for minimum sizes.) Top and bottom rail heights may be reduced. Check Door Style Specification pages for minimums per specific door styles.

5-PC RAISED PANEL DRAWER FRONT (5PCR)



Available for some door styles as standard. This option is available on other door styles, as indicated, at a \$52. List per drawer front upcharge.

Minimum wood 5PCR height is 6 9/16" for most door styles. (See the individual door specifications, in this section, for minimum sizes.) Top and bottom rail heights may be reduced. Check Door Style Specification pages for minimums per specific door styles.


5-PC BEADED DRAWER FRONT (5PCBD)



This option is available on Clayton and Cottage door styles only at a \$75. List per drawer front upcharge.


Minimum 5PCBD is 4 13/16". Minimum width is 6 3/4".

1-PC RAISED PANEL DRAWER FRONT (1PCR)



1PCR is a simulated 5PCR for MDF drawer fronts. Minimum 1PCR height is 5 1/8". This option is available, as indicated, at a \$52. List per drawer front upcharge.

IO SLAB DRAWER FRONT (IODF)



This option is available with inset overlay only, as indicated. Included with inset overlay upcharge. Minimum IODF height is 4 13/16".