


Composite SOW by Location

08/20/2019



Customer Name: Suzy Morrison

Job Number: RS00062

Estimate Name: Estimate 2

Location:3: Bathroom- Hall

| SL | Section Name | Item Name | Short Note | Item Status |
|----------|-----------------------------------|--|------------|-------------|
| 14000.00 | CLEAN UP | 15 YD DUMPSTER >> | | |
| 14000.00 | CLEAN UP | BROOM CLEAN SITE >> | | |
| 14000.00 | CLEAN UP | NOTE: Place OSB sheeting under dumpster to protect driveway >> | | |
| 5000.69 | PLUMBING | BATHROOM PLUMBING >> SHOWER LABOR >> NEW FHA DRAIN AND P TRAP FOR SHOWER >> | | |
| 5000.87 | PLUMBING | BATHROOM PLUMBING >> SHOWER LABOR >> LABOR FOR ROUGH IN VALVE >> | | |
| 5000.80 | PLUMBING | BATHROOM PLUMBING >> FINISH TRIM ITEMS LABOR >> SHOWER HEAD >> | | |
| 5000.83 | PLUMBING | BATHROOM PLUMBING >> FINISH TRIM ITEMS LABOR >> VALVE COVER >> | | |
| 5000.84 | PLUMBING | BATHROOM PLUMBING >> FINISH TRIM ITEMS LABOR >> FAUCET HANDLES >> | | |
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | SHOWER AREA >> NICHE FOR SHAMPOO BOTTLE standard 14 x 16 >> | | |
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | SHOWER AREA >> CORNER SEAT >> | | |
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | SHOWER AREA >> SHOWER PAN LINER (Mapelastic AquaDefense is a premixed, advanced liquid-rubber, waterproofing and crack-isolation membrane for installation under ceramic tile or stone) >> | | |
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | SHOWER AREA >> SHOWER FLOOR TILE ON MESH LABOR ONLY >> | | |
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | SHOWER AREA >> BUILD STRAIGHT BLOCK CURB >> | | |
| 7000.12 | ELECTRICAL | LIGHTING >> NEW WALL LIGHT LABOR ONLY IN NEW LOCATION >> | | |
| 9000.62 | WALL & CEILING DRYWALL | PATCH WORK >> PATCH DRYWALL FROM LIGHT FIXTURE RELOCATE >> | | |
| 45000.22 | PAINTING / STAINING | INTERIOR PAINTING >> LIGHT TOUCH UP WITH CLIENT SUPPLIED PAINT >> | | |
| 32000.00 | GRAB BARS | SHOWER BARS >> 12 TO 18 INCH BAR VERTICLE >> | | |

| | | | | |
|----------|-----------------------------------|---|----------------------------------|--|
| 32000.00 | GRAB BARS | SHOWER BARS >> 30 TO 36 INCH BAR ANGLES 30 DEGREES >> | | |
| 34000.00 | SHOWER AND TUB GLASS | FRAMELESS SHOWER DOORS >> 57-in to 60-in W x 74-in H Frameless Sliding Shower Door >> | | |
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | GROUT >> FUSION GROUT (Labor and material) added to tile >> | | |
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | TILE OR STONE ALLOWANCE >> TILE ALLOWANCE 6.00 >> | WALL TILE AT \$6 PER SQUARE FOOT | |
| 5000.55 | PLUMBING | BATHROOM PLUMBING >> TOILET >> COMFORT HEIGHT TOILET WHT >> Kohler K-3810 Santa Rosa Comfort Height One-Piece Compact Elongated >> | | |
| 5000.61 | PLUMBING | BATHROOM PLUMBING >> TOILET >> LABOR TO INSTALL TOILET INCLUDES NEW 1/4 STEEL FLEX WATER SUPPLY WITH BRASS FITTING AND WAX RING. >> | | |
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | TUB AREA TILE >> DECO BAND LABOR ONLY >> | | |
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | SHOWER AREA >> Cement board is the most durable, trouble-free tile backer for tub surrounds, showers, floors and all other wet areas. Its made from cement and sand, and is reinforced by fiberglass mats on both sides, so it's impervious to water. Contractor will use appropriate product for area brand names vary. >> | | |
| 13343.01 | TILE, STONE, PORCELAIN OR CERAMIC | SHOWER AREA >> PATTERN INSTALL WALL LABOR >> >>Other | | |
| 2228.01 | DEMOLITION | REMOVE FIBERGLASS TUB & SHOWER>>Other | | |
| 48140.01 | SUN CITY | MISC>>Other | | |

Location:Hall 1

| SL | Section Name | Item Name | Short Note | Item Status |
|----------|--------------|---|------------------|-------------|
| 14000.00 | CLEAN UP | 15 YD DUMPSTER >> | Test | |
| 2228.02 | DEMOLITION | TILE >> build.com shopping cart>>Other | | |
| 2228.03 | DEMOLITION | TILE >> build.com shopping cart>>Other | Test Description | |
| 2000.29 | DEMOLITION | TILE >> REMOVE WALL TILE >> | | |
| 2000.25 | DEMOLITION | TILE >> DUST FREE PORCELAIN OR CERAMIC REMOVAL AND DISPOSAL >> | | |
| 2228.04 | DEMOLITION | TILE >> DUST FREE PORCELAIN OR CERAMIC REMOVAL AND DISPOSAL >> Liner Drain>>Other | | |

Location:Master Bathroom

| SL | Section Name | Item Name | Short Note | Item Status |
|---------|---------------------|---|------------|-------------|
| 1000.03 | PROJECT PREPARATION | SITE PREPERATION >> DUST CONTROL >> | | |
| 2000.28 | DEMOLITION | TILE >> REMOVE FLOOR TILE under 500 ft >> | | |
| 2000.29 | DEMOLITION | TILE >> REMOVE WALL TILE >> | | |
| | | | | |

| | | | |
|----------|-----------------------------------|---|-------------------------------|
| 2000.85 | DEMOLITION | TILE >> LITE FLOOR GRINDING SMALL PREP >> | |
| 2000.35 | DEMOLITION | CABINETS AND COUNTERS >> REMOVE CABINET AND COUNTER TOP >> | |
| 2000.37 | DEMOLITION | MIRROR >> REMOVE WALL MIRROR OVER 4 X 6FT IN SIZE >> | |
| 2000.38 | DEMOLITION | MEDICINE CABINET >> REMOVE MEDICINE CABINET >> | |
| 2228.01 | DEMOLITION | DOORS WINDOWS >> REMOVE GLASS BLOCKWINDOW>>Other | |
| 2000.24 | DEMOLITION | INTERIOR >> REMOVE TUB >> | |
| 3000.21 | CARPENTRY | WALL ALTERATION >> CREATE OPENING IN EXTERIOR WALL FOR DOOR OR WINDOW >> | |
| 3000.40 | CARPENTRY | WALL ALTERATION >> FRAME NEW EXTERIOR OPENING FOR DOOR OR WINDOW >> | |
| 3000.16 | CARPENTRY | WALL ALTERATION >> CLOSE IN WINDOW OR DOOR OPENING (FRAMING ONLY) >> | |
| 7000.35 | ELECTRICAL | SWITCHES >> CEILING FAN SWITCH >> | |
| 7000.11 | ELECTRICAL | LIGHTING >> REPLACE WALL LIGHT LABOR ONLY IN EXISTING LOCATION >> | |
| 7000.80 | ELECTRICAL | CEILING FAN >> REPLACE EXISTING CEILING FAN SAME LOCATION LABOR ONLY >> | |
| 11000.00 | CABINETRY | MEDICINE CABINET >> LABOR TO INSTALL RECESSED MED CAB IN EXISTING OPENING >> | |
| 11423.02 | CABINETRY | BATH CABINET >> DYNASTY PURITAN DOOR STYLE, NATURAL FINISH ON MAPLE WOOD, SLAB DRAWER FRONT, EDGE PROFILE W, INSTALLED WITH TAX = \$5,275.>>Other | |
| 12233.01 | COUNTER TOP | SLAB FABRICATION >> 2CM GRANITE COUNTER TOP, 1 1/2" DOUBLE ROUND OVER EDGE, 4" SPLASHES, PREPARATION FOR 2 UNDERMOUNT BOWLS, INSTALLED.>>Other | REMNERANT GRANITE AT \$1,275. |
| 12233.02 | COUNTER TOP | SLAB FABRICATION >> OPTION A: 2CM ST. CECILIA GRANITE TOP = \$1,975.>>Other | |
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | SHOWER AREA >> Cement board is the most durable, trouble-free tile backer for tub surrounds, showers, floors and all other wet areas. Its made from cement and sand, and is reinforced by fiberglass mats on both sides, so it's impervious to water. Contractor will use appropriate product for area brand names vary. >> | |
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | SHOWER AREA >> NICHE FOR SHAMPOO BOTTLE standard 14 x 16 >> | |
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | SHOWER AREA >> SOAP NICHE IN WALL >> | |
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | SHOWER AREA >> STRAIGHT INSTALL SHOWER WALLS LABOR >> | |

| | | | | |
|----------|---|--|------|--|
| 13000.00 | TILE, STONE, PORCELAIN OR CERAMIC | TILE >> TILE FLOOR STRAIGHT, STAGGER, OR RUNNING BOND OVER 1000 SQ FT LABOR ONLY >> | | |
| 14000.00 | CLEAN UP | 15 YD DUMPSTER >> | | |
| 18000.00 | CONCRETE | FILL SUNKEN INTERIOR FLOOR >> FILL IN SUNKEN TUB OR SHOWER >> | | |
| 18000.00 | CONCRETE | FILL SUNKEN INTERIOR FLOOR >> SMOOTH FLOAT AND TROWEL >> | | |
| 23000.00 | HARDWARE | BATHROOM >> LABOR ONLY >> INSTALL CLIENT SUPPLIED BATHROOM ACCESSORIES (towel bars, hooks etc) >> | | |
| 27145.01 | WINDOWS | VINYL >> SLIDING BEIGE VINYL DUAL PANE WINDOW>>Other | | |
| 32000.00 | GRAB BARS | SHOWER BARS >> 12 TO 18 INCH BAR VERTICLE >> | | |
| 32000.00 | GRAB BARS | SHOWER BARS >> L Shaped Grab Bars 16 x 32, 24 x 36, 24 x 48 >> | | |
| 32000.00 | GRAB BARS | TOILET AREA >> SIDE BAR >> | | |
| 33000.00 | MIRROR | FLAT WALL MIRROR >> WALL MIRROR ROUNDED EDGE >> | | |
| 45000.00 | PAINTING / STAINING | INTERIOR PAINTING >> PAINT INTERIOR WALLS ONE COLOR (Wall sq ft under 300ft) >> | | |
| 5000.34 | PLUMBING | BATHROOM PLUMBING >> SINK >> LABOR ONLY NEW P TRAP AND BRAIDED STAINLESS STEEL FLEX LINES WITH ANGLE STOPS TO EXISTING DRAIN AND SUPPLY LINES >> | | |
| 5000.68 | PLUMBING | BATHROOM PLUMBING >> FAUCET >> LABOR ONLY INSTALL FAUCET TO EXISTING LINES >> | | |
| 5000.61 | PLUMBING | BATHROOM PLUMBING >> TOILET >> LABOR TO INSTALL TOILET INCLUDES NEW 1/4 STEEL FLEX WATER SUPPLY WITH BRASS FITTING AND WAX RING. >> | | |
| 5000.80 | PLUMBING | BATHROOM PLUMBING >> FINISH TRIM ITEMS LABOR >> SHOWER HEAD >> | | |
| 5000.83 | PLUMBING | BATHROOM PLUMBING >> FINISH TRIM ITEMS LABOR >> VALVE COVER >> | | |
| 5000.55 | PLUMBING | BATHROOM PLUMBING >> Roughed in Plumbing >> ROUGH IN SHOWER VALVE (New location) >> | | |
| 5000.87 | PLUMBING | BATHROOM PLUMBING >> Roughed in Plumbing >> ROUGH IN TUB DRAIN AND SUPPLY LINES >> | | |
| 47166.01 | PLUMBING | BATHROOM PLUMBING >> TUB >> PLUMBING - INSTALL TUB>>Other | | |
| 48140.01 | SUN CITY | DISCOUNT>>Other | | |
| 2000.28 | DEMOLITION | TILE >> REMOVE FLOOR TILE under 500 ft >> | | |
| 2000.25 | DEMOLITION | TILE >> DUST FREE PORCELAIN OR CERAMIC REMOVAL AND DISPOSAL >> | Test | |
| 2228.05 | DEMOLITION | TILE >> DUST FREE PORCELAIN OR CERAMIC REMOVAL AND DISPOSAL >> Test 2>>Other | | |
| | | | | |

| | | | | |
|----------|----------------------|--|--|--|
| 2228.06 | DEMOLITION | TILE >> DUST FREE PORCELAIN OR CERAMIC REMOVAL AND DISPOSAL >> sss>>Other | | |
| 2228.07 | DEMOLITION | DEMOLITION >> TILE >> Test333>>Other | | |
| 2228.08 | DEMOLITION | DEMOLITION >> TILE >>www>>Other | | |
| 2228.09 | DEMOLITION | DEMOLITION >> TILE >>test3333>>Other | | |
| 18000.00 | CONCRETE | GRADE POUR >> ADDITION SLAB >> SLAB UNDER 500 FT MONO POUR >> | | |
| 18145.01 | CONCRETE | GRADE POUR >> ADDITION SLAB >>Testttt>>Other | | |
| 18000.00 | CONCRETE | GRADE POUR >> ADDITION SLAB >> SLAB 500 TO 1000 FT MONO POUR >> | | |
| 18145.02 | CONCRETE | GRADE POUR >> ADDITION SLAB >>Test333>>Other | | |
| 18145.03 | CONCRETE | GRADE POUR >> Small Pour >>Liner Drain>>Other | | |
| 34000.00 | SHOWER AND TUB GLASS | EURO BYPASS SLIDING DOORS >> SHOWER DOORS >> 57-in to 60-in W x 74-in H Sliding Shower Door >> | | |
| 35109.01 | SHOWER AND TUB GLASS | EURO BYPASS SLIDING DOORS >> SHOWER DOORS >>build.com shopping cart>>Other | | |
| 18000.00 | CONCRETE | FOUNDATION >> 18X18 FOUNDATION >> | What is Lorem Ipsum Lorem Ipsum is simply dummy text of the printing and typesetting industry Lorem Ipsum has been the industry's standard dummy text ever since the 1500s when an unknown printer took a galley of type and scrambled it to make a type specimen book it has? | |