Pipeline	RANSAC th. (px)	${f MegaDepth}$					ScanNet				
		Filtered	Precision	Recall	$\mathrm{AUC}^F_{\measuredangle}$	${\rm AUC}^E_{\measuredangle}$	Filtered	Precision	Recall	${\rm AUC}^F_{\measuredangle}$	${\rm AUC}^E_{\measuredangle}$
SuperPoint+LightGlue	-	0.00	88.68	99.92	48.30	61.31	0.00	68.96	94.64	17.59	34.01
+DegenSAC	0.50	62.07	95.45	42.24	49.55	61.61	56.15	71.68	42.72	23.83	32.12
+ "	0.75	49.60	94.88	55.44	52.83	62.77	45.54	71.64	53.74	24.75	33.41
+ "	1.00	39.95	94.14	65.11	55.16	62.57	37.15	71.39	61.68	25.44	33.91
+ "	3.00	6.66	89.91	94.75	52.73	61.41	10.98	70.30	87.85	24.78	34.16
+ "	5.00	1.27	89.15	99.28	51.31	61.58	6.25	69.60	91.85	22.63	33.82
+MAGSAC	0.50	60.53	96.11	44.55	55.32	63.81	56.91	71.52	42.05	26.03	34.39
+ "	0.75	45.47	95.27	60.49	55.20	63.99	43.60	71.60	55.64	25.78	34.26
+ "	1.00	33.96	94.36	71.98	54.25	63.93	33.95	71.44	65.38	25.92	34.96
+ "	3.00	3.07	89.85	98.32	51.25	61.71	10.99	70.49	87.99	24.57	34.19
+ "	5.00	0.58	89.01	99.76	50.19	61.39	7.05	69.95	91.37	23.73	33.53
+PoseLib	0.50	59.18	95.39	45.47	47.10	60.01	53.67	71.45	45.19	21.45	31.48
+ "	0.75	44.88	94.94	60.77	51.11	61.42	42.19	71.46	56.79	24.16	32.27
+ "	1.00	33.59	94.24	72.23	54.01	62.77	33.32	71.42	65.77	24.96	33.26
+ "	3.00	2.68	89.81	98.66	53.94	61.20	9.27	70.43	89.68	25.49	33.93
+ "	5.00	0.43	88.96	99.85	51.19	61.38	5.60	69.73	92.61	23.47	34.02