

Pipeline	MegaDepth					ScanNet					Planar			
	Filtered	Precision	Recall	$AUC_{\mathcal{Z}}^F$	$AUC_{\mathcal{Z}}^E$	Filtered	Precision	Recall	$AUC_{\mathcal{Z}}^F$	$AUC_{\mathcal{Z}}^E$	Filtered	Precision	Recall	AUC_{\square}^H
SIFT+NNR +MAGSAC \downarrow	0.00	53.52	100.00	0.30	61.47	0.00	25.21	99.12	0.15	20.42	0.00	44.38	90.42	0.37
	54.52	93.83	79.32	46.86	62.20	80.84	55.24	40.60	14.74	22.36	75.34	73.43	39.88	46.86
+FC-GNN +MAGSAC \downarrow	50.51	95.34	85.52	26.90	63.37	79.49	64.92	48.23	11.06	24.54	54.32	72.08	71.04	38.23
	52.91	97.31	82.60	60.24	63.69	82.11	66.19	42.62	19.82	24.55	68.94	74.69	48.61	43.85
+MOP +MAGSAC \downarrow	44.18	89.57	92.50	10.20	62.05	70.50	52.42	61.97	3.30	23.12	50.12	66.08	76.18	41.05
	55.34	95.45	78.37	57.54	62.40	83.37	58.72	38.59	17.52	23.08	76.07	72.01	37.87	47.10
+MOP* +MAGSAC \downarrow	44.40	90.25	92.59	10.70	62.05	70.51	52.38	61.91	3.25	23.01	50.06	66.02	76.19	40.73
	55.36	95.93	78.50	57.33	62.48	83.38	58.64	38.54	17.53	23.18	76.08	72.02	37.87	47.10
+MOP*+MiHo+NCC +MAGSAC \downarrow	39.89	84.48	94.91	3.80	64.64	59.32	45.02	75.24	0.90	25.39	46.97	65.11	81.68	28.11
	53.31	96.07	82.34	53.46	63.35	80.52	59.99	45.40	18.07	24.80	67.07	73.31	54.95	47.36
+MOP*+MiHo+NCC* +MAGSAC \downarrow	39.89	85.31	95.86	3.57	65.36	59.32	45.21	75.47	0.89	25.31	46.97	65.05	81.66	26.35
	52.74	96.15	83.56	55.23	63.59	80.37	60.20	45.98	18.34	24.93	67.37	73.05	53.92	47.30
+MOP*+VSAC+NCC +MAGSAC \downarrow	44.40	89.26	91.74	10.00	62.83	70.51	52.04	61.98	3.19	24.48	50.06	67.45	78.52	41.27
	53.71	95.87	81.05	54.85	62.32	81.94	58.80	41.82	17.40	23.97	66.84	71.91	54.35	46.91
+MOP*+VSAC+NCC* +MAGSAC \downarrow	44.40	90.14	92.65	9.22	62.68	70.51	52.41	62.40	3.10	24.67	50.06	67.29	78.27	38.01
	53.20	95.92	82.10	56.00	62.93	81.81	59.04	42.29	18.42	24.63	67.21	72.02	53.68	47.15