Pipeline	RANSAC	MegaDepth					ScanNet				
	th. (px)	Filtered	Precision	Recall	$\mathrm{AUC}^F_{\measuredangle}$	$\mathrm{AUC}^E_{\measuredangle}$	Filtered	Precision	Recall	$\mathrm{AUC}^F_{\measuredangle}$	$\mathrm{AUC}^E_{\measuredangle}$
DeDoDe2	_	0.00	68.13	99.99	1.40	66.50	0.00	45.81	99.20	0.50	23.80
+DegenSAC	0.50	58.70	93.84	57.38	61.96	65.25	68.55	52.88	30.56	17.45	22.57
+ "	0.75	49.41	93.20	69.81	60.83	66.02	61.69	55.47	40.49	18.76	23.60
+ "	1.00	43.94	92.20	76.50	58.29	65.24	56.63	56.84	48.06	18.83	24.48
+ "	3.00	28.75	85.69	90.60	40.55	64.56	39.09	57.92	72.82	13.97	26.24
+ "	5.00	23.68	82.13	93.20	30.16	64.81	32.33	56.31	80.00	9.75	25.78
+MAGSAC	0.50	56.97	93.34	59.54	57.58	63.83	68.80	56.24	32.48	18.64	24.42
+ "	0.75	47.40	92.63	72.35	55.78	64.88	60.78	56.80	42.74	18.72	24.73
+ "	1.00	42.01	92.01	79.28	53.90	65.28	55.47	57.28	49.91	18.22	24.51
+ "	3.00	28.25	87.78	93.69	45.64	65.41	39.32	57.92	71.76	15.53	25.70
+ "	5.00	23.69	84.50	96.06	39.16	65.04	33.46	57.43	79.53	13.71	25.90
+PoseLib	0.50	55.84	94.09	61.58	61.62	65.73	67.68	50.94	30.76	16.25	21.17
+ "	0.75	46.78	93.39	73.75	61.29	65.98	60.11	54.19	41.61	17.40	22.74
+ "	1.00	41.65	92.69	80.32	60.49	65.58	55.06	56.00	49.35	18.49	23.90
+ "	3.00	27.24	86.94	94.05	48.00	66.37	37.61	58.24	74.90	16.35	26.50
+ "	5.00	22.54	83.37	96.23	38.41	65.32	31.18	57.04	82.23	13.42	25.92