Pipeline	RANSAC th. (px)	MegaDepth					ScanNet				
		Filtered	Precision	Recall	$\mathrm{AUC}^F_{\measuredangle}$	$\mathrm{AUC}^E_{\measuredangle}$	Filtered	Precision	Recall	$\mathrm{AUC}^F_{\measuredangle}$	$\mathrm{AUC}^E_{\measuredangle}$
DISK+LightGlue	-	0.00	92.27	99.93	58.29	64.43	0.00	63.40	89.68	12.05	25.36
+DegenSAC	0.50	52.23	96.71	50.89	59.42	<mark>6</mark> 3.90	57.59	64.52	39.75	17.66	22.82
+ "	0.75	37.81	95.99	65.41	62.52	64.35	47.68	64.54	49.69	18.39	24.59
+ "	1.00	27.68	95.28	75.17	62.77	64.42	40.06	64.34	57.36	18.50	24.84
+ "	3.00	2.93	92.84	97.68	62.07	64.00	17.14	63.37	80.24	17.60	24.55
+ "	5.00	0.77	92.54	99.51	60.98	64.21	13.49	62.81	83.13	15.81	25.48
+MAGSAC	0.50	48.00	96.99	55.71	62.76	65.34	57.15	64.43	39.88	19.32	24.67
+ "	0.75	31.11	96.11	72.70	62.79	65.49	45.49	64.39	51.64	18.70	24.14
+ "	1.00	20.24	95.35	83.13	63.24	65.26	37.10	64.25	60.06	18.86	25.88
+ "	3.00	1.32	92.81	99.26	61.30	63.79	17.06	63.52	80.28	17.57	24.79
+ "	5.00	0.51	92.52	99.74	61.13	64.57	14.00	63.03	82.78	15.99	25.23
+PoseLib	0.50	47.26	96.75	56.30	58.75	63.59	54.82	64.32	41.81	16.98	22.61
+ "	0.75	30.58	96.07	73.24	61.60	64.73	44.06	64.32	52.75	17.96	23.54
+ "	1.00	19.85	95.32	83.54	63.80	64.93	35.92	64.28	61.05	19.03	24.36
+ "	3.00	1.18	92.79	99.38	62.18	63.58	15.25	63.33	81.52	18.19	25.27
+ "	5.00	0.39	92.47	99.78	61.22	64.37	12.42	62.80	83.73	16.17	25.10