

Pipeline	MegaDepth					ScanNet					Planar			
	Filtered	Precision	Recall	AUC_Z^F	AUC_Z^E	Filtered	Precision	Recall	AUC_Z^F	AUC_Z^E	Filtered	Precision	Recall	AUC_{\square}^H
SuperPoint+LightGlue +MAGSAC \downarrow	0.00	88.68	99.92	48.33	61.67	0.00	68.94	94.64	17.51	33.70	0.00	74.77	90.77	54.34
	45.45	95.24	60.50	54.83	63.34	43.51	71.59	55.69	26.29	34.52	74.53	82.84	25.24	56.91
+FC-GNN +MAGSAC \downarrow	21.75	96.68	89.40	62.64	66.20	29.05	72.34	68.78	22.54	32.69	10.93	80.58	94.31	55.96
	25.59	97.32	85.79	65.12	66.46	41.49	73.02	58.80	26.31	33.09	46.14	83.11	61.40	56.26
+MOP +MAGSAC \downarrow	0.90	88.79	99.29	48.18	61.99	10.20	68.85	89.20	18.61	33.41	7.89	74.92	90.37	55.36
	45.80	95.22	60.16	54.08	63.39	47.39	71.23	53.41	25.77	33.23	77.37	82.87	25.24	56.80
+MOP* +MAGSAC \downarrow	0.89	88.80	99.30	48.14	61.88	10.23	68.90	89.19	18.77	33.44	8.50	74.90	90.37	55.21
	45.78	95.20	60.16	54.31	63.56	47.39	71.25	53.37	25.52	33.63	78.06	82.94	25.36	56.68
+MOP*+MiHo+NCC +MAGSAC \downarrow	0.28	85.80	99.26	35.61	67.95	6.53	65.34	88.89	13.77	35.33	7.67	76.09	97.86	52.46
	29.92	96.74	80.39	63.32	66.54	45.61	71.52	55.10	28.15	35.87	48.65	83.30	62.24	56.09
+MOP*+MiHo+NCC* +MAGSAC \downarrow	0.28	88.17	102.04	23.89	67.43	6.53	66.92	90.44	11.85	36.61	7.67	77.58	99.23	50.07
	27.86	96.74	82.71	64.16	67.00	43.34	71.84	57.58	28.79	36.30	48.18	83.21	62.71	56.51
+MOP*+VSAC+NCC +MAGSAC \downarrow	0.89	85.82	98.78	35.07	67.56	10.23	65.43	86.26	14.12	35.77	8.50	76.11	97.48	53.74
	29.94	96.76	80.41	63.46	67.08	46.85	71.40	54.61	27.68	35.58	48.67	83.22	62.39	56.70
+MOP*+VSAC+NCC* +MAGSAC \downarrow	0.89	88.22	101.60	24.10	67.47	10.23	67.04	87.82	12.24	36.63	8.50	77.74	99.25	49.59
	27.84	96.74	82.80	63.49	67.06	44.70	71.60	56.82	28.95	35.97	48.44	83.28	62.57	56.46