BestWay 1.0 / Locations / create

POST /api/v1/locations

Cria uma localização em um mapa

Errors

422 Campo não validado

Examples

```
POST /api/v1/locations
{
  "locations": {
    "to": "A",
    "from": "B",
    "distance": 10,
    "map": "SP"
  }
}
201
{
  "to": "A",
  "from": "B",
  "distance": 10,
  "map": "SP",
  "location_to": {
    "location": {
      "map": "SP",
      "name": "A",
      "id": "f4eb3e09-0b07-4f36-a396-5548ffbc1606"
    }
  },
  "location_from": {
    "location": {
      "map": "SP",
      "name": "B",
      "id": "6ab834e0-d345-42ac-8c81-ca929c087b01"
    }
  },
  "path": {
    "node": {
      "location": {
        "map": "SP",
        "name": "A",
        "id": "f4eb3e09-0b07-4f36-a396-5548ffbc1606"
      }
    },
    "node2": {
      "location": {
```

```
            "map": "SP",
            "name": "B",
            "id": "6ab834e0-d345-42ac-8c81-ca929c087b01"
        }
    },
    "distance": 10
  },
  "validation_context": null,
  "errors": {}
}
```

```
POST /api/v1/locations
{
  "locations": {
    "to": "",
    "from": "B",
    "distance": 10,
    "map": "SP"
  }
}
422
{
  "errors": {
    "to": [
      "can't be blank"
    ],
    "location_to": [
      "Name can't be blank"
    ]
  }
}
```

Params

Param name	Description
locations optional	Value: Must be a Hash
locations[distance] required	Value: Must be Integer
locations[from] required	Value: Must be String
locations[map] required	Value: Must be String

locations[to]

required

Value:
Must be String