



Multi-layer Intelligent Evaluation for Smart Contracts

Smart Contract Security Audit

Unknown

Client

Prepared by: **MIESC Security**

Audit Date: 2026-01-24

Report Date: 2026-01-24 22:39:26

Version: 1.0

CONFIDENTIAL

This document contains confidential security findings and is intended solely for the addressee. Unauthorized distribution is prohibited.

Table of Contents

1. Executive Summary
 2. Scope & Methodology
 3. Risk Assessment
 4. Findings Overview
 5. Detailed Findings
 6. Remediation Roadmap
 7. Appendices
-

1. Executive Summary

1.1 Key Takeaways

1.2 Deployment Recommendation

Recommendation: **CONDITIONAL**

Contract has 0 high and 3 medium severity findings. Address these issues and re-audit before production deployment.

1.3 Risk Summary

METRIC	VALUE
Overall Risk Score	48/100
Exploitability	Medium
Business Impact	Medium
Confidence Level	High

Findings by Severity

SEVERITY	COUNT	% OF TOTAL
Critical	0	0.0%
High	0	0.0%
Medium	3	20.0%
Low	6	40.0%
Informational	6	40.0%
Total	15	100%

1.4 Estimated Value at Risk

Value at risk estimation requires additional context about contract TVL and usage patterns.

2. Scope & Methodology

2.1 Engagement Details

PROPERTY	VALUE
Client	Client
Contract	Unknown
Repository	Local Analysis
Commit Hash	N/A
Network	Ethereum Mainnet
Engagement Type	Security Audit

2.2 Scope

In Scope

FILE	LINES	DESCRIPTION
------	-------	-------------

Total: 1 files, N/A lines of code

Out of Scope

- External dependencies and imported libraries
- Off-chain components
- Economic/tokenomics analysis
- Frontend/backend applications

2.3 Methodology

This audit employed MIESC's comprehensive 9-layer defense-in-depth methodology:

Layer 1: Static Analysis	[--]
Layer 2: Dynamic Testing	[--]
Layer 3: Symbolic Execution	[--]
Layer 4: Formal Verification	[--]
Layer 5: Property Testing	[--]
Layer 6: AI/LLM Analysis	[--]
Layer 7: Pattern Recognition	[--]
Layer 8: DeFi Security	[--]
Layer 9: Advanced Detection	[--]

Tools Utilized

LAYER	TOOL	VERSION	STATUS
-------	------	---------	--------

Audit Process

- 1. **Initial Assessment** - Review documentation, understand architecture
- 2. **Automated Analysis** - Execute multi-layer tool suite
- 3. **Manual Review** - Deep dive into flagged code sections
- 4. **AI Correlation** - Cross-reference findings, reduce false positives
- 5. **Verification** - Reproduce and validate vulnerabilities
- 6. **Report Generation** - Document findings with remediation guidance

2.4 Limitations

- Time-boxed engagement (N/A)
- Analysis based on code snapshot at commit N/A
- No guarantee of finding all vulnerabilities
- Economic attack vectors not fully modeled
- Dependency vulnerabilities may exist beyond analysis scope

3. Risk Assessment

3.1 Risk Matrix

The following matrix maps findings by **Impact** (vertical) and **Likelihood** (horizontal):

		LIKELIHOOD		
		Low	Medium	High
IMPACT →	High	Medium 0	High 0	Critical 0
	Med	Low 0	Medium 3	High 0
	Low	Info 6	Low 6	Medium 0

3.2 CVSS-like Scoring

FINDING ID	TITLE	BASE SCORE	VECTOR
slither-incorrect-equality-0	incorrect-equality	4.3	AV:N/AC:L/PR:L/UI:N/C:N/I:L/A:N
slither-missing-zero-check-1	missing-zero-check	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N
slither-timestamp-2	timestamp	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N
slither-assembly-3	assembly	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N
slither-assembly-4	assembly	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N
slither-incorrect-equality-0	incorrect-equality	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N
slither-missing-zero-check-1	missing-zero-check	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N
slither-timestamp-2	timestamp	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N
slither-assembly-3	assembly	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N
slither-assembly-4	assembly	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N
slither-incorrect-equality-0	incorrect-equality	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N
slither-missing-zero-check-1	missing-zero-check	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N
slither-timestamp-2	timestamp	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N
slither-assembly-3	assembly	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N
slither-assembly-4	assembly	3.1	AV:N/AC:H/PR:L/UI:N/C:N/I:L/A:N

Scoring Methodology: - **Attack Vector (AV):** Network, Adjacent, Local, Physical - **Attack Complexity (AC):** Low, High - **Privileges Required (PR):** None, Low, High - **User Interaction (UI):** None, Required - **Impact:** Confidentiality, Integrity, Availability

3.3 Risk Narrative

The analyzed contract presents security concerns that should be addressed before production deployment. The combination of findings indicates potential for exploitation if left unmitigated.

4. Findings Overview

4.1 Summary Table

ID	TITLE	SEVERITY	STATUS	CVSS
F-001	incorrect-equality	MEDIUM	open	4.3
F-002	missing-zero-check	LOW	open	3.1
F-003	timestamp	LOW	open	3.1
F-004	assembly	INFO	open	3.1
F-005	assembly	INFO	open	3.1
F-006	incorrect-equality	MEDIUM	open	4.3
F-007	missing-zero-check	LOW	open	3.1
F-008	timestamp	LOW	open	3.1
F-009	assembly	INFO	open	3.1
F-010	assembly	INFO	open	3.1
F-011	incorrect-equality	MEDIUM	open	4.3
F-012	missing-zero-check	LOW	open	3.1
F-013	timestamp	LOW	open	3.1
F-014	assembly	INFO	open	3.1
F-015	assembly	INFO	open	3.1

4.2 Category Distribution

CATEGORY	COUNT	SEVERITY BREAKDOWN
assembly	6	6 info
incorrect-equality	3	3 medium
missing-zero-check	3	3 low
timestamp	3	3 low

4.3 Layer Coverage Analysis

LAYER	TOOLS RUN	PASSED	FAILED	FINDINGS	COVERAGE

5. Detailed Findings

F-001. incorrect-equality

PROPERTY	VALUE
Severity	MEDIUM
Category	incorrect-equality
CVSS Score	4.3
Location	ModelRegistryV2.sol:154 (modelExists)
Status	open
Detected By	slither

Description

ModelRegistryV2.modelExists(bytes32) uses a dangerous strict equality: - models[modelId].createdAt == 0

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Limited financial impact or requires specific conditions to exploit.

Recommendation

Review and fix the vulnerability

References

- No references available

F-002. missing-zero-check

PROPERTY	VALUE
Severity	LOW
Category	missing-zero-check
CVSS Score	3.1
Location	lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol:43 (newOwner)
Status	open
Detected By	slither

Description

Ownable2Step.transferOwnership(address).newOwner lacks a zero-check on : -
_pendingOwner = newOwner

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Minor impact on contract functionality or gas efficiency.

Recommendation

Review and fix the vulnerability

References

- No references available

F-003. timestamp

PROPERTY	VALUE
Severity	LOW
Category	SC08: Bad Randomness / Front-Running
CVSS Score	3.1
Location	ModelRegistryV2.sol:491 (isAuthorized)
Status	open
Detected By	slither

Description

ModelRegistryV2.isAuthorized(bytes32,address) uses timestamp for comparisons Dangerous comparisons: - models[modelId].owner == addr || authorized[modelId][addr]

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Minor impact on contract functionality or gas efficiency.

Recommendation

Review and fix the vulnerability

References

- No references available

F-004. assembly

PROPERTY	VALUE
Severity	INFO
Category	assembly
CVSS Score	3.1
Location	lib/openzeppelin-contracts/contracts/utils/StorageSlot.sol:66 (getAddressSlot)
Status	open
Detected By	slither

Description

StorageSlot.getAddressSlot(bytes32) uses assembly - INLINE ASM

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Informational finding for code quality improvement.

Recommendation

Review and fix the vulnerability

References

- No references available

F-005. assembly

PROPERTY	VALUE
Severity	INFO
Category	assembly
CVSS Score	3.1
Location	lib/openzeppelin-contracts/contracts/utils/StorageSlot.sol:102 (getInt256Slot)
Status	open
Detected By	slither

Description

StorageSlot.getInt256Slot(bytes32) uses assembly - INLINE ASM

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Informational finding for code quality improvement.

Recommendation

Review and fix the vulnerability

References

- No references available

F-006. incorrect-equality

PROPERTY	VALUE
Severity	MEDIUM
Category	incorrect-equality
CVSS Score	4.3
Location	ModelRegistryV2.sol:154 (modelExists)
Status	open
Detected By	slither

Description

ModelRegistryV2.modelExists(bytes32) uses a dangerous strict equality: - models[modelId].createdAt == 0

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Limited financial impact or requires specific conditions to exploit.

Recommendation

Review and fix the vulnerability

References

- No references available

F-007. missing-zero-check

PROPERTY	VALUE
Severity	LOW
Category	missing-zero-check
CVSS Score	3.1
Location	lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol:43 (newOwner)
Status	open
Detected By	slither

Description

Ownable2Step.transferOwnership(address).newOwner lacks a zero-check on : -
_pendingOwner = newOwner

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Minor impact on contract functionality or gas efficiency.

Recommendation

Review and fix the vulnerability

References

- No references available

F-008. timestamp

PROPERTY	VALUE
Severity	LOW
Category	SC08: Bad Randomness / Front-Running
CVSS Score	3.1
Location	ModelRegistryV2.sol:491 (isAuthorized)
Status	open
Detected By	slither

Description

ModelRegistryV2.isAuthorized(bytes32,address) uses timestamp for comparisons Dangerous comparisons: - models[modelId].owner == addr || authorized[modelId][addr]

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Minor impact on contract functionality or gas efficiency.

Recommendation

Review and fix the vulnerability

References

- No references available

F-009. assembly

PROPERTY	VALUE
Severity	INFO
Category	assembly
CVSS Score	3.1
Location	lib/openzeppelin-contracts/contracts/utils/StorageSlot.sol:66 (getAddressSlot)
Status	open
Detected By	slither

Description

StorageSlot.getAddressSlot(bytes32) uses assembly - INLINE ASM

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Informational finding for code quality improvement.

Recommendation

Review and fix the vulnerability

References

- No references available

F-010. assembly

PROPERTY	VALUE
Severity	INFO
Category	assembly
CVSS Score	3.1
Location	lib/openzeppelin-contracts/contracts/utils/StorageSlot.sol:102 (getInt256Slot)
Status	open
Detected By	slither

Description

StorageSlot.getInt256Slot(bytes32) uses assembly - INLINE ASM

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Informational finding for code quality improvement.

Recommendation

Review and fix the vulnerability

References

- No references available

F-011. incorrect-equality

PROPERTY	VALUE
Severity	MEDIUM
Category	incorrect-equality
CVSS Score	4.3
Location	ModelRegistryV2.sol:154 (modelExists)
Status	open
Detected By	slither

Description

ModelRegistryV2.modelExists(bytes32) uses a dangerous strict equality: - models[modelId].createdAt == 0

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Limited financial impact or requires specific conditions to exploit.

Recommendation

Review and fix the vulnerability

References

- No references available

F-012. missing-zero-check

PROPERTY	VALUE
Severity	LOW
Category	missing-zero-check
CVSS Score	3.1
Location	lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol:43 (newOwner)
Status	open
Detected By	slither

Description

Ownable2Step.transferOwnership(address).newOwner lacks a zero-check on : -
_pendingOwner = newOwner

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Minor impact on contract functionality or gas efficiency.

Recommendation

Review and fix the vulnerability

References

- No references available

F-013. timestamp

PROPERTY	VALUE
Severity	LOW
Category	SC08: Bad Randomness / Front-Running
CVSS Score	3.1
Location	ModelRegistryV2.sol:491 (isAuthorized)
Status	open
Detected By	slither

Description

ModelRegistryV2.isAuthorized(bytes32,address) uses timestamp for comparisons Dangerous comparisons: - models[modelId].owner == addr || authorized[modelId][addr]

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Minor impact on contract functionality or gas efficiency.

Recommendation

Review and fix the vulnerability

References

- No references available

F-014. assembly

PROPERTY	VALUE
Severity	INFO
Category	assembly
CVSS Score	3.1
Location	lib/openzeppelin-contracts/contracts/utils/StorageSlot.sol:66 (getAddressSlot)
Status	open
Detected By	slither

Description

StorageSlot.getAddressSlot(bytes32) uses assembly - INLINE ASM

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Informational finding for code quality improvement.

Recommendation

Review and fix the vulnerability

References

- No references available

F-015. assembly

PROPERTY	VALUE
Severity	INFO
Category	assembly
CVSS Score	3.1
Location	lib/openzeppelin-contracts/contracts/utils/StorageSlot.sol:102 (getInt256Slot)
Status	open
Detected By	slither

Description

StorageSlot.getInt256Slot(bytes32) uses assembly - INLINE ASM

Vulnerable Code

```
// No code snippet
```

Impact Analysis

Informational finding for code quality improvement.

Recommendation

Review and fix the vulnerability

References

- No references available

6. Remediation Roadmap

6.1 Prioritized Actions

PRIORITY	FINDING	SEVERITY	RECOMMENDED ACTION
----------	---------	----------	--------------------

6.2 Remediation Timeline

PHASE	WEEK	PRIORITY	FINDINGS	ACTION
1	Week 1	Critical & High	0 + 0	Immediate remediation required
2	Week 2	Medium	3	Address medium severity issues
3	Week 3	Low & Info	6 + 6	Fix low priority items
4	Week 4	Verification	-	Re-audit and validation

6.3 Quick Wins

Review findings marked as "Low" effort for quick security improvements.

6.4 Effort vs Impact Matrix

		IMPACT		
		Low	Medium	High
	High	Avoid	Consider	Schedule
	Med	Defer	Plan	Priority
	Low	If Time	Quick Win	DO FIRST!
		EFFORT →		

7. Appendices

Appendix A: Tool Execution Details

Appendix B: Files Analyzed

#	FILE PATH	LINES	FUNCTIONS	FINDINGS
1	Unknown	N/A	--	15

Appendix C: SWC Registry Compliance

SWC ID	TITLE	STATUS	FINDING(S)
--------	-------	--------	------------

Appendix D: OWASP Smart Contract Top 10

RANK	CATEGORY	STATUS	FINDINGS
------	----------	--------	----------

Appendix E: Glossary

TERM	DEFINITION
Reentrancy	A vulnerability where an external call allows execution to re-enter the calling contract before the first execution completes
Integer Overflow	When an arithmetic operation results in a value larger than can be stored in the variable
Front-running	Exploiting knowledge of pending transactions to gain an advantage
Flash Loan Attack	Using uncollateralized loans within a single transaction to manipulate protocols
Oracle Manipulation	Attacking price feeds or external data sources to influence contract behavior
Access Control	Mechanisms that restrict who can execute sensitive functions

Appendix F: Audit Trail

EVENT	TIMESTAMP	HASH
Contract Snapshot	2026-01-24	N/A
Analysis Started	2026-01-24	--
Analysis Completed	2026-01-24 22:39:26	--
Report Generated	2026-01-24 22:39:26	--
Report Hash	2026-01-24 22:39:26	N/A

Disclaimer

This audit report is provided on an "AS IS" basis without warranties of any kind, whether express or implied. The findings and recommendations represent the auditor's professional opinion based on the scope and methodology described.

Limitations: - This audit does not guarantee the absence of vulnerabilities - Smart contract security is an evolving field - New vulnerabilities may be discovered post-audit - Economic and governance attacks may not be fully modeled - The client is responsible for implementing and testing fixes

Powered by [MIESC](<https://github.com/fboiero/MIESC>) Multi-layer Intelligent Evaluation for Smart Contracts *Report generated: 2026-01-24 22:39:26* *Report Version: 1.0*