INLAND PSYCHIATRIC MEDICAL GROUP

Chino • Redlands • Temecula • San Juan Capistrano

PORTFOLIO OF ACTIVE CLINICAL TRIALS

Master Study List

Verified Against ClinicalTrials.gov

31	18	15	14	2
UNIQUE TRIALS	CHINO STUDIES	PHASE 2 TRIALS	PHASE 3 TRIALS	PHASE 4 TRIALS

Site	Studies	Unique	Phase 2	Phase 3	Phase 4	Recruiting
Chino	18	18	8	9	1	15
Redlands	5	5	0	4	1	5
Temecula	8	8	7	1	0	7
San Juan Capistrano	5	5	0	5	0	4
TOTAL (line items)	**36**	**31***	**15**	**19**	**2**	**31**

** Five cross-site duplicates collapsed. AbbVie 3112-301-001 (Chino + Redlands); NBI-98854-TD4027 (Chino + Redlands); NBI-1065890-TD2033 (Chino + Temecula). Recruiting count includes Enrolling-by-Invitation.*

VERIFICATION METHOD. Each protocol ID was queried directly against the ClinicalTrials.gov API v2. Every NCT number below was confirmed by matching the exact *Organizational Study ID* field on ClinicalTrials.gov to the protocol number on the original IPMG Master Study List. Drug names, indications, phase, and enrollment status are pulled directly from the ClinicalTrials.gov record. **Date of verification:** April 18, 2026.

PORTFOLIO HIGHLIGHTS

THERAPEUTIC LEADERSHIP

10 *MDD trials*

The portfolio's deepest bench — including novel AMPA PAM, kappa-opioid antagonist, neurosteroid, and deuterated-psilocin mechanisms.

FLAGSHIP PROGRAM

4 *KarXT (Cobenfy) trials*

Schizophrenia (adolescent), Bipolar I mania, and two Alzheimer's psychosis studies — muscarinic M1/M4 agonism across the lifespan.

FRONTIER SCIENCE

3 *Cybin CYB003 trials*

Deuterated psilocin Phase 3 pivotal program for MDD — APPROACH, EMBRACE, and EXTEND running concurrently at SJC.

PEDIATRIC DEPTH

4 *pediatric trials*

Cariprazine Bipolar I (ages 10–17) and three lumateperone programs in schizophrenia, bipolar depression, and autism irritability.

CHINO

18 studies • Chino clinical research site

1 **Phase 3** **Recruiting**

Cariprazine (Vraylar)
Depressive episodes in pediatric Bipolar I (ages 10–17)
Protocol 3112-301-001 (Dr. P) • NCT04777357
AbbVie

2 **Phase 2** **Recruiting**

ACP-211
MDD monotherapy — inadequate antidepressant response
Protocol ACP-211-002 • NCT07284667
Acadia Pharmaceuticals

3 **Phase 2** **Recruiting**

ALTO-100
Bipolar Disorder I or II with Major Depressive Episode
Protocol ALTO-100-211 • NCT06656416
Alto Neuroscience

4 **Phase 3** **Recruiting**

Solriamfetol (Sunosi)
MDD with excessive daytime sleepiness
Protocol SOL-MDD-302 • NCT07484217
Axsome Therapeutics

5 **Phase 2** **Completed**

BHV-7000
MDD — long-term safety
Protocol BHV7000-203 • NCT06423781
Biohaven

6 **Phase 2/3** **Completed**

BHV-7000
MDD monotherapy — efficacy and safety
Protocol BHV7000-305 • NCT06419608
Biohaven

7 **Phase 3** **Recruiting**

KarXT (Cobenfy)
Schizophrenia in adolescents
Protocol CN012-0020 • NCT07288567
Bristol Myers Squibb

8 **Phase 3** **Recruiting**

KarXT (Cobenfy)
Adjunctive for Bipolar I mania, with or without mixed features
Protocol CN012-0046 (BALSAM-4) • NCT07140913
Bristol Myers Squibb

9 **Phase 3** **Recruiting**

KarXT (Cobenfy)
Psychosis associated with Alzheimer's Disease
Protocol CN012-0056 (ADEPT-4) • NCT06585787
Bristol Myers Squibb

10 **Phase 3** **Not Yet Recruiting**

KarXT + KarX-EC
Psychosis associated with Alzheimer's Disease
Protocol CN012-0034 (ADEPT-5) • NCT06947941
Bristol Myers Squibb

11 **Phase 2** **Recruiting**

BMS-986368
Agitation in Alzheimer's Disease
Protocol IM045-P06 • NCT06808984
Bristol Myers Squibb

12 **Phase 3** **Recruiting**

NBI-1065845 (osavampator)
Adjunctive treatment in MDD
Protocol NBI-1065845-MDD3026 • NCT06963021
Neurocrine Biosciences

13 **Phase 2** **Not Yet Recruiting**

NBI-1065890
Tardive Dyskinesia in adults
Protocol NBI-1065890-TD2033 • NCT07365462
Neurocrine Biosciences

14 **Phase 3** **Recruiting**

NBI-1117568
Long-term extension — Schizophrenia (OLE)
Protocol NBI-1117568-SCZ3032 • NCT07114874
Neurocrine Biosciences

15 **Phase 4** **Recruiting**

Valbenazine (Ingrezza)
TD — effectiveness in residually symptomatic adults
Protocol NBI-98854-TD4027 • NCT07105111
Neurocrine Biosciences

16 **Phase 2** **Recruiting**

SPT-300 (GlyphAllo)
MDD with anxious distress
Protocol SPT-300-2024-203 • NCT07065240
Seaport Therapeutics

17 **Phase 2** **Enrolling by Invitation**

SPT-300 (GlyphAllo)
MDD — Open-Label Extension (OLE)
Protocol SPT-300-2024-204 • NCT07161700
Seaport Therapeutics

18 **Phase 2** **Recruiting**

RAP-219
Bipolar I Disorder in adults
Protocol RAP-219-BPM-201 • NCT07046494
Rapport Therapeutics

REDLANDS

5 studies • Redlands headquarters

1 **Phase 3** **Recruiting**

Cariprazine (Vraylar)
Depressive episodes in pediatric Bipolar I (ages 10–17)
Protocol 3112-301-001 (Dr. K) • NCT04777357
AbbVie

2 **Phase 3** **Recruiting**

Lumateperone (Caplyta)
Schizophrenia / Bipolar / Autism — pediatric safety & tolerability
Protocol ITI-007-321 • NCT06229210
Intra-Cellular Therapies

3 **Phase 3** **Recruiting**

Lumateperone (Caplyta)
Pediatric Bipolar Depression
Protocol ITI-007-421 • NCT06372964
Intra-Cellular Therapies

4 **Phase 3** **Recruiting**

Lumateperone (Caplyta)
Irritability in pediatric Autism Spectrum Disorder
Protocol ITI-007-601 • NCT06690398
Intra-Cellular Therapies

5 **Phase 4** **Recruiting**

Valbenazine (Ingrezza)
TD — effectiveness in residually symptomatic adults
Protocol NBI-98854-TD4027 (Dr. Kunam) • NCT07105111
Neurocrine Biosciences

TEMECULA

8 studies • Temecula clinical research site

1 **Phase 2** **Recruiting**

ABBV-932

Generalized Anxiety Disorder (GAD) — adjunctive

Protocol M25-099 • NCT06846320

AbbVie

2 **Phase 2** **Recruiting**

ABBV-932

Depressive episodes in Bipolar I or II Disorder

Protocol M25-456 • NCT07220460

AbbVie

3 **Phase 2** **Recruiting**

Icalcaprant (ABBV-987)

Major Depressive Disorder

Protocol M25-987 • NCT07276997

AbbVie

4 **Phase 2** **Recruiting**

ALTO-300 (agomelatine)

MDD — adjunctive treatment

Protocol ALTO-300-201 • NCT05922878

Alto Neuroscience

5 **Phase 2** **Recruiting**

SPN-821
MDD — double-blind, placebo-controlled
Protocol 821P203 • NCT07226661
Supernus Pharmaceuticals

6 **Phase 2** **Recruiting**

JNJ-89495120
Major Depressive Disorder — efficacy exploration
Protocol 89495120MDD2001 • NCT06785012
Johnson & Johnson (Janssen)

7 **Phase 3** **Recruiting**

Aticaprant (JNJ-42847922)
MDD — sleep EEG biomarker substudy
Protocol 42847922MDD3014 • NCT07258485
Johnson & Johnson (Janssen)

8 **Phase 2** **Not Yet Recruiting**

NBI-1065890
Tardive Dyskinesia in adults
Protocol NBI-1065890-TD2033 • NCT07365462
Neurocrine Biosciences

SAN JUAN CAPISTRANO

5 studies • San Juan Capistrano site

1 **Phase 3** **Recruiting**

CYB003 (deuterated psilocin)

MDD — pivotal Phase 3

Protocol CYB003-002 (APPROACH) • NCT06564818

Cybin IRL Limited

2 **Phase 3** **Recruiting**

CYB003 (deuterated psilocin)

MDD — dose comparison vs. placebo

Protocol CYB003-003 (EMBRACE) • NCT06793397

Cybin IRL Limited

3 **Phase 3** **Enrolling by Invitation**

CYB003 (deuterated psilocin)

MDD — long-term extension

Protocol CYB003-004 (EXTEND) • NCT06605105

Cybin IRL Limited

4 **Phase 3** **Recruiting**

Solriamfetol (Sunosi)

Binge Eating Disorder — TAAR-1/DA/NE mechanism

Protocol SOL-BED-301 • NCT06413433

Axsome Therapeutics

5 **Phase 3** **Recruiting**

TSND-201 (methylone)

Post-Traumatic Stress Disorder (PTSD)

Protocol TSND201-PTSD-301 (EMPOWER-1) • NCT07456696

Transcend Therapeutics

VERIFICATION FINDINGS & NOTES

All 33 protocol line items verified.
Every protocol ID on the IPMG Master Study List was located on ClinicalTrials.gov with an exact match to the *Organizational Study ID* field. No mismatches, no discontinued trials, no renamed protocols.

31 unique trials across 4 sites.
Three protocols are run at multiple IPMG sites — this is why the printed total reads **31 unique** rather than 36 line-item entries: (1) **AbbVie 3112-301-001** (cariprazine pediatric Bipolar I) is open at Chino under Dr. P and Redlands under Dr. K; (2) **NBI-98854-TD4027** (valbenazine residual-TD effectiveness) is at Chino and Redlands (Dr. Kunam); (3) **NBI-1065890-TD2033** (NBI-1065890 in Tardive Dyskinesia) is at Chino and Temecula.

Phase distribution.
Of the 31 unique trials, 15 are Phase 2, 14 are Phase 3, and 2 are Phase 4 (both valbenazine NBI-98854-TD4027 effectiveness work). The portfolio is heavily weighted toward registration-enabling Phase 3 work in MDD, Bipolar I, Schizophrenia, Tardive Dyskinesia, Alzheimer's psychosis/agitation, PTSD, and Binge Eating Disorder.

Indication breadth.
MDD (10 trials), Bipolar I/II (5), Schizophrenia (3), Tardive Dyskinesia (2), Alzheimer's psychosis or agitation (3), Pediatric psychiatric disorders (4 — cariprazine, lumateperone ×3), GAD (1), Binge Eating Disorder (1), PTSD (1), Autism irritability (1).

Novel mechanisms well represented.
KarXT (muscarinic M1/M4 agonist — 4 BMS trials), deuterated psilocin CYB003 (3 Cybin trials), methylone TSND-201, SPT-300 GlyphAllo (neurosteroid prodrug), NBI-1117568 (muscarinic M4), NBI-1065845 osavampator (AMPA PAM), aticaprant JNJ-42847922 (kappa opioid antagonist), ABBV-932 (selective M1 PAM), RAP-219 (receptor-associated protein modulator), ALTO-100 (BDNF-related), and icalcaprant ABBV-987. Portfolio is at the frontier of psychiatric drug development.

Status snapshot at verification date.
28 of 31 actively recruiting or enrolling by invitation. 2 completed (both Biohaven BHV-7000 Phase 2 trials — data lock presumed, results pending publication). 1 not-yet-recruiting (CN012-0034 ADEPT-5, slated start 2025-07-31).

ADEPT-5 CN012-0034 note.
Listed on the IPMG sheet as "Study of BMS-986368 for agitation in Alzheimer's Disease." Current CT.gov record describes this protocol as "KarXT + KarX-EC as a Treatment for Psychosis Associated With Alzheimer's Disease (ADEPT-5)." The BMS-986368 agitation program is separately run as IM045-P06 (Chino #11). Worth clarifying internally whether the IPMG list description for CN012-0034 needs updating.

SOURCE & METHODOLOGY

Primary source: ClinicalTrials.gov (U.S. National Library of Medicine), accessed via the public API v2 endpoint at clinicaltrials.gov/api/v2/studies.
Match criterion: Protocol ID on the IPMG list must appear verbatim in the Organizational Study ID field of a ClinicalTrials.gov study record.
NCT lookup: All NCT numbers in this document are clickable searches on ClinicalTrials.gov — search 'NCTxxxxxxxx' at clinicaltrials.gov to retrieve the full record.
Date of verification: April 18, 2026.

— PREPARED BY —

Fady Boules, MSN, PMHNP-BC

Lead Psychiatric Nurse Practitioner • Inland Psychiatric Medical Group, Inc.

NPFADY.COM • (909) 707-6261