

Casos de prueba:

- Error Semántico, mayor a 32 caracteres

[illegible]

- Error Sintáctico, identificador incorrecto 2ss2

The screenshot shows a code editor with a dark theme. The top bar displays the file name 'flexBison'. Below it, the editor shows a file named 'archivo.txt' with the following content:


```
1  inicio var:=2var; fin
```

The text 'fin' is highlighted in blue. Below the editor, the 'TERMINAL' tab is active, showing the command prompt output:

```
C:\Users\Facu\flexBison> a.exe  
el error fue: syntax error
```

The command prompt is currently empty, showing 'C:\Users\Facu\flexBison>'.

- Tabla de símbolos con 2 IDs



```
flexBasico.l  * bisonBasico.y  iniciar.sh  archivo.txt x  >  >  ..
```


```
archivo.txt
1  inicio var:=ss2; fin
```

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS  + v ... ^ x
```

```
C:\Users\Facu\flexBison> a.exe
inicio fin leer escribir var ss2 $
C:\Users\Facu\flexBison>
```

ports: powershell, cmd

- TS, pero sin repetidos si ya está previamente



```
flexBasico.l  * bisonBasico.y  iniciar.sh  archivo.txt x  >  >  ...
```


```
archivo.txt
1  inicio var:=var; fin
```

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS  + v ... ^ x
```

```
C:\Users\Facu\flexBison> a.exe
inicio fin leer escribir var $
C:\Users\Facu\flexBison>
```

ports: powershell, cmd

- Error Léxico



The screenshot shows a code editor with a dark theme. The top bar displays the project name 'flexBison'. The editor has several tabs: 'flexBasico.l', 'bisonBasico.y', 'iniciar.sh', and 'archivo.txt'. The 'archivo.txt' tab is active, showing a single line of code: '1 inicio _varrr:=var; fin'. The text '_varrr' is underlined in red, indicating a lexical error. Below the editor, there is a panel with tabs for 'PROBLEMS', 'OUTPUT', 'DEBUG CONSOLE', 'TERMINAL', and 'PORTS'. The 'TERMINAL' tab is selected, showing the command prompt output: 'C:\Users\Facu\flexBison> a.exe' followed by 'el error fue: Lexico'. The prompt 'C:\Users\Facu\flexBison>' is visible again on the next line. To the right of the terminal, there is a 'PORTS' section with a list of ports: 'powershell' and 'cmd', with 'cmd' selected.

```
flexBison
* flexBasico.l * bisonBasico.y iniciar.sh archivo.txt
archivo.txt
1 inicio _varrr:=var; fin

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
C:\Users\Facu\flexBison> a.exe
el error fue: Lexico

C:\Users\Facu\flexBison>
powershell
cmd
```