START DATE



United States of America - Influenza A viruses of high pathogenicity (Inf. with) (non-poultry including wild birds) (2017-) - Follow-up report 3

GENERAL INFORMATION

COUNTRY/TERRITORY OR ZONE ANIMAL TYPE DISEASE CATEGORY EVENT ID

7.0NF TERRESTRIAL Listed disease 4451

CAUSAL AGENT

SUBTYPE

GENOTYPE / SEROTYPE /

Influenza A viruses of high Highly pathogenic avian influenza H5N1 2022/04/09

pathogenicity (Inf. with) (non-poultry virus

including wild birds) (2017-)

DISEASE

REASON FOR NOTIFICATION DATE OF LAST OCCURRENCE CONFIRMATION DATE EVENT STATUS

Unusual host species - - On-going

END DATE SELF-DECLARATION

- NO

REPORT INFORMATION

REPORT NUMBERREPORT IDREPORT REFERENCEREPORT DATEFollow-up report 3FUR_155740-2022/06/17

REPORT STATUS NO EVOLUTION REPORT

Validated -

EPIDEMIOLOGY

SOURCE OF EVENT OR ORIGIN OF INFECTION

- Contact with wild species
- Unknown or inconclusive

EPIDEMIOLOGICAL COMMENTS

--Wisconsin (WI)--Highly pathogenic avian influenza (HPAI) H5N1, Eurasian lineage goose/Guangdong clade 2.3.4.4b was confirmed in three red foxes from Dane, Jefferson and Rock Counties, WI. One of the affected animals was found with an inability to use its right hind leg. All were taken to rehabilitation facilities, where they have since died or were euthanized. Highly pathogenic avian influenza (HPAI) H5N1, Eurasian lineage goose/Guangdong clade 2.3.4.4b was confirmed in two wild bobcats from Lincoln County WI. The animals were found lethargic, shivering and acting abnormally (unafraid of people), and have since been euthanized. Minnesota (MN)--Highly pathogenic avian influenza (HPAI) H5N1, Eurasian lineage goose/Guangdong clade 2.3.4.4b was confirmed in three red foxes from Stearns, Itasca and Scott Counties, MN. Clinical signs included lateral recumbency, ataxia, neurologic signs, seizures, nystagmus and minimal responsiveness. All of the affected animals have since died or were euthanized. North Dakota (ND)--Highly pathogenic avian influenza (HPAI) H5N1, Eurasian lineage goose/Guangdong clade 2.3.4.4b was confirmed in two red foxes from Dickey and Burleigh Counties, ND. Clinical signs included erratic behavior and difficulty walking. The affected animals have since died. Michigan (MI)--Highly pathogenic avian influenza (HPAI) H5N1, Eurasian lineage goose/Guangdong clade 2.3.4.4b was confirmed in five red fox from Osceola, Midland and Otsego Counties, MI. Clinical signs included acting abnormally, unable to run, convulsions, neurologic and found dead. One animal had

evidence of trauma, two animals were euthanized and one died. Highly pathogenic avian influenza (HPAI) H5N1, Eurasian lineage goose/Guangdong clade 2.3.4.4b was confirmed in a coyote in Wexford County, MI. The animal was found alone in town and was euthanized. Iowa (IA)--Highly pathogenic avian influenza (HPAI) H5N1, Eurasian lineage goose/Guangdong clade 2.3.4.4b was confirmed in two Virginia Opossums in Buchanan County, Iowa. The animals were at a rehabilitation facility and had clinical signs of seizures. One animal died and the other was euthanized. Washington (WA)--Highly pathogenic avian influenza (HPAI) H5N1, Eurasian lineage goose/Guangdong clade 2.3.4.4b was confirmed in 4 raccoons in Franklin County, Washington. Clinical signs included lethargy and acting sick. Two animals died.

QUANTITATIVE DATA SUMMARY

MEASURING UNIT

Animal

Species		Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
coyote (wild)	NEW	-	1	-	1	-	-
	TOTAL		1	-	1	-	-
virginia opossum (wild)	NEW	-	2	1	1	-	-
	TOTAL		2	1	1	-	-
bobcat (wild)	NEW	-	2	-	2	-	-
	TOTAL	. -	2	-	2	-	-
racoon (northern	NEW	-	4	2	-	-	-
raccoon) (wild)	TOTAL		4	2	-	-	-
red fox (wild)	NEW	-	13	5	6	-	-
	TOTAL		39	15	10	-	-
all species	NEW	-	22	8	10	-	-
	TOTAL		48	18	14	-	-

DIAGNOSTIC DETAILS

CLINICAL SIGNS METHOD OF DIAGNOSTIC

YES Diagnostic test, Clinical

Test name	Laboratory	Species sampled	Number of outbreaks sampled	First result date	Latest result date	Result
Real-time reverse transcription polymerase chain reaction (rRT-PCR)	National Veterinary Services Laboratories (NVSL), Ames, Iowa	Bobcat, Red Fox, Racoon (Northern raccoon), Virginia Opossum, Coyote	39	2022/05/05	2022/06/17	Positive

CONTROL MEASURES

CONTROL MEASURES AT EVENT LEVEL	DOMESTIC ANIMALS	WILD ANIMALS
Surveillance within the restricted zone		Applied
Official disposal of carcasses, by-products and waste		Applied
Disinfection		Applied

NEW OUTBREAKS

OB_104022 - LINCOLN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/04/24	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Lincoln	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lincoln County	45.171 , -89.688 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Bobcat (Lynx rufus)

Species (latin	Wildlife	Susceptible Cases Deaths			s Killed and	Slaughtered/ Killed for	Vaccinated	
name)	type				Disposed of	commercial use		
bobcat (wild)	NEW	-	1	-	1	-	-	
wild	TOTAL	-	1	-	1	-	-	

METHOD OF DIAGNOSTIC

Diagnostic test,

Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

<u>-</u>

OB_104023 - LINCOLN COUNTY

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2022/05/05	-	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Wisconsin	Lincoln	-	Not applicable
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Lincoln County	45.178 , -89.667 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

--Wild Bobcat (Lynx rufus)

Species (latin name)	Wildlife type	Suscept	ible Case	es Deat	hs Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
bobcat (wild)	NEW	-	1	-	1	-	-
wild	TOTAL	-	1	-	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,

Clinical

OB_104158 - FRANKLIN COUNTY

OUTBREAK REFERENCE START DATE **END DATE DETAILED CHARACTERISATION**

DIVISION

2022/06/06

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE **EPIDEMIOLOGICAL UNIT**

DIVISION

Washington Franklin Not applicable

LOCATION **OUTBREAKS IN CLUSTER** Latitude, Longitude **Measuring unit**

Franklin County 46.218, -119.023 Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

--Wild Racoons (Procyon lotor)

Species (latin name)	Wildlife	Susceptible Cases Deaths Killed and				Slaughtered/ Killed for	Vaccinated	
	type				Disposed of	commercial use		
racoon (northern	NEW	-	4	2	-	-	-	
raccoon) (wild) wild	TOTAL	_	4	2	_	_	_	

METHOD OF DIAGNOSTIC

Diagnostic test,

Clinical

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

OB_104159 - WEXFORD COUNTY

OUTBREAK REFERENCE START DATE **END DATE DETAILED CHARACTERISATION**

2022/05/03

THIRD ADMINISTRATIVE **EPIDEMIOLOGICAL UNIT** FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE

DIVISION

DIVISION Wexford Not applicable

Michigan

Measuring unit LOCATION Latitude, Longitude **OUTBREAKS IN CLUSTER**

Wexford County 44.252 , -85.37 Animal (Approximate location)

AFFECTED POPULATION DESCRIPTION

--Wild Coyote (Canis latrans)

Species (latin	Wildlife	Suscep	otible Cas	es Dea	ths Killed and	Slaughtered/ Killed for	Vaccinated
name)	type				Disposed of	commercial use	
coyote (wild)	NEW	-	1	-	1	-	-
wild	TOTAL	_	1	_	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

-

OB_104156 - BUCHANAN

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

DIVISION

2022/05/20 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT

DIVISION

Iowa Buchanan - Other

LOCATION Latitude, Longitude OUTBREAKS IN CLUSTER Measuring unit

Buchanan 42.454 , -91.84 - Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

--Captive wild Virginia Opossums (Didelphis virginiana) at a rehabilitation facility.

Species (latin name)	Susceptible	e Case	s Death	s Killed and	Slaughtered/ Killed for	Vaccinated	
	type				Disposed of	commercial use	
virginia opossum	NEW	-	2	1	1	-	-
(wild) captive	TOTAL	-	2	1	1	-	_

METHOD OF DIAGNOSTIC

Clinical,

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

_

OB_104029 - OSCEOLA COUNTY

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

- 2022/05/19 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT

DIVISION DIVISION

Michigan Osceola - Not applicable

LOCATION Latitude, Longitude OUTBREAKS IN CLUSTER Measuring unit

Osceola County 43.876 , -85.498 - Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species (latin Wildlife Susceptible Cases Deaths Ki			ths Killed and	Slaughtered/ Killed for	Vaccinated		
name)	type				Disposed of	commercial use	
red fox (wild)	NEW	-	1	-	1	-	-
wild	TOTAL	_	1	_	1	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,

Clinical

. <u>-</u>

OB_104113 - OTSEGO COUNTY

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

DIVISION

- 2022/05/18 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT

DIVISION

Michigan Otsego - Not applicable

LOCATION Latitude, Longitude OUTBREAKS IN CLUSTER Measuring unit

Otsego County 44.998 , -84.685 - Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species (latin	Wildlife	Suscep	tible Cas	ses Dea	ths Killed and	Slaughtered/ Killed for	Vaccinated
name)	type				Disposed of	commercial use	
red fox (wild)	NEW	-	1	1	-	-	-
wild	TOTAL	_	1	1	_	-	_

METHOD OF DIAGNOSTIC

Clinical,

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

- -

OB_104112 - OSCEOLA COUNTY

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

- 2022/06/05 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT

DIVISION DIVISION

Michigan Osceola - Not applicable

LOCATIONLatitude, LongitudeOUTBREAKS IN CLUSTERMeasuring unitOsceola County43.881, -85.503-Animal

43.881 , -85.503 - (Approximate location)

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species (latin	Wildlife	Suscep	tible Cas	es Dea	ths Killed and	Slaughtered/ Killed for	Vaccinated
name)	type				Disposed of	commercial use	
red fox (wild)	NEW	-	1	-	1	-	-
wild	TOTAL	_	1	_	1	-	_

METHOD OF DIAGNOSTIC

Diagnostic test,

Clinical

OB_104111 - MIDLAND COUNTY

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

- 2022/05/10 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT

DIVISION DIVISION

Michigan Midland - Not applicable

LOCATION Latitude, Longitude OUTBREAKS IN CLUSTER Measuring unit

Midland County 43.613 , -84.25 - Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

--Wild red foxes (Vulpes vulpes).

Species (latin name)	Wildlife type	Suscep	tible Cas	es Deat	ths Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	2	-	-	-	-
wild	TOTAL	_	2	_	_	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

-

OB_104031 - BURLEIGH COUNTY

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

- 2022/05/18 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT DIVISION DIVISION

North Dakota Burleigh - Not applicable

LOCATIONLatitude, LongitudeOUTBREAKS IN CLUSTERMeasuring unitBurleigh County46.773 , -100.808-Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species (latin	Wildlife	Suscep	otible Ca	ses Dea	ths Killed and	Slaughtered/ Killed for	Vaccinated
name)	type				Disposed of	commercial use	
red fox (wild)	NEW	-	1	1	-	-	-
wild	TOTAL	_	1	1	_	-	_

METHOD OF DIAGNOSTIC

Diagnostic test,

Clinical

-

OB_104027 - SCOTT COUNTY

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

- 2022/05/29 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT

DIVISION DIVISION

Minnesota Scott - Other

LOCATION Latitude, Longitude OUTBREAKS IN CLUSTER Measuring unit

Scott County 44.794 , -93.431 - Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox (Vulpes vulpes) at a rehabilitation facility.

Species (latin	Wildlife	Suscepti	ble Cas	es Deat	hs Killed and	Slaughtered/ Killed for	Vaccinated
name)	type				Disposed of	commercial use	
red fox (wild)	NEW	-	1	-	1	-	-
captive	TOTAL	-	1	_	1	-	_

METHOD OF DIAGNOSTIC

Clinical,

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

_

OB_104026 - DICKEY COUNTY

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

- 2022/05/18 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT

DIVISION DIVISION

North Dakota Dickey - Not applicable

LOCATION Latitude, Longitude OUTBREAKS IN CLUSTER Measuring unit

Dickey County 45.996 , -98.536 - Animal (Approximate location)

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species (latin	Wildlife	Suscep	tible Cas	es Deat	ths Killed and	Slaughtered/ Killed for	Vaccinated
name)	type				Disposed of	commercial use	
red fox (wild)	NEW	-	1	1	-	-	-
wild	TOTAL	_	1	1	-	-	-

METHOD OF DIAGNOSTIC

Diagnostic test,

Clinical

OB_104025 - ITASCA COUNTY

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

- 2022/05/13 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT

DIVISION DIVISION

Minnesota Itasca - Other

LOCATION Latitude, Longitude OUTBREAKS IN CLUSTER Measuring unit

Itasca County 47.216, -93.499 - Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox (Vulpes vulpes) at a rehabilitation facility.

Species (latin	Wildlife	Suscepti	ble Cas	es Deat	hs Killed and	Slaughtered/ Killed for	Vaccinated
name)	type				Disposed of	commercial use	
red fox (wild)	NEW	-	1	-	1	-	-
captive	TOTAL	-	1	_	1	-	_

METHOD OF DIAGNOSTIC

Clinical,

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

-

OB_104024 - STEARNS COUNTY

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

- 2022/05/10 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT

DIVISION DIVISION

Minnesota Stearns - Not applicable

LOCATION Latitude, Longitude OUTBREAKS IN CLUSTER Measuring unit

Stearns County 45.527 , -94.165 - Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

--Wild red fox kit (Vulpes vulpes).

Species (latin	Wildlife	Suscepti	ble Cas	es Deat	ths Killed and	Slaughtered/ Killed for	Vaccinated
name)	type				Disposed of	commercial use	
red fox (wild)	NEW	-	1	1	-	-	-
wild	TOTAL	_	1	1	-	-	_

METHOD OF DIAGNOSTIC

Clinical,

Diagnostic test

-

OB_104021 - DANE COUNTY

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

DIVISION

- 2022/04/12 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT

DIVISION

Wisconsin Dane - Other

LOCATION Latitude, Longitude OUTBREAKS IN CLUSTER Measuring unit

Dane County 43.138 , -89.297 - Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox (Vulpes vulpes) at a rehabilitation facility.

Species (latin	Wildlife	Suscep	tible Cas	es Deat	ths Killed and	Slaughtered/ Killed for	Vaccinated
name)	type				Disposed of	commercial use	
red fox (wild)	NEW	-	1	-	1	-	-
captive	TOTAL	_	1	_	1	-	_

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

-

OB_104020 - JEFFERSON COUNTY

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

DIVISION

- 2022/04/11 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT

Wisconsin Jefferson - Other

LOCATION Latitude, Longitude OUTBREAKS IN CLUSTER Measuring unit

Jefferson County 43.021 , -88.816 - Animal

(Approximate location)

DIVISION

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox (Vulpes vulpes) at a rehabilitation facility.

Species (latin name)	Wildlife type	Susceptib	le Case	es Death	s Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	1	1	-	-	-
captive	TOTAL	-	1	1	-	-	-

METHOD OF DIAGNOSTIC

Clinical,

Diagnostic test

. <u>-</u>

OB_104018 - ROCK COUNTY

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

- 2022/04/19 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT

DIVISION DIVISION

Wisconsin Rock - Other

LOCATION Latitude, Longitude OUTBREAKS IN CLUSTER Measuring unit

Rock County 42.726 , -88.992 - Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

--Captive wild red fox (Vulpes vulpes) at a rehabilitation facility.

Species (latin	Wildlife	Suscepti	ble Cas	es Deat	hs Killed and	Slaughtered/ Killed for	Vaccinated
name)	type				Disposed of	commercial use	
red fox (wild)	NEW	-	1	-	1	-	-
captive	TOTAL	-	1	_	1	-	_

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED ADDITIONAL MEASURES

-

UPDATED OUTBREAKS

OB_103757 - ALEUTIANS WEST

OUTBREAK REFERENCE START DATE END DATE DETAILED CHARACTERISATION

- 2022/05/10 - -

FIRST ADMINISTRATIVE DIVISION SECOND ADMINISTRATIVE THIRD ADMINISTRATIVE EPIDEMIOLOGICAL UNIT

DIVISION DIVISION

Alaska Aleutians West - Not applicable

LOCATION Latitude, Longitude OUTBREAKS IN CLUSTER Measuring unit

Aleutians West 53.515 , -166.964 - Animal

(Approximate location)

AFFECTED POPULATION DESCRIPTION

--Wild red fox (Vulpes vulpes).

Species (latin name)	Wildlife type	Suscept	ible Cas	es Deat	hs Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
red fox (wild)	NEW	-	-	-	-	-	-
wild	TOTAL	_	1	_	_	_	_

METHOD OF DIAGNOSTIC

Diagnostic test

•