





YALE SCHOOL OF PUBLIC HEALTH - ESF-8 VIRTUAL MEDICAL OPERATION CENTER SPECIAL REPORT

MEASLES OUTBREAK - SOUTHWEST U.S. - 2025

TOTAL 839



MORBIDITY AND MORTALITY

STATE	CASES 	HOSPITALIZATIONS 	DEATHS 
TX	707 (+19)	91 (+2)	2
NM	67	7	1
OK	17 (+1)	0	0
KS	48 (+2)	1	0
TOTAL	839(+22	99(+2)	3

.This includes El Pao’s numbers that were posted after TX posted its numbers

BACKGROUND

TIMELINE

CURRENT SITUATION

EL PASO

EPI CURVE / CASES OVER TIME

EPI SUMMARY

US OUTLOOK

MEXICO

CANADA

CONTRIBUTORS

5/8/2025
2300 HRS EDT

RISK ASSESSMENT IN OUTBREAK AREAS

Risk for Localized Spread	Risk to unvaccinated populations in and around the outbreak areas	Risk to Children	Potential for sustained transmission
HIGH	HIGH	HGH	HIGH

LINKS

TEXAS LINKS

- [TEXAS DEPARTMENT OF STATE HEALTH SERVICES](#)
- [FACEBOOK](#) | [X](#)
- [HEALTH ALERTS](#)
- [THE SOUTH PLAINS PUBLIC HEALTH DISTRICT](#)

NEW MEXICO LINKS

- [NEW MEXICO DEPARTMENT OF HEALTH](#)

OKLAHOMA LINKS

- [OKLAHOMA STATE DEPARTMENT OF HEALTH](#)

KANSAS

- [KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT](#)

RESOURCES FOR HEALTHCARE PROVIDERS

- [CDC – MEASLES FOR THE HEALTHCARE PROFESSIONALS](#)
- [CDC VIDEO: MEASLES CLINICAL FEATURES AND DIAGNOSIS](#)
- [CDC CLINICAL IMAGES OF MEASLES](#)
- [CDC LABORATORY TESTING FOR MEASLES](#)
- [CDC ROUTINE VACCINATION RECOMMENDATIONS](#)
- [CDC ISOLATION RECOMMENDATIONS](#)
- [CDC: MEASLES CONTROL IN HEALTHCARE SETTINGS](#)
- [CDC ALERT SIGN INFOGRAPHIC](#)
- [CDC POSTER FOR OFFICE DISPLAY](#)
- [NY HEALTH: RECOGNIZING MEASLES FACT SHEET](#)
- [NY HEALTH: DEALING WITH VACCINE HESITANCY](#)
- [MEASLES POST-EXPOSURE PROPHYLAXIS](#)
- [MEASLES REVIEW FOR PROVIDERS](#)

MEASLES TESTING LABORATORIES

- [CDC MEASLES VIRUS LABORATORY](#)

RESOURCES FOR THE PUBLIC

- [CDC – MEASLES](#)
- [MEASLES CASES AND OUTBREAKS](#)
- [NYSDOH: YOU CAN PREVENT MEASLES](#)
- [CDC VIDEO: GET VACCINATED AND PREVENT MEASLES](#)
- [CDC VACCINE SHOT FOR MEASLES](#)
- [DIRECTORY FOR LOCAL HEALTH DEPARTMENTS](#)

RESOURCES FOR EMS PROVIDERS

- [GUIDANCE FOR SUSPECTED MEASLES PATIENTS](#)
- [NYSDOH POLICY STATEMENT](#)

PORTALS, BLOGS, AND RESOURCES

- [CIDRAP](#)
- [CORI](#)
- [FORCE OF INFECTION](#)
- [KAISER HEALTH NEWS](#)
- [MEDPAGE TODAY](#)
- [NY STATE GLOBAL HEALTH UPDATE](#)
- [THE PANDEMIC CENTER TRACKING REPORT](#)
- [YOUR LOCAL EPIDEMIOLOGIST](#)

Yale
SCHOOL
OF PUBLIC
HEALTH

BACKGROUND

TYPE OF PUBLIC HEALTH EMERGENCY: [LARGE REGIONAL MEASLES OUTBREAK](#)

OVERVIEW:

A measles outbreak originating in **West Texas** has spread in the US to **New Mexico, Oklahoma, and Kansas**, resulting in **99 hospitalizations** and **3 confirmed deaths** — including **two previously healthy children** in Texas and **one adult** in New Mexico. These are the **first U.S. measles deaths since 2015**, and the **first pediatric deaths since 2003**. Genetic and epidemiological evidence suggests this outbreak has also seeded the current outbreak in Chihuahua, Mexico, indicating clear cross-border transmission.

THE VIRUS:

[Measles](#) is a highly contagious viral disease transmitted primarily through **respiratory droplets** from coughing or sneezing. Symptoms include **high fever, cough, runny nose, conjunctivitis**, and a distinctive **red, blotchy rash**. The virus can remain **airborne or infectious on surfaces for up to two hours**, contributing to its rapid spread.

Despite being preventable through the [MMR](#) (measles, mumps, and rubella) vaccine, outbreaks continue to occur in under-vaccinated communities, leading to severe health outcomes and increased transmission risk ([CDC](#)).

FACTORS DRIVING THIS OUTBREAK:

- Low vaccination rates
- High levels of vaccine hesitancy and misinformation
- Community mistrust in public health authorities, heightened by post-pandemic attitudes


PUBLIC HEALTH RESPONSE:

- Emergency vaccination campaigns and targeted outreach.
- Focused messaging to combat misinformation and rebuild community trust.
- Multi-sector coordination involving schools, healthcare providers, and local organizations.

[MEASLES CASES IN 2025 - CDC](#)

935 (+51)CONFIRMED MEASLES CASES (AS OF 5/1/25)

2023–2025* (as of May 1, 2025)



As of May 1, 2025, a total of 935 confirmed* measles cases were reported by 30 jurisdictions: Alaska, Arkansas, California, Colorado, Florida, Georgia, Hawaii, Illinois, Indiana, Kansas, Kentucky, Louisiana, Maryland, Michigan, Minnesota, Missouri, Montana, New Jersey, New Mexico, New York City, New York State, Ohio, Oklahoma, Pennsylvania, Rhode Island, Tennessee, Texas, Vermont, Virginia, and Washington.

Age

Under 5 years: **285 (30%)**
5-19 years: **353 (38%)**
20+ years: **284 (30%)**
Age unknown: **13 (2%)**

Percent Hospitalized, by Age Group

Under 5 years: **23% (66 of 285)**
5-19 years: **8% (30 of 353)**
20+ years: **8% (34 of 284)**
Age unknown: **15% (2 of 13)**


Vaccination Status

Unvaccinated or Unknown: **96%**
One MMR dose: **2%**
Two MMR doses: **2%**

Deaths: 3

There have been 3 confirmed deaths from measles.

TIMELINE (JANUARY – MAY 2025)



CURRENT SITUATION

As of 5/7/25, the Southwestern outbreak has **839 cases**, including confirmed and pending cases across **Texas, New Mexico, Oklahoma**, and **Kansas**. Experts warn this is **likely a severe undercount**. The situation remains fluid, with case numbers expected to rise. Experts project the outbreak could last **up to a year**.

CURRENT CASE COUNT: 839 (As of 5/7/2025)

- **Texas: 707 (+19)**(62% of these cases are in Gaines County).
- **New Mexico: 67** (92.4% of the cases are from Lea County)
- **Oklahoma: 17 (+1)**
- **Kansas: 48 (+2)** (32% of the cases are from Gray County)

HOSPITALIZATIONS: 97 (+2)

- **Texas: 91 (+2)** - This is 13.02% of all TX cases.
- **New Mexico: 7** - This is 10.6% of all NM cases.
- **Kansas: 1** This is 2.7% of all KS cases.

DEATHS: 3

- **Texas: 2** – This is 0.31% of all cases
- **New Mexico: 1** – This is 1.54% of all cases

US NATIONAL CASE COUNT: 994 (Confirmed and suspected)

INTERNATIONAL SPREAD

- **Mexico – 982 (+117)**
 - **Chihuahua, Mexico: 954 (+110)** cases, 3 hospitalizations, 1 fatality
- **Canada: 1,854 (+323)** (This reflects Ontario's Outbreak, which began 11/24)
 - **Ontario, Canada – 1,440 (+197))** cases, 101 hospitalizations.

NOTE: Measles has been confirmed in 6 countries in the WHO Region of the Americas, an 11-fold increase compared to the same period in 2024. The majority of cases have occurred among people between 1 to 29 years, who are either unvaccinated or have an unknown vaccination status. ([WHO](#))

TEXAS:

- The outbreak continues, though it appears to be slowing in some areas. As of 5/6/2025, DS
- HA estimates that fewer than 10 confirmed cases—approximately 1.0%—remain actively infectious, based on rash onset dates within the past week. However, this figure may underestimate the true number due to reporting delays.
- **El Paso County is experiencing a significant uptick in measles**. Since 4/4/2025, the county has reported **49** confirmed cases with **four hospitalizations**. The majority of these involve unvaccinated individuals or those with unknown vaccination.
- The outbreak has been exacerbated by declining vaccination rates, particularly in communities with high nonmedical exemption rates. Gaines County, for instance, has one of the highest exemption rates in the state, with nearly 1 in 5 incoming kindergartners in the 2023–2024 class not receiving the MMR vaccine.
- DSHS has identified “designated outbreak counties” with ongoing measles transmission: **Cochran, Dallam, Dawson, Gaines, Garza, Lynn, Lamar, Lubbock, Terry, and Yoakum**.

NEW MEXICO: Cases appear to be stable.

OKLAHOMA: Cases appear to be stable.

KANSAS:

- As of 5/7/2025, Kansas is experiencing a growing measles outbreak, with 47 confirmed cases reported by the Kansas Department of Health and Environment (KDHE)—a 24% increase from the 37 cases reported two weeks earlier. It is highly likely that the number of cases is being under-reported.
- The outbreak remains localized to eight counties in the southwestern part of the state: Finney, Ford, Grant, Gray, Haskell, Kiowa, Morton, and Stevens.
- Most cases (39) involve individuals under the age of 18, including 28
- The first case was reported on 3/14/2025 in Stevens County. Genetic sequencing links the outbreak to the larger Texas cluster, particularly in Gaines County, though the precise exposure source remains unclear.

CURRENT SITUATION

AGES OF CASES:

WEST TEXAS OUTBREAK				
0-4 Years	5-17 Years	18+ Years	Pending	Total
210 (+8) (30%)	255 (+6) (37%)	226 (+14) (29%)	16 (4%)	707
NEW MEXICO OUTBREAK				
0-4 Years	5-17 Years	18+ Years	Pending	Total
18 (27%)	19 (28.3%)	30 (+2) (44.7%)	0	67
KANSAS OUTBREAK				
0-4 Years	5-17 Years	18+ Years	Pending	Total
15 (31.25%)	24 (50%)	9 (18.75%)	0	48
OKLAHOMA OUTBREAK				
0-4 Years	5-17 Years	18+ Years	Pending	Total
14 Cases Confirmed, 3 Probable – no ages provided			3	17

Genotype D8 Lineage: MVs/Ontario.CAN/47.24 — Cross-Border Circulation Summary (2024–2025)

The detection of measles virus lineage MVs/Ontario.CAN/47.24 across Canada, the United States, and Mexico supports the hypothesis of a travel-associated importation event—likely originating in Canada or involving individuals with recent international travel—in late 2024 or early 2025.

Initially identified in Ontario, this lineage has since been documented in multiple provinces on Canada, US states, including Texas, New Mexico, Oklahoma, Kansas, and northern Mexico, particularly Chihuahua and Durango.

Its wide geographic spread and consistent genetic profile highlight the persistence of cross-border transmission, especially in regions with low vaccination coverage. Many of the reported cases

have occurred in communities with high rates of nonmedical exemptions or limited access to immunization, where population immunity is insufficient to prevent sustained outbreaks.

The emergence of MVs/Ontario.CAN/47.24 in both rural and urban settings underscores gaps in regional surveillance systems and the urgent need for improved coordination across borders in outbreak detection, case investigation, and immunization efforts. Its continued spread serves as a critical reminder of measles’ high transmissibility and the threat posed by even a single imported case in under immunized populations.

CANADA: Genotype D8, specifically lineage **MVs/Ontario.CAN/47.24**, was first detected in **Ontario** in late 2024. By early 2025, the lineage had been identified in **57 confirmed cases**, primarily in Ontario, with additional cases reported in **Quebec, Manitoba, and British Columbia**. Most cases occurred among **unvaccinated individuals**. (Source: [PAHO](#))

UNITED STATES: Although specific lineages are not always reported, **genotype D8** has been the predominant strain in recent outbreaks across **Texas, New Mexico, Oklahoma, and Kansas**. Genetic sequencing has linked the virus circulating in the U.S. to the same D8 lineage found in Canada and Mexico, suggesting **cross-border transmission**. However, the precise source of initial introduction remains undetermined. (Source: [WHO](#))

MEXICO: In February 2025, a case of measles in **Chihuahua** was confirmed to be of **genotype D8, lineage MVs/Ontario.CAN/47.24**. Contact tracing and enhanced surveillance efforts identified **17 additional related cases**, confirming **local transmission** of this lineage. (Source: [El Diario de Chihuahua](#), [PAHO](#))


CURRENT SITUATION: EL PASO

Confirmed Cases by Age			
Age	Cases	Hospitalizations	Deaths
0-4	14	2	0
5-17	4	0	0
18+	31	2	0
TOTAL	49	4	0

Hospitalizations	
Hospitalization Status	Number
Current	1
Previously	4
TOTAL	5

Vaccination Status	
Status	Number
Unvaccinated	21
Unknown	18
1 Dose	6
2 Doses	4
TOTAL	49

Cases by Gender	
Gender	Cases
Male	22
Female	27
TOTAL	49



- With a population of 679,000, El Paso’s **first 5 confirmed cases** were reported on 4/4/2025. As of 5/7/2025, the [City of El Paso Department of Public Health](#) reports 49 confirmed measles cases in the region, with 31 of those cases involving people 18 years old and older and 14 cases under the age of 4.
- As of May 2025, the vaccination rate in El Paso County stands at 96%. However, there is reason for concern about unvaccinated pockets within the community. Based on population, this would put 27,000 individuals at risk.
- In El Paso, cross-border dynamics with Juárez, Mexico, add unique challenges. High levels of daily binational travel have contributed to the spread of measles. Through contact tracing and sequencing data, a large outbreak in the Mexican state of Chihuahua has been directly linked to the ongoing outbreak in Gaines, Texas. The genotype D8 is now confirmed on both sides of the U.S.-Mexico border.
- Public health outreach faces obstacles such as language barriers, pervasive misinformation, and concerns among undocumented populations who may avoid seeking care for fear of deportation.
- Earlier cases in El Paso involved exposures at **high-traffic locations** such as malls, retail stores, and restaurants, underscoring the risk of transmission in urban public spaces.

THE BOTTOM LINE:

Due to their unique community vulnerabilities, the rates of measles transmission have been steadily increasing in urban areas such as Lubbock, TX, and El Paso, TX. Cases linked to public venues like schools, retail settings, and other public spaces, or congregate settings such as the county jail, reveal how urban density accelerates the risk of measles exposure. Trusted community messengers who can spread awareness about the safety and necessity of the MMR vaccine are critical at this time.

CURRENT SITUATION: VACCINATION STATUS


STATE	VACCINATED WITH 1 DOSE	VACCINATED WITH 2 DOSES	UNVACCINATED/ UNKNOWN	TOTAL CASES
TX	13	18	676*	707*

NOTE: The TX unvaccinated/unknown category includes people with no documented doses of measles vaccine more than 14 days before symptom onset.
Numbers adjusted based on input from El Paso after Texas had posted.

STATE	VACCINATED WITH AT LEAST ONE DOSE	NOT VACCINATED	UNKNOWN	TOTAL CASES
NM	8	47	12	67

STATE	VACCINATED WITH ONE DOSE	VACCINATED WITH TWO DOSES	UNVACCINATED/ UNKNOWN	TOTAL CASES
OK	0	1	16	17


STATE	AGE APPROPRIATELY VACCINATED	NOT AGE APPROPRIATELY VACCINATED	NOT VACCINATED	PENDING VERIFICATION /UNABLE TO VERIFY	TOTAL CASES
KS	4	1	40	3	48



Among the affected counties in TX, 15 out of 29 are below a 95% vaccination rate, the recommended rate for herd immunity (SOURCE: Annual Report on Immunization Status and CORI).

EPI CURVE AND CASES OVER TIME


SOUTHWEST MEASLES OUTBREAK – EPI CURVE (AS OF 5/7/2025)



The number of new cases per week remains high.

- **TX:** Reported first case the week of 1/25/25.
- **NM:** Reported first cases the week of 2/10/25.
- **OK:** Reported first cases the week of 3/10/25.
- **KS:** Reported first case on 3/13/25.

SOUTHWEST MEASLES OUTBREAK – CUMULATIVE CASES OVER TIME (AS OF 5/7/2025)



Cases are rising, but at a slower pace in some areas.

- **TX:** A total of 707* cases across 29 counties.
- **NM:** A total of 67 cases across 4 counties.
- **OK:** A total of 17 cases have been.
- **KS:** A total of 48 cases across 8 counties.

This includes an additional 5 cases from El Paso that were reported after Texas had published its numbers on Tuesday, May 6, 2025.

EPI SUMMARY - TEXAS


(n=653) AS OF 4/26

COUNTY	MEASLES CASES (NUMBER OF NEW CASES)	% of TOTAL CASES	% KINDERGARTENERS VACCINATED (2023-2024)	# OF SCHOOL DISTRICTS IN EACH COUNTY WITH MMR BELOW 95%
Andrews	3	0.32 %	97.70%	0
Bailey	2	0.32 %	98.94%	0
Borden	1	0.2%	94.44%	1
Brown	1	0.2%	93.64%	5
Cochran	14	1.9%	95.20%	1
Dallam	7	1.1%	95.30%	2
Dawson	26	3.7%	88.10%	4
Eastland	2		95.63	2
Ector	11	1.6%	91.30%	5
El Paso	49(+5)	3.2%	96.37%	8
Erath	1	0.2%	93.94%	5
Gaines	403 (+7)	61.9%	82.00%	3
Garza	2	0.3%	97.10%	0
Hale	6(+1)	0.8%	98.30%	2
Harderman	1	0.8%	94.40%	3

COUNTY	MEASLES CASES (NUMBER OF NEW CASES)	% of TOTAL CASES	% KINDERGARTENERS VACCINATED (2023-2024)	# OF SCHOOL DISTRICTS IN EACH COUNTY WITH MMR RATES BELOW 95%
Hockley	6	0.8%	94.40%	3
Lamar	18 (+1)	1.8%	96.84%	0
Lamb	1	0.2%	97.37%	1
Lubbock	51 (+1)	7.5%	92.25%	8
Lynn	2	0.3%	92.16%	2
Martin	3	0.5%	96.59%	1
Midland	3	0.5%	94.77%	4
Parmer	5(+1)	0.6%	95.04%	1
Potter	2	0.2%	96.32%	3
Randall	1	0.2%	93.95%	1
Reeves	1	0.2%	94.92%	1
Terry	60(+1)	8.7%	95.52%	2
Upshur	5		93.30	2
Yoakum	20 (+1)	3.0%	92.50%	1

OUTBREAK CASES BY DATE OF RASH ONSET

SOURCES: Measles Outbreak – May 2, 2025 | Texas DSHS




EPI SUMMARY (KS, NM, OK)

COUNTY	MEASLES CASES (NUMBER OF NEW CASES)	% of TOTAL CASES	% KINDERGARTENERS VACCINATED (2023-2024)
KANSAS (n=46) AS OF 5/2/2025			
Finney	Between 1- 5		98%
Ford	Between 1- 5		87%
Grant	Between 1- 5		99%
Gray	15	32.61%	66%
Haskell	8	21.6%	58%
Kiowa	6	16.2%	92%
Morton	Between 1- 5		82%
Stevens	7	18.9%	83%
NEW MEXICO (n=67) AS OF 5/2/2025			
Chaves	1	1.5%	98%
Doña Ana	1	1.5%	
Eddy	3	3.%	93%
Lea	61	94%	94%
Note: Those 18 years or younger have a 95% vaccination rate. 63% of adults have received one shot of MMR, and only 55% have received both shots, according to local health officials, though they noted that there may be vaccinated adults whose records have not been added to the system. Adults make up more than half of reported cases in New Mexico.			
OKLAHOMA (n=16) AS OF 5/2/2025			
Tulsa and Cherokee Nation	16	Insufficient Information	89.5%

US OUTLOOK

** NOTE: The information on this page has been gathered by reviewing data from state and local health departments, news media sources, and the Center for Outbreak Response Innovation (CORI)*

994*



The increase in measles cases can be attributed to falling vaccination rates and increased importation of travel-related cases, which occur when unvaccinated people acquire measles abroad and bring it back to the U.S.

STATE	CASES
TEXAS **	721
NEW MEXICO	67
KANSAS	48
OHIO	33
OKLAHOMA	17
PENNSYLVANIA	13
CALIFORNIA	10
MICHIGAN	9
NORTH DAKOTA	9
INDIANA	8
MONTANA	7
TENNESSEE	6
COLORADO	5
WASHINGTON	5
ARKANSAS	4
NEW YORK	4
GEORGIA	3
ILLINOIS	3
MARYLAND	3
NEW JERSEY	3
ALASKA	2
FLORIDA	2
HAWAII	2
LOUISIANA	2
MINNESOTA	2
MISSOURI	2
KENTUCKY	1
RHODE ISLAND	1
VERMONT	1
VIRGINIA	1
TOTAL	994

OUTBREAKS

- SMALL OUTBREAK (3-9)
- MEDIUM OUTBREAK (10 - 49)
- LARGE OUTBREAK (50 OR MORE)

An outbreak of measles is defined as three or more laboratory-confirmed cases that are temporally related and epidemiologically or virologically linked.

As of 4/30/2025, 2300 hrs. EDT, there are approximately **994** measles cases (including confirmed and suspected cases) across 30 states.

Currently, there are **11 measles outbreaks**:

- West Texas, involving 29 counties in Texas, 4 counties in New Mexico, 2 counties in Oklahoma, and the Cherokee Nation in Oklahoma
- 8 counties in Kansas
- Ashtabula and Knox Counties, Ohio
- Erie County, Pennsylvania
- Allen County, Indiana
- Bergen County, New Jersey
- metro Atlanta, Georgia
- Gallatin County, Montana
- Montcalm County, Michigan (linked to Ontario Outbreak)
- Upper Cumberland region – Tennessee
- Williams County – North Dakota

** TEXAS CASES NOT ASSOCIATED WITH OUTBREAK: 14

- 1 case – Atascosa County
- 1 case – Brazoria County
- 1 case – Collin County
- 1 case – Adult, Fort Bend (travel-related)
- 4 cases – Harris County
- 2 cases – Adults, Rockwall County (travel-related)
- 1 case - Shackelford
- 2 case – Travis County
- 18 cases – Upshur County

TEXAS CASES ASSOCIATED WITH THE OUTBREAK: 707

MEXICO OUTLOOK

THE MEASLES OUTBREAK IN MEXICO: OVERVIEW

*Data as, 5/7/2025

- Measles Outbreak in Mexico: 982 Cases - First Death Reported:** Mexico is grappling with a measles outbreak. The state of **Chihuahua has been hit hardest, reporting 844 cases** and the country’s first measles-related death — a 31-year-old unvaccinated man with diabetes and kidney complications.
- Low Immunization & Cross-Border Spread:** The outbreak traces back to Texas, where rising anti-vaccine sentiment has contributed to increased infections. In Mexico, declining childhood vaccination rates — particularly in Chihuahua, where coverage in some age groups is as low as 21.2% — have heightened vulnerability. In terms of vaccination history, 92.4% had no vaccination history, while 3.8% had received one dose of the MMR vaccine, and another 3.8% had received two doses.
- The Most Affected Age Group:** 25 to 44-year-olds are the most affected age group, with 34.4% of cases, followed by 5 to 9-year-olds, with 13.5% of cases.
- On 4/25/2025, the Mexican Health Ministry issued a medium-level travel alert for the United States and Canada due to a significant increase in measles cases in both countries.

Measles	
STATE	CASES
CAMPECHE	4
CHIHUAHUA	954
DURANGO	3
OAXACA	4
QUERÉTARO	1
SINALOA	1
SONORA	8
TAMAULIPAS	2
YUCATAN	1
ZACATECAS	4
TOTAL	982




VACCINES ADMINISTERED (JAN-MAR 2025)

TYPE OF VACCINES	VACCINATIONS GIVEN
Measles, Mumps and Rubella (MMR)	669,209
Measles and Rubella	46,068
Total	715,277

SOURCE: MEDICHIHUAHUA, EPI REPORT GOV MEXICO, ELFINANCIERO, EL PAIS, EL DIARIO

MEXICO OUTLOOK: CHIHUAHUA




Fuente: Secretaría de Salud

SOURCE OF GRAPHIC: [MediChihuahua](#)

CANADA OUTLOOK

Brief Timeline of Outbreak




MEASLES 2025	
PROVINCE	CASES
ONTARIO	1,440 (+197)
ALBERTA	313 (+103)
MANITOBA	24 (+10)
BRITISH COLUMBIA	8 (+1)
SASKATCHEWAN	27 (+15)
QUEBEC	40
PRINCE EDWARD ISLAND	2
TOTAL	1,854 (+323)

* From October 18, 2024 to April 23, 2025, Ontario has reported a total of 1,020 measles cases (884 confirmed, 136 probable) associated with this outbreak occurring in 15 public health units




CANADA OUTBREAK:

- An ongoing outbreak of measles in Ontario has been traced back to a large gathering in New Brunswick last fall that was attended by guests from Mennonite communities. On October 18, 2024, exposure to a travel-related case in New Brunswick led to measles cases in Ontario. **The Ontario outbreak continues to escalate.**
- **Alberta is seeing a very large number of cases since Easter.**
- **Manitoba** has also reported measles cases related to this outbreak.
- Quebec declared its outbreak on 4/22/2025 after no new cases in 32 days.




CANADA OUTLOOK: ONTARIO

MORBIDITY AND MORTALITY

PROVINCE	CASES 	HOSPITALIZATIONS 	DEATHS 
ONTARIO	1,440 (+197)	101 (+17)	0


IMMUNIZATION STATUS OF MEASLES OUTBREAK CASES BY AGE GROUP: OCTOBER 28, 2024 – MAY 6, 2025



ONTARIO:

- 76.4% (n=1,100) were in infants, children and adolescents, while 23.1% (n=332) were in adults, and 0.6% (n=8) had unknown age.
- 2.2% (n=31) of outbreak cases were pregnant.
- (n=1,222) of outbreak cases were born in or after 1970.
- Among infants, children and adolescents, 95.1% (n=1,046) were unimmunized, while among adults, 60.8% (n=202) were unimmunized
- Overall, 7.0% (n=101) of outbreak cases have required hospitalization, and 0.6% (n=8) were admitted to the ICU. Of those hospitalized, 94.1% (n=95) were unimmunized, including 75 children.

NUMBER OF MEASLES CASES BY WEEK OF RASH ONSET, 10/28/2024 – 05/6/25



CONTRIBUTORS

The Virtual Medical Operations Center Briefs (VMOC) were created as a service-learning project by the Yale School of Public Health faculty and graduate students in response to the 2010 Haiti Earthquake. Each year, students enrolled in Environmental Health Science Course 581—Public Health Emergencies: Disaster Planning and Response, produce the VMOC Briefs. These briefs compile diverse information sources—including status reports, maps, curated news articles, and web content— into a single, easily digestible document that can be widely shared and used interactively.

Key features of this report include:

- **Comprehensive Overview:** Provides situation updates, maps, relevant news, and web resources.
- **Accessibility:** Designed for easy reading, wide distribution, and interactive use.
- **Collaboration:** The “unlocked” format enables seamless sharing, copying, and adaptation by other responders.

The students learn by doing, quickly discovering how and where to find critical information and presenting it in an easily understood manner.

Yale MPH Student Contributors: Members of EHS 581 - Public Health Emergencies: Disaster Planning and Response (Spring 2025)

Pargool Arab
Alyssa Chetrick
Dr. Vanessa Evardone,
MD
Dr. Jay Cliffe, MD
Liv Delgado

Lucy Gilchrist
Monica Gomes
Anne Habeck
Nayeli Gonzalez-Vazquez
Tianmei Han

Nathan Lai
Rachel Kane
Kei Kohmoto
Elly Maldur
Phoebe Merrick

Shoa Moosavi (Editor)
Alexandra Nechaev
Dr. Barbara Odac, MD
Megan Pillar
Kiswa Rahman

Bryn Redal
Sara Rodrigue
Katelyn Rudisill
Christina Tong
Sebastian Salzar

Ling Xiao
Eliot Zhang

LTC (R) Joanne McGovern – Joanne.McGovern@yale.edu

Lecturer, Department of Environmental Health Sciences, Yale School of Public Health

Emily Locke (Teaching Fellow EHS 581)