

```
DirectoryIndex index.php
#####
## uncomment these lines for CGI mode
## make sure to specify the correct cgi php binary file name
## it might be /cgi-bin/php-cgi

# Action php5-cgi /cgi-bin/php5-cgi
# AddHandler php5-cgi .php

#####
## GoDaddy specific options

# Options -MultiViews

## you might also need to add this line to php.ini
## cgi.fix_pathinfo = 1
## if it still doesn't work, rename php.ini to php5.ini

#####
## this line is specific for 1and1 hosting

#AddType x-mapp-php5 .php
#AddHandler x-mapp-php5 .php

#####
## default index file

DirectoryIndex index.php

<IfModule mod_php5.c>

#####
## adjust memory limit

# php_value memory_limit 64M
php_value memory_limit 256M
php_value max_execution_time 18000

#####
## disable magic quotes for php request vars

php_flag magic_quotes_gpc off
```

```
#####  
## disable automatic session start  
## before autoload was initialized  
  
    php_flag session.auto_start off  
  
#####  
## enable resulting html compression  
  
    #php_flag zlib.output_compression on  
  
#####  
# disable user agent verification to not break multiple image upload  
  
    php_flag suhosin.session.cryptua off  
  
#####  
# turn off compatibility with PHP4 when dealing with objects  
  
    php_flag zend.ze1_compatibility_mode Off  
  
</IfModule>  
  
<IfModule mod_security.c>  
#####  
# disable POST processing to not break multiple image upload  
  
    SecFilterEngine Off  
    SecFilterScanPOST Off  
</IfModule>  
  
<IfModule mod_deflate.c>  
  
#####  
## enable apache served files compression  
## http://developer.yahoo.com/performance/rules.html#gzip  
  
    # Insert filter on all content  
    ###SetOutputFilter DEFLATE  
    # Insert filter on selected content types only  
    #AddOutputFilterByType DEFLATE text/html text/plain text/xml text/css text/javascript  
  
    # Netscape 4.x has some problems...
```

```
#BrowserMatch ^Mozilla/4 gzip-only-text/html

# Netscape 4.06-4.08 have some more problems
#BrowserMatch ^Mozilla/4\.0[678] no-gzip

# MSIE masquerades as Netscape, but it is fine
#BrowserMatch \bMSIE !no-gzip !gzip-only-text/html

# Don't compress images
#SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip dont-vary

# Make sure proxies don't deliver the wrong content
#Header append Vary User-Agent env=!dont-vary

</IfModule>

<IfModule mod_ssl.c>

#####
## make HTTPS env vars available for CGI mode

    SSLOptions StdEnvVars

</IfModule>

<IfModule mod_rewrite.c>

#####
## enable rewrites

    Options +FollowSymLinks
    RewriteEngine on

#####
## you can put here your magento root folder
## path relative to web root

    #RewriteBase /magento/

#####
## uncomment next line to enable light API calls processing

# RewriteRule ^api/([a-z][0-9a-z_]+)/?$ api.php?type=$1 [QSA,L]
```

```
#####  
## rewrite API2 calls to api.php (by now it is REST only)
```

```
RewriteRule ^api/rest api.php?type=rest [QSA,L]
```

```
#####  
## workaround for HTTP authorization  
## in CGI environment
```

```
RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]
```

```
#####  
## TRACE and TRACK HTTP methods disabled to prevent XSS attacks
```

```
RewriteCond %{REQUEST_METHOD} ^TRAC[EK]  
RewriteRule .* - [L,R=405]
```

```
#####  
## redirect for mobile user agents
```

```
#RewriteCond %{REQUEST_URI} !^/mobiledirectoryhere/.*$  
#RewriteCond %{HTTP_USER_AGENT} "android|blackberry|ipad|iphone|ipod|iemobile|opera  
mobile|palms|webos|googlebot-mobile" [NC]  
#RewriteRule ^(.*)$ /mobiledirectoryhere/ [L,R=302]
```

```
#####  
## always send 404 on missing files in these folders
```

```
RewriteCond %{REQUEST_URI} !^(media|skin|js)/
```

```
#####  
## never rewrite for existing files, directories and links
```

```
RewriteCond %{REQUEST_FILENAME} !-f  
RewriteCond %{REQUEST_FILENAME} !-d  
RewriteCond %{REQUEST_FILENAME} !-l
```

```
#####  
## rewrite everything else to index.php
```

```
RewriteRule .* index.php [L]
```

```
</IfModule>
```

```
#####  
## Prevent character encoding issues from server overrides  
## If you still have problems, use the second line instead
```

```
    AddDefaultCharset Off  
    #AddDefaultCharset UTF-8
```

```
<IfModule mod_expires.c>
```

```
#####  
## Add default Expires header  
## http://developer.yahoo.com/performance/rules.html#expires
```

```
    ExpiresDefault "access plus 1 year"
```

```
</IfModule>
```

```
#####  
## By default allow all access
```

```
    Order allow,deny  
    Allow from all
```

```
#####  
## Deny access to release notes to prevent disclosure of the installed Magento version
```

```
<Files RELEASE_NOTES.txt>  
    order allow,deny  
    deny from all  
</Files>
```

```
#####  
## If running in cluster environment, uncomment this  
## http://developer.yahoo.com/performance/rules.html#etags
```

```
    #FileETag none
```

```
RewriteRule (.*)\.(\d{10})\.(gif|png|jpg)$ $1.$3 [L,NC]  
RewriteRule (.*)\.(\d{10})\.css$ $1.$3 [L,NC]  
RewriteRule (.*)\.(\d{10})\.js$ $1.$3 [L,NC]
```

