

Adaptive Project Planning for Epics, Features, and User Stories in Modern Software Development Management

Baoshu Feng
Chicago, Illinois
A20343813
bfeng7@hawk.iit.edu

ABSTRACT

Modern software engineering development projects are usually embedded in a dynamic environment. The dynamic environment involves a high degree of uncertainty and includes many unpredictable components, such as stakeholders, changes in demand, and budget control. Managing projects under complex and uncertain conditions challenge the team's creativity and adaptability. Because traditional engineering project management methods cannot fully adapt to dynamic environments, software engineering management requires highly adaptable project planning and management models, also known as "Agile" Project Management. User stories are often misunderstood as small bits of requirements that help postpone analysis, but that's not what adaptive planning should be about. Adaptive plans help organizations turn a changing landscape into a competitive advantage, react faster than the market and accelerate product discovery. This paper investigates the use of adaptive project planning techniques for software development management, including Extrem Programming (XP) and Scrum in two real-world case study.

Author Keywords

Adaptive Project Planning; Agile Software Development.

CCS Concepts

•Software and its engineering → Software product lines;

INTRODUCTION

Lack of consistency is a typical feature in the software development process [4]. Since software engineering is made up of many short-term decisions, this strategy works well for small systems. As the system grows, adding features becomes complicated, and errors become common and difficult to fix. This primitive decision-making mode requires a long system test phase, but testing and debugging is challenging to arrange. Therefore, a strict plan-driven introduction of software development engineering. Plan-driven software development is more predictable and more efficient. The plan-driven approach is widely used in traditional engineering fields, but the

plan-driven paradigm is not fully applicable in software development engineering. The speed of software development is reduced due to rigid processes and cannot adapt to the dynamic development environment.

Adaptive project management, as known "agile method", is created in response to the shortcomings of plan-driven project management mentioned above. Adaptive project management is a compromise between no process and too many processes. Plan-driven project management is document-oriented. Adaptive project management is code-oriented [3, 8].

1. On the one hand, plan-driven project management is predictive. Therefore, the plan-driven approach tends to make detailed plans for a long period of time in the future. The plan-driven approach expects that the effectiveness of the plan can be sustained. On the contrary, adaptive project management is more friendly to future changes.
2. On the other hand, adaptive project management emphasizes the skills of the development team rather than the importance of detailed processes.

Adaptive project management completes the trade-off between development efficiency and the ease of control, and provides reasonable returns for the project.

User stories are short, simple descriptions of a feature told from the perspective of the person who desires the new feature. User stories can be written at varying levels of detail. Thus, user stories can be written to cover large amounts of features. These are generally known as epics. Epics are generally too large to complete in one agile iteration. It is split into smaller user stories. With adaptive project planning, developer is highly efficient to design and implement features, user stories and epics.

DISCUSSION

5 Typical Adaptive Project Management Approaches

When the project manager and the client reach a consensus on the goals to be achieved, the project manager will formulate a delivery plan. The project manager can plan the project without ignoring changes under infeasible pressures such as technology. This process is summarized into seven steps to build people, processes and products to achieve the mission. Figure 1 shows this process. This process includes

1. C-Constraints
2. P-Products (outputs)




Figure 1. In this image, it shows six variants of adaptive project management under different constraints. The six variants include time-constrained, resource-constrained, cost-constrained, mission-constrained and stakeholder-constrained.

3. R-Resources
4. R-Risks
5. S-Schedule
6. S-Stakeholders.

The above process is a list of tasks to deliver the product. Constraint is the boundary condition in the project development process. The product is about the output needed to achieve the result. Resources are the capabilities required to complete a task. Risk is a factor that threatens the achievement of goals. A plan is an orderly time series of resource activities. Stakeholders' views on whether the plan is acceptable (see Figure 1) [6].

This above process is not a top-down process, not even a one-time process. In the adaptive planning paradigm, every step may lead to a return. Every return the project manager need to re-examine the choices and decisions made at the upper chain. In this process, the two unchangeable things are constraints and goals. Project managers must obtain permission from the sponsor and other key stakeholders to change any of them, otherwise, they will face the real danger of destroying the critical bridge between the project's mission model and the executable plan [6].

In the early stages of project planning, the engineer must consider the relationship between project constraints and product delivery methods. In time-constrained projects, the primary

constraint on project planning is the completion speed. Although increasing the rate is more expensive and riskier than the normal process, the process will satisfy the project.

In time-constrained projects, operational processes, resource solutions, and related risks are all standard ways of doing things and may be modified to deliver project results. Innovation and creativity must be encouraged, and team members must develop new ways to achieve the expected output and results [2, 6].

In resource-constrained projects, the project manager should determine the end date and try to ensure that there are no signal events. Because it does not follow the standard CP-PRSS planning sequence, as shown in Figure 1. Resources are tightly tied to the processes they can deploy effectively, and there is rapid iteration between them. Productivity is the key information. In this case, the clearance rate is important (see in Figure 1).

The deciding factor in determining the completion date is the signal clearance rate, which is performed by first-principles signal engineers and can only be performed by first-principles signal engineers, and their availability limits throughput. This kind of insight stops the planning process because it can lead the project on the wrong path. The project needs to be planned as a resource-constrained project. When the processes are chosen are highly skilled resources carrying out intellectually

demanding tasks, project managers need to build additional temporary and management products to monitor progress.

Premature application of budget constraints in the project life cycle can lead to ineffective planning actions and unnecessary governance interventions as costs increase. Because this situation is very common, many project managers usually mention the customer's price or date, which immediately translates into a budget and end date. This strategy is used to deal with the pressure of failed budget forecasts. In project management, the governance team converts a single number estimate into a constraint. The appropriate result of the conversation about cost estimation between the sponsor and the project manager is a compromise and understanding of the different understandings of the budget between the sponsor and the project manager (see in Figure 1). A reasonable budget estimate must appropriately reflect the level of uncertainty, determine the driving factors of uncertainty, and reflect current experience based on history and trends. The correct setting of budget constraints is only a condition for the project's success.

In mission-constrained projects, risk avoidance drives planning. At the top of the hierarchy, the constraint is "quality"-it fully complies with the pre-specified capabilities. This is the usual planning process for mandatory revisions. The focus is on avoiding the possibility of unmanageable events; it is about the process of using known performance to indicate a very high level of reliability, and inevitably, it is being tested (see in Figure 1). The gold standard for testing is verification. Verification is a technique that proves that the process used is the correct process used in the correct way. Successful verification is quality assurance, which ensures that any errors that occur are known and predictable. Another method is to test through verification.

Testing is a quality control technique that compares the performance of a product with its predicted performance, but only in those situations where the tester can think of and can find a simulation method. The project manager uses very professional knowledge to win the respect of all team members. The project manager can evaluate and prioritize the team's input. In these cases, use professional knowledge to select recommendations to listen to and make a critical judgment. By assuming responsibility for decision-making, the project manager convinces other stakeholders that they will have to do something they think has been done. In the field of software development and testing, expert status is essential for determining methods and persuading others.

In a mission-constrained project, the adaptive plan for learning in the process is not applicable. It is also a risk aversion scenario for project managers to use only tried-and-tested processes to oppose innovation resolutely. If there is no process available, then the deployment of any new method will be very careful work. Prudence is a characteristic of Small and mid-size enterprises (SMEs). The expertise of SMEs is based on a disciplined approach and value system that respects previous experience and proven procedures used by other professionals [2, 6].




Figure 2. Extreme Programming Project Flow Chart

The focus of more and more projects has shifted to the factors that make the project successful, such as whether it produces the right impact, creates value, and realizes sustainable value. Project managers not only need to focus on the factors of proper resource allocation for clearly defined tasks. Focusing on the delivery of results rather than outputs is achieved by focusing on a combination of Critical success factors (CSFs) and limiting factors (see in Figure 1).

The project management manager needs to be aware of the importance of satisfying stakeholders and ensuring that the project's output is adopted and used. Stakeholder participation is the importance of successful project management. Project managers can no longer have confidence in the success of following a technically well-executed schedule. Project managers need to work with stakeholders and sponsors to ensure that the content delivered by the project has value in the business environment. Given this realignment of management attention, the planning process needs to respond to a redefinition of success. CSFs need to become complex to adapt to new satisfaction standards. The success factors of the project list the things we must pay attention to in planning and delivery. If CSFs cannot be implemented, the project will fail. The project customer defines the CSF. The project manager must plan and deliver the project to ensure its realization [2, 6, 7].

However, the correct CSFs may be difficult to sort out from stakeholders. Because customers often make you believe that everything is related to money or that everything is associated with an end date. The review of every decision made by stakeholders clearly shows that when making a choice, they are more interested not in staying within budget or completing the schedule but in emotional value and aesthetic value. These abstract CSFs are real CSFs. Therefore, project managers need to communicate with customers carefully and in detail. This process is continuous and involves the entire life cycle of the project.

XP and Scrum Application on Features, User Stories and Epics

Extreme Programming (XP) starts with five values, including communication, feedback, simplicity, courage and respect. Over time, the five core values have been derived into 14 rules or even 24 regulations. In the extreme programming paradigm, development can accomplish specific things that can be done every day through specific practices. In this process, values are the basic knowledge and understanding of supporting methods (see Figure 2). It is important to respond to values through concrete practice. Values cannot be continuously developed if the practice process is lacking. Vigorous values will degener-




Figure 3. Scrum Programming Project Flow Chart

ate into dogma. Many of XP's practices are old, time-tested techniques, but are often forgotten by many people, including most planning processes. In addition to reviving these technologies, XP also weaves them into a synergistic whole, each of which is enhanced by other technologies and given goals through values.

Extreme Programming attaches great importance to testing. Although all processes mention testing, most processes don't pay much attention to it. However, XP puts testing on the basis of development, and every programmer is writing tests when writing production code. These tests are integrated into the continuous integration and build process, thus providing a highly stable platform for future development. Test-driven development (TDD) usually involves XP.

Compared to XP, Scrum focuses on the management aspects of software development and rarely pays attention to engineering practices. In the Scrum paradigm, the project manager divides development into 30-day iterations (called "sprints") and applies closer monitoring and control through daily Scrum meetings (see Figure 3). The project manager realizes agile and efficient project development by combining the Scrum project management method with the engineering practice of Extreme Programming [3].

Case Study I: Applying Agile Software Development on a Real-World Web Application

In this case, XP and Scrum are applied on a real-world web application. XP follows KIS (Keep It Simple) principle. SCRUM incorporates the following framework activities.

1. Requirements
2. Analysis
3. Design
4. Evolution and Delivery

XP and Scrum are roughly the same in the practice of specific project planning, but there are also significant differences. Backlog, a prioritized list of project requirements or functions that provide customers with business value, are common in XP and Scrum. The product manager evaluates the backlog and updates the priority as needed [2, 5].

The biggest feature of XP compared with Scrum is that XP pays special attention to testing. Through the internal acceptance test (Alpha test) by the software developer and the external acceptance test by the non-software developer, the software completes the acceptance test. Customer acceptance

testing (Beta testing) is performed by the customers of the organization that develops the software. The progress of the project is recorded, and the project speed is calculated from the above data. These data will be used to predict the delivery date and schedule for subsequent releases. These data can be used to examine whether there is over-commitment to features. The successful realization of each feature is very important to the successful realization of the overall epics.

Compared with XP, Scrum focuses on building a process called sprint. The tasks in the Scrum mode are defined in real time by the development team and are frequently modified. Scrum emphasizes the use of a set of software process patterns, which have been proven effective for urgently changing requirements and business-critical projects [2, 5].

In the agile development process using the XP method, the story can be divided into two small numbers according to the time factor (if a story has more than 3 weeks of development, it can be divided into small stories). Therefore, in XP, changes can be allowed during the development process. In Scrum, once sprints are determined and assigned to team members, they must be stable because they are frozen. No modification is allowed until the development of the sprint is completed. It is impossible to add new sprints during the development process. In XP, the team size should not exceed 10 members, and it is limited to 7 in Scrum. XP does not support distributed development, scrum will support [2, 5].

Each framework activity will have work task occur within a process pattern called a sprint, is defined and often modify in real time by the scrum team. Scrum emphasizes the use of set of software process pattern that were proven effective for project with tight timeliness changing requirements and business criticality [2, 5].

Case Study II: Comparative Analysis between Personal XP and Team XP

In the last case study, we analyzed in detail two classic adaptive project planning paradigms, XP and Scrum. Due to different situations, Personal Extreme Programming (PXP) is different from traditional XP. PXP is a single-person team software development process. It is based on the values of XP, namely simplicity, communication, feedback and courage. It works by preserving important aspects of XP and improving the values so that they can be adapted to individual programmers [1, 2].

PXP has higher requirements for developers in all aspects than XP team development. The methods of obtaining user stories and features in the two paradigms are the same.

1. Get the requirement statement from the customer.
2. Pick a User Story and break it into features.

In the PXP paradigm, the process script is followed up by a single team, and the results show that it is easy and efficient to complete the project within the expected time. Use an iterative development cycle as recommended by the PXP process script, and select the Feature Set with the highest priority and create an iterative plan for the set. Then the Feature Set is decomposed into the tasks required to implement the Feature

Set, and a Task Priority List is created, as well as unit tests for each task.

Compared with traditional XP, PXP is relatively flexible in setting the task load and can balance the workload as much as possible. At the same time, PXP is more difficult to be dogmatic and can help ensure the dynamics and adaptability of the project. However, PXP has far higher requirements for individual developers than general team development.

CONCLUSION

Adaptive Project management, despite its checkered history of success, is the most influential management approach of the twentieth century, and many great things have been done using it. Gaining mastery over uncertainty by using plans to shape the world; structuring the work people do and ordering the environment to make things possible and gives a great sense of accomplishment.

Using agile methods is not for everyone. In today's environment, the most common method is coding and repairing. Applying more discipline instead of chaos will almost certainly help, and the advantage of an agile method is that it is much less than using heavyweight methods. Here, the lightweight of agile methods is an advantage. When you are used to no process at all, you are more likely to follow a simpler process.

An open question about agile methods is where are the boundary conditions. One of the problems with any new technology is that you don't really know where the boundary conditions are until you cross the boundary conditions and fail. Agile methods are too young to see enough actions to understand where the boundaries are. This situation is further exacerbated by the fact that it is difficult to determine what success and failure in software development means, and there are too many different factors to easily determine the source of the problem. Five adaptive plans effectively clarify the boundary conditions in different situations. Therefore, the project manager should consider the specific conditions to determine the boundary conditions to improve the success rate of the adaptive plan.

XP and Scrum are two classic agile development paradigms. These two paradigms have their own advantages and disadvantages in the actual development process. The project manager needs to examine the specific development requirements and select the paradigm.

REFERENCES

- [1] Ravikant Agarwal and David Umphress. 2008. Extreme programming for a single person team. In *Proceedings of the 46th Annual Southeast Regional Conference on XX - ACM-SE 46*. ACM Press, Auburn, Alabama, 82. DOI : <http://dx.doi.org/10.1145/1593105.1593127>
- [2] Barry W. Boehm. 2001. Software Engineering Economics. In *Pioneers and Their Contributions to Software Engineering: sd&m Conference on Software Pioneers, Bonn, June 28/29, 2001, Original Historic Contributions*, Manfred Broy and Ernst Denert (Eds.). Springer, Berlin, Heidelberg, 99–150. DOI : http://dx.doi.org/10.1007/978-3-642-48354-7_5
- [3] Martin Fowler. 2001. The new methodology. *Wuhan University Journal of Natural Sciences* 6, 1 (March 2001), 12–24. DOI : <http://dx.doi.org/10.1007/BF03160222>
- [4] Frederick P. Brooks Jr. 1995. *The Mythical Man-Month: Essays on Software Engineering, Anniversary Edition*. Pearson Education. Google-Books-ID: Yq35BY5Fk3gC.
- [5] D. V. Kumar and Ms M. Sowmyavani. 2012. Agile Software Development : A Case Study of Web Application. (2012).
- [6] Gerrit Van der Waltd. 2011. Adaptive project management: a tool for more realistic municipal planning? (2011). <https://repository.nwu.ac.za/handle/10394/13393> Accepted: 2015-02-20T10:14:01Z Publisher: ASSADPAM.
- [7] Louise M. Worsley. 2020. *Stakeholder-led Project Management, Second Edition: Changing the Way We Manage Projects*. Business Expert Press. Google-Books-ID: b9oBEAAQBAJ.
- [8] Louise M. Worsley and Christopher Worsley. 2019. *The Lost Art of Planning Projects*. Business Expert Press. Google-Books-ID: bxaIDwAAQBAJ.