





A Monte-Carlo investigation of the nematic-isotropic phase transition

Félix Bunel & Hadrien Vergnet

16/01/2017




Introduction



Nematic phase:

No positional order




Sommaire

- The order parameter
- 2 Numerical methods
 - Lebwohl Lasher Model
 - Monte-Carlo Algorithm
 - Equilibration
- Nematic Isotropic Phase Transitions
 - Direct visualisation
 - Energy
 - Order Parameter
 - Histograms
- Influence of an Electric Field
 - Lebwohl Lasher Model
 - Critical point
 - Phase diagram
- Liquid Crystal Display
 - Fréedericksz transition
 - Molecular Orientation

- The order parameter
- 2 Numerical methods
 - Lebwohl Lasher Model
 - Monte-Carlo Algorithm
 - Equilibration
- 3 Nematic Isotropic Phase Transitions
 - Direct visualisation
 - Energy
 - Order Parameter
 - Histograms
- 4 Influence of an Electric Field
 - Lebwohl Lasher Model
 - Critical point
 - Phase diagram
- Liquid Crystal Display
 - Fréedericksz transition
 - Molecular Orientation

The Order Parameter








$$S = \frac{3\langle (\boldsymbol{a} \cdot \boldsymbol{n})^2 \rangle - 1}{2}$$

Nematic phase : S=1

 ${\rm Isotropic\ phase}:\,S=0$


- 1 The order parameter
- 2 Numerical methods
 - Lebwohl Lasher Model
 - Monte-Carlo Algorithm
 - Equilibration
- 3 Nematic Isotropic Phase Transitions
 - Direct visualisation
 - Energy
 - Order Parameter
 - Histograms
- 4 Influence of an Electric Field
 - Lebwohl Lasher Model
 - Critical point
 - Phase diagram
- 5 Liquid Crystal Display
 - Fréedericksz transition
 - Molecular Orientation

Lebwohl Lasher Model




Size : $30 \times 30 \times 30$


$$E = -\epsilon \sum_{\langle i,j \rangle} \frac{3\cos^2 \alpha_{i,j} - 1}{2}$$




Monte-Carlo Algorithm




• We select a random site




- We select a random site
- ullet We compute the energy with the neighboors : E_{old}




- We select a random site
- ullet We compute the energy with the neighboors : E_{old}
- We try to rotate the chosen site



- We select a random site
- ullet We compute the energy with the neighboors : E_{old}
- We try to rotate the chosen site




- We select a random site
- ullet We compute the energy with the neighboors : E_{old}
- We try to swap the chosen site
- ullet We compute the energy with the neighboors : E_{new}



- We select a random site
- ullet We compute the energy with the neighboors : E_{old}
- We try to swap the chosen site
- ullet We compute the energy with the neighboors : E_{new}
- We accept the swap with a probability :

$$p = e^{-\frac{E_{old} - E_{new}}{k_B T}}$$

${\sf Equilibration}$




Equilibration at $T^* = 1$


- 1 The order parameter
- 2 Numerical methods
 - Lebwohl Lasher Model
 - Monte-Carlo Algorithm
 - Equilibration
- Nematic Isotropic Phase Transitions
 - Direct visualisation
 - Energy
 - Order Parameter
 - Histograms
- 4 Influence of an Electric Field
 - Lebwohl Lasher Model
 - Critical point
 - Phase diagram
- 5 Liquid Crystal Display
 - Fréedericksz transition
 - Molecular Orientation

Nematic Isotropic Phase Transitions


Direct visualisation



$$T^{\star} = 0.05$$




 $T^{\star} = 0.9$




 $T^{\star} = 1.5$

Nematic Isotropic Phase Transitions Energy



Energy and its variance.


Nematic Isotropic Phase Transitions Order Parameter



Order parameter and its variance.


Nematic Isotropic Phase Transitions

Energy Histograms




- 1 The order parameter
- 2 Numerical methods
 - Lebwohl Lasher Model
 - Monte-Carlo Algorithm
 - Equilibration
- Nematic Isotropic Phase Transitions
 - Direct visualisation
 - Energy
 - Order Parameter
 - Histograms
- Influence of an Electric Field
 - Lebwohl Lasher Model
 - Critical point
 - Phase diagram
- 5 Liquid Crystal Display
 - Fréedericksz transition
 - Molecular Orientation

Lebwohl Lasher Model




$$E = -\epsilon \sum_{< i,j>} \frac{3\cos^2\alpha_{i,j}-1}{2} - \epsilon \xi U^2 \sum_i \frac{3\cos^2\beta_i-1}{2}$$

Energy



Energy for different electric fields.

Phase diagram



Transition temperature as a function of the electric field.

- 1 The order parameter
- 2 Numerical methods
 - Lebwohl Lasher Model
 - Monte-Carlo Algorithm
 - Equilibration
- 3 Nematic Isotropic Phase Transitions
 - Direct visualisation
 - Energy
 - Order Parameter
 - Histograms
- 4 Influence of an Electric Field
 - Lebwohl Lasher Model
 - Critical point
 - Phase diagram
- Liquid Crystal Display
 - Fréedericksz transition
 - Molecular Orientation

Liquid Crystal Display

Fréedericksz transition





Diagram of a LCD pixel using twisted nematic technology.


Liquid Crystal Display Molecule Orientation



Molecule orientation without electric field

Liquid Crystal Display


Molecule Orientation



Molecule orientation with electric field

Detailed study of nematic-isotropic transition with Lebwohl-Laser model :

• first order transition at $T^* = 1.1232 \pm 0.0005$




Detailed study of nematic-isotropic transition with Lebwohl-Laser model :

• first order transition at $T^{\star} = 1.1232 \pm 0.0005$

Electric field influence:

shifts transition temperature and critical point for strong fields



Detailed study of nematic-isotropic transition with Lebwohl-Laser model :


• first order transition at $T^{\star} = 1.1232 \pm 0.0005$

Electric field influence:

• shifts transition temperature and critical point for strong fields

LCD and Fréedericksz:

Lebwohl-Laser model can be used to model a LCD pixel





Perspectives

Perspectives:

- Find the value of the critical field in that Fréedericksz transition
- Study the temperature dependence of that transition

Thank you for your attention