CE N17876 **e**4 031914

Model/(Type): **10800472**/(10800010)

Serial Number: XXXXX Volume: 47L (50qt) Nominal Voltage: DC 12/24V ==

AC 120V~ 60Hz

Fuse: 4.0A Nominal Current: 1.3A at AC120V

> **e4** 7.0A at DC12V 3.0A at DC24V 031914

Refrigerant: R134a/47g

Max. Pressure: ND 11 bar/HD 25 bar

Insulation Blowing Gas: C₅H₁₀

Climatic Class: N or T Made In China

XXXXX

App. No. A/12948EA

ARB Corporation Ltd. www.arb.com.au

N17876

Model/(Type): **10800352**/(10800020)

Serial Number: XXXXX Volume: 35L (37qt) Nominal Voltage: DC 12/24V ==

AC 120V ~ 60Hz Fuse: 4.0A

Nominal Current: 0.75A at AC120V 5.0A at DC12V

Refrigerant: R134a/42q

ND 11 bar/HD 25 bar Max. Pressure:

Insulation Blowing Gas: C₅H₁₀

Climatic Class: N or T Made In China

App. No. A/12948EA ARB Corporation Ltd. www.arb.com.au

2.5A at DC24V

N17876

e4

031914



Climatic Class:

Model/(Type):

Fuse:

Serial Number:

60L (63qt)

10800602/(10800030)

Volume: Nominal Voltage: DC 12/24V ==

AC 120V~ 60Hz 4.0A

Nominal Current: 1.0A at AC120V

5.3A at DC12V 3.0A at DC24V

Refrigerant: R134a/56g

Max. Pressure: ND 11 bar/HD 25 bar

Insulation Blowing Gas: C₅H₁₀

Made In China

App. No. A/12948EA

ARB Corporation Ltd. www.arb.com.au

N17876 **e**4









10800782/(10800040) Model/(Type): Serial Number: XXXXX

Volume: 78L (82 qt) Nominal Voltage: DC 12/24V ==

AC 120V ~ 60Hz Fuse: 4.0A Nominal Current: 1.1A at AC120V

7.3A at DC12V 3.5A at DC24V

Refrigerant: R134a/63g Max. Pressure: ND 11 bar/HD 25 bar


Insulation Blowing Gas: C₅H₁₀

Climatic Class: N or T Made In China

App. No. A/12948EA

ARB Corporation Ltd. www.arb.com.au

YYWW



1. Cooler Rating Label Location:

