


Appendix 1

Test Results


20dB Bandwidth

Tx frequency: 2405MHz




Comment: test print
Date: 29.MAY.2014 10:48:16

Tx frequency: 2445MHz



Comment: test print
Date: 29.MAY.2014 10:18:05


Tx frequency: 2475MHz



Comment: test print
Date: 29.MAY.2014 10:35:04

Band Edge Compliance


Tx frequency: 2405MHz (radiated measurement)



Site : 3m chamber
 Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHz) VERTICAL
 EUT : RC Toy (2.4GHz)
 Model No. : TBA
 Sample No. : TBA
 TUV Order No: 144017346
 Test Mode : TX on
 : 2405MHz

	Freq	Level	ReadAntenna Factor	Cable Preamp Loss Factor	Limit	Over	Remark
	MHz	dBuV	dB/m	dB	dBuV/m	dBuV/m	dB
1	2310.000	26.25	27.91	5.30	34.11	25.35	54.00 -28.65 Average
2	2310.000	37.03	27.91	5.30	34.11	36.13	74.00 -37.87 Peak
3	2390.000	26.67	27.59	5.38	34.01	25.63	54.00 -28.37 Average
4	2390.000	38.75	27.59	5.38	34.01	37.71	74.00 -36.29 Peak

Vertical polarization




Site : 3m chamber
 Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHz) HORIZONTAL
 EUT : RC Toy (2.4GHz)
 Model No. : TBA
 Sample No. : TBA
 TUV Order No: 144017346
 Test Mode : TX on
 : 2405MHz

	Freq	ReadAntenna Level	Cable Factor	Preamp Loss	Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	2310.000	26.53	27.91	5.30	34.11	25.63	54.00	-28.37	Average
2	2310.000	38.05	27.91	5.30	34.11	37.15	74.00	-36.85	Peak
3	2390.000	26.47	27.59	5.38	34.01	25.43	54.00	-28.57	Average
4	2390.000	38.66	27.59	5.38	34.01	37.62	74.00	-36.38	Peak

Horizontal polarization


Tx frequency: 2475MHz (radiated measurement)



Site : 3m chamber
 Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHz) VERTICAL
 EUT : RC Toy (2.4GHz)
 Model No. : TBA
 Sample No. : TBA
 TUV Order No: 144017346
 Test Mode : TX on
 : 2475MHz

	Freq	ReadAntenna	Cable Preamp	Limit	Over	
		Level Factor	Loss Factor	Line	Limit	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m
1	2483.500	26.29	27.53	5.47	33.92	25.37
2	2483.500	38.15	27.53	5.47	33.92	37.23
3	2500.000	26.60	27.55	5.49	33.90	25.74
4	2500.000	38.04	27.55	5.49	33.90	37.18

Vertical polarization



Site : 3m chamber
 Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHz) HORIZONTAL
 EUT : RC Toy (2.4GHz)
 Model No. : TBA
 Sample No. : TBA
 TUV Order No: 144017346
 Test Mode : TX on
 : 2475MHz

		ReadAntenna	Cable Preamp			Limit	Over	
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB
1	2483.500	26.60	27.53	5.47	33.92	25.68	54.00	-28.32 Average
2	2483.500	37.06	27.53	5.47	33.92	36.14	74.00	-37.86 Peak
3	2500.000	26.20	27.55	5.49	33.90	25.34	54.00	-28.66 Average
4	2500.000	37.44	27.55	5.49	33.90	36.58	74.00	-37.42 Peak

Horizontal polarization