











Test Item:	Band edge	Modulation type:	$\pi/4$ DQPSK																																																																		
CH00	No hopping mode	 <p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.357500000 GHz PNO: Fast --> Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg Hold: 10/10 TRACE 1,2,3,4,5,6,7,8,9,10,11 Ref Offset 12 dB Ref 20.50 dBm Start 2.31000 GHz Stop 2.40500 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 9.600 ms (8001 pts) Mkr4 2.358 023 GHz -45.892 dBm</p> <table border="1"> <tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.401 863 GHz</td><td>8.098 dBm</td></tr> <tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.400 000 GHz</td><td>-39.308 dBm</td></tr> <tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.399 000 GHz</td><td>-48.411 dBm</td></tr> <tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.359 023 GHz</td><td>-45.892 dBm</td></tr> <tr><td>5</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>6</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>7</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>8</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>9</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>10</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>11</td><td></td><td></td><td></td><td></td><td></td></tr> </table>	1	N	1	f	2.401 863 GHz	8.098 dBm	2	N	1	f	2.400 000 GHz	-39.308 dBm	3	N	1	f	2.399 000 GHz	-48.411 dBm	4	N	1	f	2.359 023 GHz	-45.892 dBm	5						6						7						8						9						10						11						Frequency Auto Tune Center Freq 2.357500000 GHz Start Freq 2.310000000 GHz Stop Freq 2.405000000 GHz CF Step 9.500000 MHz Man Freq Offset 0 Hz
1	N	1	f	2.401 863 GHz	8.098 dBm																																																																
2	N	1	f	2.400 000 GHz	-39.308 dBm																																																																
3	N	1	f	2.399 000 GHz	-48.411 dBm																																																																
4	N	1	f	2.359 023 GHz	-45.892 dBm																																																																
5																																																																					
6																																																																					
7																																																																					
8																																																																					
9																																																																					
10																																																																					
11																																																																					
CH00	Hopping mode	 <p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.357500000 GHz PNO: Fast --> Trig: Free Run #Atten: 26 dB Avg Type: Log-Pwr Avg Hold: 10/10 TRACE 1,2,3,4,5,6,7,8,9,10,11 Ref Offset 12 dB Ref 16.50 dBm Start 2.31000 GHz Stop 2.40500 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 9.133 ms (1001 pts) Mkr4 2.378 875 GHz -48.060 dBm</p> <table border="1"> <tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.403 955 GHz</td><td>6.043 dBm</td></tr> <tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.400 000 GHz</td><td>-34.304 dBm</td></tr> <tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.399 000 GHz</td><td>-51.430 dBm</td></tr> <tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.378 875 GHz</td><td>-48.060 dBm</td></tr> <tr><td>5</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>6</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>7</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>8</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>9</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>10</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>11</td><td></td><td></td><td></td><td></td><td></td></tr> </table>	1	N	1	f	2.403 955 GHz	6.043 dBm	2	N	1	f	2.400 000 GHz	-34.304 dBm	3	N	1	f	2.399 000 GHz	-51.430 dBm	4	N	1	f	2.378 875 GHz	-48.060 dBm	5						6						7						8						9						10						11						Frequency Auto Tune Center Freq 2.357500000 GHz Start Freq 2.310000000 GHz Stop Freq 2.405000000 GHz CF Step 9.500000 MHz Man Freq Offset 0 Hz
1	N	1	f	2.403 955 GHz	6.043 dBm																																																																
2	N	1	f	2.400 000 GHz	-34.304 dBm																																																																
3	N	1	f	2.399 000 GHz	-51.430 dBm																																																																
4	N	1	f	2.378 875 GHz	-48.060 dBm																																																																
5																																																																					
6																																																																					
7																																																																					
8																																																																					
9																																																																					
10																																																																					
11																																																																					
CH78	No hopping mode	 <p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.489000000 GHz PNO: Fast --> Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg Hold: 10/10 TRACE 1,2,3,4,5,6,7,8,9,10,11 Ref Offset 12 dB Ref 20.50 dBm Start 2.47800 GHz Stop 2.50000 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.133 ms (8001 pts) Mkr4 2.485 122 50 GHz -25.744 dBm</p> <table border="1"> <tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.480 178 00 GHz</td><td>7.472 dBm</td></tr> <tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.483 500 00 GHz</td><td>-41.969 dBm</td></tr> <tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.500 000 00 GHz</td><td>-47.032 dBm</td></tr> <tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.485 122 50 GHz</td><td>-25.744 dBm</td></tr> <tr><td>5</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>6</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>7</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>8</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>9</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>10</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>11</td><td></td><td></td><td></td><td></td><td></td></tr> </table>	1	N	1	f	2.480 178 00 GHz	7.472 dBm	2	N	1	f	2.483 500 00 GHz	-41.969 dBm	3	N	1	f	2.500 000 00 GHz	-47.032 dBm	4	N	1	f	2.485 122 50 GHz	-25.744 dBm	5						6						7						8						9						10						11						Frequency Auto Tune Center Freq 2.489000000 GHz Start Freq 2.478000000 GHz Stop Freq 2.500000000 GHz CF Step 2.200000 MHz Man Freq Offset 0 Hz
1	N	1	f	2.480 178 00 GHz	7.472 dBm																																																																
2	N	1	f	2.483 500 00 GHz	-41.969 dBm																																																																
3	N	1	f	2.500 000 00 GHz	-47.032 dBm																																																																
4	N	1	f	2.485 122 50 GHz	-25.744 dBm																																																																
5																																																																					
6																																																																					
7																																																																					
8																																																																					
9																																																																					
10																																																																					
11																																																																					





Test Item:	Band edge	Modulation type:	8DPSK																																																																																															
CH00	No hopping mode	 <p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.357500000 GHz PNO: Fast --> Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg Hold: 10/10 TRACE 1,2,3,4,5,6,7,8,9,10,11 TYPE M:MMWMMWDET P:PPPPP Ref Offset 12 dB Ref 20.50 dBm Start 2.31000 GHz Stop 2.40500 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 9.600 ms (8001 pts) Mkr4 2.360 991 GHz -45.155 dBm</p> <table border="1"> <tr><td>MKR MODE</td><td>TRC</td><td>SCL</td><td>X</td><td>Y</td><td>FUNCTION</td><td>FUNCTION WIDTH</td><td>FUNCTION VALUE</td></tr> <tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.401 863 GHz</td><td>8.107 dBm</td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.400 000 GHz</td><td>-36.441 dBm</td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.399 000 GHz</td><td>-48.032 dBm</td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.360 991 GHz</td><td>-45.155 dBm</td><td></td><td></td></tr> <tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table>	MKR MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.401 863 GHz	8.107 dBm			2	N	1	f	2.400 000 GHz	-36.441 dBm			3	N	1	f	2.399 000 GHz	-48.032 dBm			4	N	1	f	2.360 991 GHz	-45.155 dBm			5								6								7								8								9								10								11							
MKR MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																											
1	N	1	f	2.401 863 GHz	8.107 dBm																																																																																													
2	N	1	f	2.400 000 GHz	-36.441 dBm																																																																																													
3	N	1	f	2.399 000 GHz	-48.032 dBm																																																																																													
4	N	1	f	2.360 991 GHz	-45.155 dBm																																																																																													
5																																																																																																		
6																																																																																																		
7																																																																																																		
8																																																																																																		
9																																																																																																		
10																																																																																																		
11																																																																																																		
CH00	Hopping mode	 <p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.357500000 GHz PNO: Fast --> Trig: Free Run #Atten: 26 dB Avg Type: Log-Pwr Avg Hold: 10/10 TRACE 1,2,3,4,5,6,7,8,9,10,11 TYPE M:MMWMMWDET P:PPPPP Ref Offset 12 dB Ref 16.50 dBm Start 2.31000 GHz Stop 2.40500 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 9.133 ms (1001 pts) Mkr4 2.366 810 GHz -40.792 dBm</p> <table border="1"> <tr><td>MKR MODE</td><td>TRC</td><td>SCL</td><td>X</td><td>Y</td><td>FUNCTION</td><td>FUNCTION WIDTH</td><td>FUNCTION VALUE</td></tr> <tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.402 150 GHz</td><td>7.899 dBm</td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.400 000 GHz</td><td>-38.279 dBm</td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.399 000 GHz</td><td>-51.377 dBm</td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.366 810 GHz</td><td>-40.792 dBm</td><td></td><td></td></tr> <tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table>	MKR MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.402 150 GHz	7.899 dBm			2	N	1	f	2.400 000 GHz	-38.279 dBm			3	N	1	f	2.399 000 GHz	-51.377 dBm			4	N	1	f	2.366 810 GHz	-40.792 dBm			5								6								7								8								9								10								11							
MKR MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																											
1	N	1	f	2.402 150 GHz	7.899 dBm																																																																																													
2	N	1	f	2.400 000 GHz	-38.279 dBm																																																																																													
3	N	1	f	2.399 000 GHz	-51.377 dBm																																																																																													
4	N	1	f	2.366 810 GHz	-40.792 dBm																																																																																													
5																																																																																																		
6																																																																																																		
7																																																																																																		
8																																																																																																		
9																																																																																																		
10																																																																																																		
11																																																																																																		
CH78	No hopping mode	 <p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.489000000 GHz PNO: Fast --> Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg Hold: 10/10 TRACE 1,2,3,4,5,6,7,8,9,10,11 TYPE M:MMWMMWDET P:PPPPP Ref Offset 12 dB Ref 20.50 dBm Start 2.47800 GHz Stop 2.50000 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.133 ms (8001 pts) Mkr4 2.483 953 75 GHz -28.258 dBm</p> <table border="1"> <tr><td>MKR MODE</td><td>TRC</td><td>SCL</td><td>X</td><td>Y</td><td>FUNCTION</td><td>FUNCTION WIDTH</td><td>FUNCTION VALUE</td></tr> <tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.479 948 00 GHz</td><td>7.466 dBm</td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.483 500 00 GHz</td><td>-30.242 dBm</td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.500 000 00 GHz</td><td>-47.733 dBm</td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.483 953 75 GHz</td><td>-28.268 dBm</td><td></td><td></td></tr> <tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table>	MKR MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.479 948 00 GHz	7.466 dBm			2	N	1	f	2.483 500 00 GHz	-30.242 dBm			3	N	1	f	2.500 000 00 GHz	-47.733 dBm			4	N	1	f	2.483 953 75 GHz	-28.268 dBm			5								6								7								8								9								10								11							
MKR MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																											
1	N	1	f	2.479 948 00 GHz	7.466 dBm																																																																																													
2	N	1	f	2.483 500 00 GHz	-30.242 dBm																																																																																													
3	N	1	f	2.500 000 00 GHz	-47.733 dBm																																																																																													
4	N	1	f	2.483 953 75 GHz	-28.268 dBm																																																																																													
5																																																																																																		
6																																																																																																		
7																																																																																																		
8																																																																																																		
9																																																																																																		
10																																																																																																		
11																																																																																																		






Test Item:	SE	Modulation type:	GFSK
CH00 30MHz~3GHz			
CH00 3GHz~5GHz			
CH00 5GHz~10GHz			
















Test Item:	SE	Modulation type:	$\pi/4$ DQPSK
CH00 30MHz~3GHz			<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 1.515000000 GHz</p> <p>Start Freq 30.000000 MHz</p> <p>Stop Freq 3.000000000 GHz</p> <p>CF Step 297.000000 MHz Auto</p> <p>Freq Offset 0 Hz</p>
CH00 3GHz~5GHz			<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 4.000000000 GHz</p> <p>Start Freq 3.000000000 GHz</p> <p>Stop Freq 5.000000000 GHz</p> <p>CF Step 200.000000 MHz Auto</p> <p>Freq Offset 0 Hz</p>
CH00 5GHz~10GHz			<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 7.500000000 GHz</p> <p>Start Freq 5.000000000 GHz</p> <p>Stop Freq 10.000000000 GHz</p> <p>CF Step 500.000000 MHz Auto</p> <p>Freq Offset 0 Hz</p>









Test Item:	SE	Modulation type:	8DPSK
CH00 30MHz~3GHz			
CH00 3GHz~5GHz			
CH00 5GHz~10GHz			







5.11. Spurious Emissions (radiated)


LIMIT

FCC CFR Title 47 Part 15 Subpart C Section 15.209


Frequency	Limit (dB _{UV} /m @ 3m)	Value
30 MHz ~ 88 MHz	40.00	Quasi-peak
88 MHz ~ 216 MHz	43.50	Quasi-peak
216 MHz ~ 960 MHz	46.00	Quasi-peak
960 MHz ~ 1 GHz	54.00	Quasi-peak
Above 1 GHz	54.00	Average
	74.00	Peak

TEST CONFIGURATION


- Below 30 MHz



- 30 MHz ~1000 MHz



- Above 1 GHz



TEST PROCEDURE

1. The EUT was tested according to ANSI C63.10:2013.
2. The EUT is placed on a turn table which is 0.8 meter above ground. The turn table is rotated 360 degrees to determine the position of the maximum emission level.
3. The EUT was positioned such that the distance from antenna to the EUT was 3 meters.
4. The antenna is scanned from 1 meter to 4 meters to find out the maximum emission level. This is repeated for both horizontal and vertical polarization of the antenna.
5. Use the following spectrum analyzer settings
 - (1) Span shall wide enough to fully capture the emission being measured;
 - (2) Below 1 GHz, RBW=120 kHz, VBW=300 kHz, Sweep=auto, Detector function=peak, Trace=max hold; If the emission level of the EUT measured by the peak detector is 3 dB lower than the applicable limit, the peak emission level will be reported. Otherwise, the emission measurement will be repeated using the quasi-peak detector and reported.
 - (3) Above 1 GHz, RBW=1 MHz, VBW=3 MHz Peak detector for Peak value
RBW=1 MHz, VBW=10 Hz Peak detector for Average value.

TEST MODE:

Please refer to the clause 3.3

TEST RESULTS

Passed Not Applicable



Note:

- 1) Final Level = Receiver Read level + Antenna Factor + Cable Loss – Preamplifier Factor
- 2) The emission levels of other frequencies are very lower than the limit and not show in test report.
- 3) Below 1 GHz, Have pre-scan all modulation mode, found the GFSK modulation High channel which it was worst case, so only the worst case's data on the test report.
- 4) Above 1 GHz, Have pre-scan all modulation mode, found the GFSK modulation which it was worst case, so only the worst case's data on the test report
- 5) The peak level is lower than average limit(54 dBuV/m), this data is the too weak instrument of signal is unable to test.

➤ 9 kHz ~ 30 MHz

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

> 30 MHz ~ 1 GHz



> Above 1 GHz

CH00									
Frequency (MHz)	Read Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization	Test value
1573.19	40.75	25.14	5.49	36.69	34.69	74.00	-39.31	Vertical	Peak
3757.21	36.99	29.47	8.45	38.24	36.67	74.00	-37.33	Vertical	Peak
4834.05	45.25	31.53	9.56	36.86	49.48	74.00	-24.52	Vertical	Peak
5895.77	33.34	32.29	10.63	35.38	40.88	74.00	-33.12	Vertical	Peak
1938.35	54.92	25.69	6.17	37.25	49.53	74.00	-24.47	Horizontal	Peak
3834.51	43.01	29.63	8.55	38.21	42.98	74.00	-31.02	Horizontal	Peak
4933.50	50.13	31.43	9.63	36.59	54.60	74.00	-19.40	Horizontal	Peak
7227.39	43.21	36.23	11.89	35.04	56.29	74.00	-17.71	Horizontal	Peak
4933.50	32.69	31.43	9.63	36.59	37.16	54.00	-16.84	Horizontal	Average
7227.39	23.63	36.23	11.89	35.04	36.71	54.00	-17.29	Horizontal	Average

CH39									
Frequency (MHz)	Read Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization	Test value
1746.25	40.46	25.29	5.86	37.03	34.58	74.00	-39.42	Vertical	Peak
4117.79	40.46	29.92	8.87	37.84	41.41	74.00	-32.59	Vertical	Peak
4871.10	39.20	31.46	9.59	36.76	43.49	74.00	-30.51	Vertical	Peak
7338.62	36.96	36.30	12.01	34.90	50.37	74.00	-23.63	Vertical	Peak
1260.67	40.77	26.24	4.76	36.54	35.23	74.00	-38.77	Horizontal	Peak
1943.29	45.64	25.74	6.18	37.25	40.31	74.00	-33.69	Horizontal	Peak
4117.79	39.48	29.92	8.87	37.84	40.43	74.00	-33.57	Horizontal	Peak
7451.57	36.03	36.20	12.24	34.86	49.61	74.00	-24.39	Horizontal	Peak

CH78									
Frequency (MHz)	Read Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization	Test value
1098.76	45.88	25.50	4.43	36.62	39.19	74.00	-34.81	Vertical	Peak
1577.20	40.25	25.10	5.51	36.69	34.17	74.00	-39.83	Vertical	Peak
4117.79	40.42	29.92	8.87	37.84	41.37	74.00	-32.63	Vertical	Peak
7264.28	34.92	36.26	11.93	35.00	48.11	74.00	-25.89	Vertical	Peak
1198.10	46.39	26.29	4.66	36.57	40.77	74.00	-33.23	Horizontal	Peak
2060.46	44.51	26.54	6.32	37.31	40.06	74.00	-33.94	Horizontal	Peak
4117.79	40.19	29.92	8.87	37.84	41.14	74.00	-32.86	Horizontal	Peak
6713.08	32.80	34.17	11.50	35.15	43.32	74.00	-30.68	Horizontal	Peak

6. TEST SETUP PHOTOS

Conducted Emissions (AC Mains)



Radiated Emissions





7. EXTERANAL AND INTERNAL PHOTOS

Reference to the test report No.: TRE1710003001.

.....**End of Report**.....