

TEST REPORT

Covering the DYNAMIC FREQUENCY SELECTION (DFS) REQUIREMENTS OF

FCC Part 15 Subpart E (UNII)

Vivint Wireless Model: SR1530

FCC ID: 2AAAS-AP03

COMPANY: Vivint Wireless

3945 Freedom Circle, Suite 150

Santa Clara, CA, 95054

TEST SITE: National Technical Systems - Silicon Valley

41039 Boyce Road Fremont, CA 94538

REPORT DATE: June 15, 2015

REISSUE DATE: July 10, 2015

FINAL TEST DATE: April 08-09, 2015

TEST ENGINEER: Mehran Birgani

TOTAL NUMBER OF PAGES: 133



National Technical Systems - Silicon Valley is accredited by the A2LA, certificate number 0214.26, to perform the test(s) listed in this report, except where noted otherwise. This report and the information contained herein represent the results of testing test articles identified and selected by the client performed to specifications and/or procedures selected by the client. National Technical Systems (NTS) makes no representations, expressed or implied, that such testing is adequate (or inadequate) to demonstrate efficiency, performance, reliability, or any other characteristic of the articles being tested, or similar products. This report should not be relied upon as an endorsement or certification by NTS of the equipment tested, nor does it represent any statement whatsoever as to its merchantability or fitness of the test article, or similar products, for a particular purpose. This report shall not be reproduced except in full

File: R98544 Rev 1 Page 1 of 133

VALIDATING SIGNATORIES

PROGRAM MGR / TECHNICAL REVIEWER:

Mark Hill Staff Engineer

REPORT PREPARER:

EMC Engineer

QUALITY ASSURANCE DELEGATE

David Guidotti

Senior Technical Writer

File: R98544 Rev 1 Page 2 of 133

Test Report Reissue Date: July 10, 2015

REVISION HISTORY

Report Date: June 15, 2015

Rev#	Date	Comments	Modified By
-	June 15, 2015	Initial Release	-
1.0	July 10, 2015	Add clarification for Bin 5 Radar frequency selection	MEH

File: R98544 Rev 1 Page 3 of 133

TABLE OF CONTENTS

TITLE PAGE	1
VALIDATING SIGNATORIES	2
REVISION HISTORY	3
TABLE OF CONTENTS	4
LIST OF TABLES	5
LIST OF FIGURES	8
SCOPE	9
OBJECTIVE	9
STATEMENT OF COMPLIANCE	9
DEVIATIONS FROM THE STANDARD	9
TEST RESULTS	
TEST RESULTS SUMMARY – FCC PART 15, MASTER DEVICE	
MEASUREMENT UNCERTAINTIES	
EQUIPMENT UNDER TEST (EUT) DETAILSGENERAL	
ENCLOSURE	
MODIFICATIONS	
SUPPORT EQUIPMENT	13
EUT INTERFACE PORTS	
EUT OPERATION	
DFS TEST METHODS	
RADIATED TEST METHODS	
DFS MEASUREMENT INSTRUMENTATION	
RADAR GENERATION SYSTEM	18
CHANNEL MONITORING SYSTEM	
RADAR GENERATOR PLOTS	
DFS MEASUREMENT METHODS	26
DFS ADDAR DETECTION BANDWIDTH DFS – CHANNEL CLOSING TRANSMISSION TIME AND CHANNEL MOVE TIME	
DFS – CHANNEL NON-OCCUPANCY AND VERIFICATION OF PASSIVE SCANNING	
DFS CHANNEL AVAILABILITY CHECK TIME	
UNIFORM LOADINGTRANSMIT POWER CONTROL (TPC)	
SAMPLE CALCULATIONSDETECTION PROBABILITY / SUCCESS RATE	28 28
THRESHOLD LEVEL	
APPENDIX A TEST EQUIPMENT CALIBRATION DATA	29
APPENDIX B TEST DATA TABLES FOR RADAR DETECTION PROBABILITY	
APPENDIX C TEST DATA TABLES AND PLOTS FOR CHANNEL CLOSING	125
FCC PART 15 SUBPART E CHANNEL CLOSING MEASUREMENTS	125
APPENDIX D TEST DATA - CHANNEL AVAILABILITY CHECK	
5250- 5350 MHZ, 5470 – 5725 MHZ	
APPENDIX E ANTENNA SPECIFICATION	
APPENDIX F TEST CONFIGURATION PHOTOGRAPH(S)	
END OF REPORT	133

LIST OF TABLES

Table 1 - FCC Part 15 Subpart E Master Device Test Result Summary (802.11n 20MHz)	10
Table 2 - FCC Part 15 Subpart E Master Device Test Result Summary (802.11n 40MHz)	
Table 3 - FCC Part 15 Subpart E Master Device Test Result Summary (802.11ac 80MHz)	11
Table 4 - FCC Short Pulse Radar Test Waveforms	14
Table 5 - FCC Long Pulse Radar Test Waveforms	
Table 6 - FCC Frequency Hopping Radar Test Waveforms	15
Table 7 - Detection Bandwidth Measurements (Bandwidth: +10MHz /-10MHz) n20	32
Table 8 - Summary of All Results n20	32
Table 9 - FCC Short Pulse Radar (Type 1A) Results n20	33
Table 10 - FCC Short Pulse Radar (Type 1B) Results n20	33
Table 11 - FCC Short Pulse Radar (Type 2) Results n20	34
Table 12 - FCC Short Pulse Radar (Type 3) Results n20	
Table 13 - FCC Short Pulse Radar (Type 4) Results n20	36
Table 14 - FCC frequency hopping radar (Type 6) Results n20	37
Table 15 - Long Sequence Waveform Summary n20	46
Table 16 - Long Sequence Waveform Trial#1 (Detected) n20	46
Table 17 - Long Sequence Waveform Trial#2 (Detected) n20	47
Table 18 - Long Sequence Waveform Trial#3 (Detected) n20	47
Table 19 - Long Sequence Waveform Trial#4 (Detected) n20	47
Table 20 - Long Sequence Waveform Trial#5 (Detected) n20	47
Table 21 - Long Sequence Waveform Trial#6 (Detected) n20	
Table 22 - Long Sequence Waveform Trial#7 (Detected) n20	49
Table 23 - Long Sequence Waveform Trial#8 (Detected) n20	49
Table 24 - Long Sequence Waveform Trial#9 (Detected) n20	50
Table 25 - Long Sequence Waveform Trial#10 (Detected) n20	50
Table 26 - Long Sequence Waveform Trial#11 (Detected) n20	51
Table 27 - Long Sequence Waveform Trial#12 (Detected) n20	
Table 28 - Long Sequence Waveform Trial#13 (Detected) n20	
Table 29 - Long Sequence Waveform Trial#14 (Detected) n20	
Table 30 - Long Sequence Waveform Trial#15 (Detected) n20	
Table 31 - Long Sequence Waveform Trial#16 (Detected) n20	
Table 32 - Long Sequence Waveform Trial#17 (Detected) n20	
Table 33 - Long Sequence Waveform Trial#18 (Detected) n20	
Table 34 - Long Sequence Waveform Trial#19 (Detected) n20	
Table 35 - Long Sequence Waveform Trial#20 (NOT Detected) n20	
Table 36 - Long Sequence Waveform Trial#21 (Detected) n20	
Table 37 - Long Sequence Waveform Trial#22 (Detected) n20	
Table 38 - Long Sequence Waveform Trial#23 (Detected) n20	
Table 39 - Long Sequence Waveform Trial#24 (Detected) n20	
Table 40 - Long Sequence Waveform Trial#25 (Detected) n20	
Table 41 - Long Sequence Waveform Trial#26 (Detected) n20	
Table 42 - Long Sequence Waveform Trial#27 (Detected) n20	
Table 43 - Long Sequence Waveform Trial#28 (Detected) n20	
Table 44 - Long Sequence Waveform Trial#29 (Detected) n20	
Table 45 - Long Sequence Waveform Trial#30 (Detected) n20	
Table 46 - Detection Bandwidth Measurements (Bandwidth: +19MHz /-19MHz) n40	
Table 47 - Summary of All Results 40MHz	
Table 48 - FCC Short Pulse Radar (Type 1A) Results 40MHz	
Table 49 - FCC Short Pulse Radar (Type 1B) Results 40MHz	
Table 50 - FCC Short Pulse Radar (Type 2) Results 40MHz	
Table 51 - FCC Short Pulse Radar (Type 3) Results 40MHz	
Table 52 - FCC Short Pulse Radar (Type 4) Results 40MHz	64

Table 53 - FCC frequency hopping radar (Type 6) Results 40MHz	65
Table 54 - Long Sequence Waveform Summary 40MHz	75
Table 55 - Long Sequence Waveform Trial#1 (Detected) 40MHz	75
Table 56 - Long Sequence Waveform Trial#2 (Detected) 40MHz	
Table 57 - Long Sequence Waveform Trial#3 (Detected) 40MHz	
Table 58 - Long Sequence Waveform Trial#4 (Detected) 40MHz.	
Table 59 - Long Sequence Waveform Trial#5 (Detected) 40MHz.	
Table 60 - Long Sequence Waveform Trial#6 (Detected) 40MHz.	
Table 61 - Long Sequence Waveform Trial#7 (Detected) 40MHz.	
Table 62 - Long Sequence Waveform Trial#8 (Detected) 40MHz.	
Table 63 - Long Sequence Waveform Trial#9 (Detected) 40MHz.	
Table 64 - Long Sequence Waveform Trial#10 (Detected) 40MHz.	
Table 65 - Long Sequence Waveform Trial#11 (Detected) 40MHz	
Table 66 - Long Sequence Waveform Trial#12 (Detected) 40MHz.	
Table 67 - Long Sequence Waveform Trial#13 (Detected) 40MHz	
Table 68 - Long Sequence Waveform Trial#14 (Detected) 40MHz	
Table 69 - Long Sequence Waveform Trial#15 (Detected) 40MHz	
Table 70 - Long Sequence Waveform Trial#15 (Detected) 40MHz	
Table 71 - Long Sequence Waveform Trial#17 (Detected) 40MHz	
Table 72 - Long Sequence Waveform Trial#17 (Detected) 40MHz	
Table 73 - Long Sequence Waveform Trial#19 (Detected) 40MHz	
Table 75 - Long Sequence Waveform Trial#21 (Detected) 40MHz.	
Table 76 - Long Sequence Waveform Trial#22 (Detected) 40MHz.	
Table 77 - Long Sequence Waveform Trial#23 (Detected) 40MHz	
Table 78 - Long Sequence Waveform Trial#24 (Detected) 40MHz	
Table 79 - Long Sequence Waveform Trial#25 (Detected) 40MHz	
Table 80 - Long Sequence Waveform Trial#26 (Detected) 40MHz	
Table 81 - Long Sequence Waveform Trial#27 (Detected) 40MHz	
Table 82 - Long Sequence Waveform Trial#28 (Detected) 40MHz	
Table 83 - Long Sequence Waveform Trial#29 (Detected) 40MHz	
Table 84 - Long Sequence Waveform Trial#30 (Detected) 40MHz	
Table 85 - Detection Bandwidth Measurements (Bandwidth: +40MHz /-40MHz) 802.11ac 80MHz	89
Table 86 - Summary of All Results 802.11ac 80MHz.	
Table 87 - FCC Short Pulse Radar (Type 1A) Results 802.11ac 80MHz.	
Table 88 - FCC Short Pulse Radar (Type 1B) Results 802.11ac 80MHz.	
Table 89 - FCC Short Pulse Radar (Type 2) Results 802.11ac 80MHz	
Table 90 - FCC Short Pulse Radar (Type 3) Results 802.11ac 80MHz	
Table 91 - FCC Short Pulse Radar (Type 4) Results 802.11ac 80MHz	93
Table 92 - FCC frequency hopping radar (Type 6) Results 802.11ac 80MHz	94
Table 93 - Long Sequence Waveform Summary 802.11ac 80MHz	
Table 94 - Long Sequence Waveform Trial#1 (Detected) 802.11ac 80MHz	
Table 95 - Long Sequence Waveform Trial#2 (Detected) 802.11ac 80MHz	
Table 96 - Long Sequence Waveform Trial#3 (Detected) 802.11ac 80MHz	
Table 97 - Long Sequence Waveform Trial#4 (Detected) 802.11ac 80MHz	
Table 98 - Long Sequence Waveform Trial#5 (Detected) 802.11ac 80MHz	
Table 99 - Long Sequence Waveform Trial#6 (Detected) 802.11ac 80MHz	
Table 100 - Long Sequence Waveform Trial#7 (Detected) 802.11ac 80MHz	
Table 101 - Long Sequence Waveform Trial#8 (Detected) 802.11ac 80MHz	
Table 102 - Long Sequence Waveform Trial#9 (Detected) 802.11ac 80MHz	
Table 103 - Long Sequence Waveform Trial#10 (NOT Detected) 802.11ac 80MHz	
Table 104 - Long Sequence Waveform Trial#11 (Detected) 802.11ac 80MHz	
Table 105 - Long Sequence Waveform Trial#12 (Detected) 802.11ac 80MHz	
Table 106 - Long Sequence Waveform Trial#13 (Detected) 802.11ac 80MHz	
Table 107 - Long Sequence Waveform Trial#14 (Detected) 802.11ac 80MHz	117

1	, ,
Table 108 - Long Sequence Waveform Trial#15 (Detected) 802.11ac 80MHz	117
Table 109 - Long Sequence Waveform Trial#16 (Detected) 802.11ac 80MHz	118
Table 110 - Long Sequence Waveform Trial#17 (Detected) 802.11ac 80MHz	118
Table 111 - Long Sequence Waveform Trial#18 (Detected) 802.11ac 80MHz	119
Table 112 - Long Sequence Waveform Trial#19 (Detected) 802.11ac 80MHz	119
Table 113 - Long Sequence Waveform Trial#20 (Detected) 802.11ac 80MHz	120
Table 114 - Long Sequence Waveform Trial#21 (Detected) 802.11ac 80MHz	120
Table 115 - Long Sequence Waveform Trial#22 (Detected) 802.11ac 80MHz	120
Table 116 - Long Sequence Waveform Trial#23 (Detected) 802.11ac 80MHz	121
Table 117 - Long Sequence Waveform Trial#24 (Detected) 802.11ac 80MHz	121
Table 118 - Long Sequence Waveform Trial#25 (Detected) 802.11ac 80MHz	122
Table 119 - Long Sequence Waveform Trial#26 (Detected) 802.11ac 80MHz	122
Table 120 - Long Sequence Waveform Trial#27 (Detected) 802.11ac 80MHz	123
Table 121 - Long Sequence Waveform Trial#28 (Detected) 802.11ac 80MHz	123
Table 122 - Long Sequence Waveform Trial#29 (Detected) 802.11ac 80MHz	124
Table 123 - Long Sequence Waveform Trial#30 (Detected) 802.11ac 80MHz	124
Table 124 - FCC Part 15 Subpart E Channel Closing Test Results	125

Page 7 of 133 File: R98544 Rev 1

LIST OF FIGURES

Figure 1 Test Configuration for radiated Measurement Method	16
Figure 2 SA Noise Floor During Testing (radar shown at 520 ms)	19
Figure 3 FCC Type 1 Radar (18 pulses)	20
Figure 4 FCC Type 2 Radar (24 pulses)	21
Figure 5 FCC Type 3 Radar (17 pulses)	22
Figure 6 FCC Type 4 Radar (16 pulses)	23
Figure 7 FCC Type 5 Radar (burst with three pulses, 1650 µs first period)	24
Figure 8 FCC Type 6 Radar (9 pulses in each burst)	25
Figure 9 Channel Utilization During In-Service Detection Measurements (20MHz)	30
Figure 10 Channel Utilization During In-Service Detection Measurements (40MHz)	30
Figure 11 Channel Utilization During In-Service Detection Measurements (80MHz)	31
Figure 12 Channel Closing Time and Channel Move Time (80MHz) – 40 second plot	125
Figure 13 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar	126
Figure 14 Radar Channel Non-Occupancy Plot (80 MHz)	127
Figure 15 Plot of EUT Start-Up After CAC	128
Figure 16 Radar Applied At Start of CAC	129
Figure 17 Radar Applied At End of CAC	130
÷	

File: R98544 Rev 1 Page 8 of 133

SCOPE

Test data has been taken pursuant to the relevant DFS requirements of the following standard(s):

• FCC Part 15 Subpart E Unlicensed National Information Infrastructure (U-NII) Devices.

Tests were performed in accordance with these standards together with the current published versions of the basic standards referenced therein including FCC KDB 848637 and the appendix to FCC 06-96 MO&O as outlined in NTS Silicon Valley test procedures. The test results recorded herein are based on a single type test of the Vivint Wireless model SR1530 and therefore apply only to the tested sample. The sample was selected and prepared by Venkat Kalkunte of Vivint Wireless.

OBJECTIVE

The objective of the manufacturer is to comply with the standards identified in the previous section. In order to demonstrate compliance, the manufacturer or a contracted laboratory makes measurements and takes the necessary steps to ensure that the equipment complies with the appropriate technical standards. Compliance with some DFS features is covered through a manufacturer statement or through observation of the device.

STATEMENT OF COMPLIANCE

The tested sample of the Vivint Wireless model SR1530 complied with the DFS requirements of FCC Part 15.407(h)(2).

Maintenance of compliance is the responsibility of the manufacturer. Any modifications to the product should be assessed to determine their potential impact on the compliance status of the device with respect to the standards detailed in this test report.

DEVIATIONS FROM THE STANDARD

No deviations were made from the test methods and requirements covered by the scope of this report.

File: R98544 Rev 1 Page 9 of 133

TEST RESULTS

TEST RESULTS SUMMARY - FCC Part 15, MASTER DEVICE

Table 1 - FCC Part 15 Subpart E Master Device Test Result Summary (802.11n 20MHz)						
Description	Radar Type	EUT Frequency	Measured Value	Requirement	Test Data	Status
In-Service Monitoring Detection Threshold	Type 1A through Type 6	5500 MHz	-64dBm	-64dBm (note 2)	Appendix B	Pass
Bandwidth Detection	Type 0	Varies	20MHz	100% of the 99% BW	-	Pass

- 1) Tests were performed using the radiated test method.
- 2) The measured detection threshold is based on testing the master device using the radiated test method when connected to an antenna with a nominal gain of 1 dBi. The limit is based on an eirp of more than 23 dBm.
- 3) The in-service monitoring detection threshold and detection probability measurements were made with the device operating in the 5500-5700 MHz band.

Table 2 - FCC Part 15 Subpart E Master Device Test Result Summary (802.11n 40MHz)						
Description	Radar Type	EUT Frequency	Measured Value	Requirement	Test Data	Status
In-Service Monitoring Detection Threshold	Type 1A through Type 6	5510 MHz	-64dBm	-64dBm (note 2)	Appendix B	Pass
Bandwidth Detection	Type 0	Varies	38MHz	100% of the 99% BW	-	Pass

- 1) Tests were performed using the radiated test method.
- 2) The measured detection threshold is based on testing the master device using the radiated test method when connected to an antenna with a nominal gain of 1 dBi. The limit is based on an eirp of more than 23 dBm.
- 3) The in-service monitoring detection threshold and detection probability measurements were made with the device operating in the 5500-5700 MHz band.

File: R98544 Rev 1 Page 10 of 133

Table 3 - FCC Part 15 Subpart E Master Device Test Result Summary (802.11ac 80MHz)						
Description	Radar Type	EUT Frequency	Measured Value	Requirement	Test Data	Status
Channel Availability Check (CAC) Time	Type 0	5530 MHz	70.1s	≥ 60s	Appendix D	Pass
CAC Detection Threshold	Type 0	5530 MHz	-64dBm	-64dBm (See note 2)	Appendix D	Pass
In-Service Monitoring Detection Threshold	Type 1A through Type 6	5530 MHz	-64dBm	-64dBm (note 2)	Appendix B	Pass
Bandwidth Detection	Type 0	Varies	80MHz	100% of the 99% BW	-	Pass
Channel closing transmission time	Type 0	5530 MHz	0 ms	≤ 260ms	Appendix C	Pass
Channel move time	Type 0	5530 MHz	0.042s	≤ 10s	Appendix C	Pass
Non-occupancy period	-	5530 MHz	> 30min	> 30min	Appendix C	Pass
Uniform Loading		-	-	Uniform Loading	Refer to operational description	Pass

- 1) Tests were performed using the radiated test method.
- 2) The measured detection threshold is based on testing the master device using the radiated test method when connected to an antenna with a nominal gain of 1 dBi. The limit is based on an eirp of more than 23 dBm.
- 3) The in-service monitoring detection threshold and detection probability measurements were made with the device operating in the 5500-5700 MHz band.

Note: The testing was performed prior to the release of KDB 905462 D02 v01r02. While the selection of the Bin 5 radars was not randomized, they were chosen to ensure that radars were applied across 80% of the Occupied Bandwidth. In all other aspects, the testing was performed in accordance with v01r02.

MEASUREMENT UNCERTAINTIES

ISO/IEC 17025 requires that an estimate of the measurement uncertainties associated with the emissions test results be included in the report. The measurement uncertainties given below are based on a 95% confidence level, with a coverage factor (k=2) and were calculated in accordance with UKAS document LAB 34.

Measurement	Measurement Unit	Expanded Uncertainty
Timing (Channel move time, aggregate transmission time)	ms	Timing resolution ± 0.24%
Timing (non occupancy period)	seconds	5 seconds
DFS Threshold (radiated)	dBm	1.6
DFS Threshold (conducted)	dBm	1.2

File: R98544 Rev 1 Page 11 of 133

EQUIPMENT UNDER TEST (EUT) DETAILS

GENERAL

The Vivint Wireless model SR1530 is an outdoor access point using a 5GHz 4x4 802.11ac radio.

The sample was received on April 08, 2015 and tested on April 08-09, 2015. The EUT consisted of the following component(s):

Manufacturer	Model	Description	Serial Number
vivint Wireless	1530	Outdoor AP	None - Prototype

The manufacturer declared values for the EUT operational characteristics that affect DFS are as follows:

Operating Modes (5250 – 5350 MHz, 5470 – 5725 MHz)

Master Device 5250-5350 MHz

Master Device 5470-5725 MHz

Antenna Gains / EIRP (5250 – 5350 MHz, 5470 – 5725 MHz)

	5250 – 5350 MHz	5470 – 5725 MHz
Lowest Antenna Gain (dBi)	4.5 dBi	5 dBi
Highest Antenna Gain (dBi)	4.5 dBi	5 dBi
EIRP Output Power (dBm)	29.9dBm	29.9dBm

Refer to antenna specification in the appendix for more information.

Power can exceed 200mW eirp

Channel Protocol

IP Based

ENCLOSURE

The EUT enclosure measures approximately 32 by 32 by 10 centimeters. It is primarily constructed of uncoated coated plastic.

MODIFICATIONS

The EUT did not require modifications during testing in order to comply with the requirements of the standard(s) referenced in this test report.

File: R98544 Rev 1 Page 12 of 133

SUPPORT EQUIPMENT

The following equipment was used as local support equipment for testing:

Manufacturer	Model	Description	Serial Number	FCC ID
acer	Aspire 5735	Laptop	DTVKCAA0024120696C9600	-
vivint Wireless	SR1520	Access Point	500000	2AAAS-CE03
HP	6910p	Laptop	CND8280MD5	-

The italicized device was the master device.

EUT INTERFACE PORTS

The I/O cabling configuration during testing was as follows:

		Cable(s)		
Port	Connected To	Description	Shielded or Unshielded	Length (m)
Ethernet/PoE (EUT)	PoE	STP cat. 6	Shielded	10.0
РоЕ	Desktop	UTP cat. 5	Unshielded	1.0
Ethernet/PoE (Master)	PoE	STP cat. 6	Shielded	1.0
РоЕ	Laptop	STP cat. 6	Shielded	10.0

EUT OPERATION

The EUT was operating with the following software. The software is secured by encryption to prevent the user from disabling the DFS function.

Master Device: 36.7.0.36

The manufacturer provided special software that over-rode the non-occupancy mechanism (allowing return to the same channel) for the purposes of determining the probability of detection. This test feature was disabled and the normal operating software enabled for verifying the 30-minute non-occupancy period and channel move time.

The start of the Channel Availability Check was the instant the command to change channel was sent.

During the in-service monitoring detection probability and channel moving tests the system was configured with a streaming video file from the master device (sourced by the PC connected to the master device via an Ethernet interface) to the client device.

The streamed file was the "FCC" test file and the client device was using Windows Media Player The channel loading was evaluated to be 20% (refer to figure 9-11) meeting the approximately 17% loading as required by FCC KDB 905462 D02.

File: R98544 Rev 1 Page 13 of 133

RADAR WAVEFORMS

	Table 4 - FCC Short Pulse Radar Test Waveforms										
Radar Type		Pulse Width (µsec)	PRI (µsec)	Pulses / burst	Minimum Detection Percentage	Minimum Number of Trials					
0		1	1428	18	See N	ote 1					
1 -	1a 1b	1	15 unique PRI values randomly selected from the list of 23 PRI values in Note 2 below 518-3066 with minimum increment of 1 µsec, excluding PRI values selected in 1a	Round Up 1/360* 19*10 ⁶ / PRI _{µsec}	60%	15					
2	·	1-5	150-230	23-29	60%	30					
3		6-10	200-500	16-18	60%	30					
4	·	11-20	200-500	12-16	60%	30					
Aggreg	ate (Ra	dar Types 1-4)			80%	120					

Note 1: Short Pulse Radar Type 0 is used for the detection bandwidth test, channel move time, and channel closing time tests.

Note 2: Pulse repetition intervals values for Test 1a above								
Pulse Repetition Frequency	Pulse Repetition Frequency	Pulse Repetition Interval						
Number	(Pulses Per Second)	(Microseconds)						
1	1930.5	518						
2	1858.7	538						
3	1792.1	558						
4	1730.1	578						
5	1672.2	598						
6	1618.1	618						
7	1567.4	638						
8	1519.8	658						
9	1474.9	678						
10	1432.7	698						
11	1392.8	718						
12	1355	738						
13	1319.3	758						
14	1285.3	778						
15	1253.1	798						
16	1222.5	818						
17	1193.3	838						
18	1165.6	858						
19	1139	878						
20	1113.6	898						
21	1089.3	918						
22	1066.1	938						
23	326.2	3066						

File: R98544 Rev 1 Page 14 of 133

Report Date: June 15, 2015

	Table 5 - FCC Long Pulse Radar Test Waveforms										
Radar Type Pulse Width (usec) PRI (usec) Pulses / Burst Pulses / Burst Minimum Detection Percentage Trials											
5	50-100	5-20	1000- 2000	1-3	8-20	80%	30				

Table 6 - FCC Frequency Hopping Radar Test Waveforms										
Radar Type	Pulse Width (μsec)	PRI (µsec)	Pulses / hop	Hopping Rate (kHz)	Hopping Sequence Length (msec)	Minimum Detection Percentage	Minimum Number of Trials			
6	1	333	9	0.333	300	70%	30			

File: R98544 Rev 1 Page 15 of 133

DFS TEST METHODS

RADIATED TEST METHOD

The combination of master and slave devices is located in an anechoic chamber. The simulated radar waveform is transmitted from a directional horn antenna (typically an EMCO 3115) toward the unit performing the radar detection (radar detection device, RDD). Every effort is made to ensure that the main beam of the EUT's antenna is aligned with the radar-generating antenna which is oriented in vertical polarization.




Figure 1 Test Configuration for radiated Measurement Method

File: R98544 Rev 1 Page 16 of 133

Reissue Date: July 10, 2015

The signal level of the simulated waveform is set to a reference level equal to the threshold level (plus 1dB if testing against FCC requirements). Lower levels may also be applied on request of the manufacturer. The level reported is the level at the RDD antenna and so it is not corrected for the RDD's antenna gain. The RDD is configured with the lowest gain antenna assembly intended for use with the device.

The signal level is verified by measuring the CW signal level from the radar generation system using a reference antenna of gain G_{REF} (dBi). The radar signal level is calculated from the measured level, R (dBm), and any cable loss, L (dB), between the reference antenna and the measuring instrument:

Applied level (dBm) =
$$R - G_{REF} + L$$

If both master and client devices have radar detection capability then the device not under test is positioned with absorbing material between its antenna and the radar generating antenna, and the radar level at the non RDD is verified to be at least 20dB below the threshold level to ensure that any responses are due to the RDD detecting radar.

The antenna connected to the channel monitoring subsystem is positioned to allow both master and client transmissions to be observed, with the level of the EUT's transmissions between 6 and 10dB higher than those from the other device.

File: R98544 Rev 1 Page 17 of 133

DFS MEASUREMENT INSTRUMENTATION

RADAR GENERATION SYSTEM

An Agilent PSG is used as the radar-generating source. The integral arbitrary waveform generators are programmed using Agilent's "Pulse Building" software and NTS Silicon Valley custom software to produce the required waveforms, with the capability to produce both un-modulated and modulated (FM Chirp) pulses. Where there are multiple values for a specific radar parameter then the software selects a value at random and, for FCC tests, the software verifies that the resulting waveform is truly unique.

With the exception of the hopping waveforms required by the FCC's rules (see below), the radar generator is set to a single frequency within the radar detection bandwidth of the EUT. The frequency is varied from trial to trial by stepping in 5MHz steps. For radar types with variable parameters, each detection probability trial is performed using a unique set of parameters obtained by a random selection with uniform distribution for each of the variable parameters.

Frequency hopping radar waveforms are simulated using a time domain model. A randomly hopping sequence algorithm (which uses each channel in the hopping radar's range once in a hopping sequence) generates a hop sequence. A segment of the first 100 elements of the hop sequence are then examined to determine if it contains one or more frequencies within the radar detection bandwidth of the EUT. If it does not then the first element of the segment is discarded and the next frequency in the sequence is added. The process repeats until a valid segment is produced. The radar system is then programmed to produce bursts at time slots coincident with the frequencies within the segment that fall in the detection bandwidth. The frequency of the generator is stepped in 1 MHz increments across the EUT's detection range.

The radar signal level is verified during testing using a CW signal with the AGC function switched on. Correction factors to account for the fact that pulses are generated with the AGC functions switched off are measured annually and an offset is used to account for this in the software.

The generator output is connected to the coupling port of the conducted set-up or to the radar-generating antenna. The radar generating antenna (when used) is oriented for vertical polarization.

File: R98544 Rev 1 Page 18 of 133

CHANNEL MONITORING SYSTEM

Channel monitoring is achieved using a spectrum analyzer and digital storage oscilloscope. The analyzer is configured in a zero-span mode, center frequency set to the radar waveform's frequency or the center frequency of the EUT's operating channel. The IF output of the analyzer is connected to one input of the oscilloscope.

A signal generator output is set to send either the modulating signal directly or a pulse gate with an output pulse co-incident with each radar pulse. This output is connected to a second input on the oscilloscope and the oscilloscope displays both the channel traffic (via the if input) and the radar pulses on its display.

For in service monitoring tests the analyzer sweep time is set to > 20 seconds and the oscilloscope is configured with a data record length of 10 seconds for the short duration and frequency hopping waveforms, 20 seconds for the long duration waveforms. Both instruments are set for a single acquisition sequence. The analyzer is triggered 500ms before the start of the waveform and the oscilloscope is triggered directly by the modulating pulse train. Timing measurements for aggregate channel transmission time and channel move time are made from the oscilloscope data, with the end of the waveform clearly identified by the pulse train on one trace. The analyzer trace data is used to confirm that the last transmission occurred within the 10-second record of the oscilloscope. If necessary the record length of the oscilloscope is expanded to capture the last transmission on the channel prior to the channel move.

Channel availability check time timing plots are made using the analyzer. The analyzer is triggered at start of the EUT's channel availability check and used to verify that the EUT does not transmit when radar is applied during the check time.

The analyzer detector and oscilloscope sampling mode is set to peak detect for all plots.




Figure 2 SA Noise Floor During Testing (radar shown at 520 ms)

File: R98544 Rev 1 Page 19 of 133

RADAR GENERATOR PLOTS

The radar generator was connected to Spectrum Analyzer (SA) input, with the SA set to zero span, 3 MHz RBW, 3 MHz VBW. The SA IF output was connected to an oscilloscope to provide timing plots.




Figure 3 FCC Type 1 Radar (18 pulses)

File: R98544 Rev 1 Page 20 of 133




Figure 4 FCC Type 2 Radar (24 pulses)

File: R98544 Rev 1 Page 21 of 133




Figure 5 FCC Type 3 Radar (17 pulses)

File: R98544 Rev 1 Page 22 of 133




Figure 6 FCC Type 4 Radar (16 pulses)

File: R98544 Rev 1 Page 23 of 133



Figure 7 FCC Type 5 Radar (burst with three pulses, 1650 µs first period)

The shape is round due to chirped frequency during pulse as the SA is in zero span with 3 MHz BW.

File: R98544 Rev 1 Page 24 of 133




Figure 8 FCC Type 6 Radar (9 pulses in each burst)

File: R98544 Rev 1 Page 25 of 133

DFS MEASUREMENT METHODS

DFS RADAR DETECTION BANDWIDTH

The radar detection bandwidth is determined by using FCC radar waveform 1 and applying radar pulses at offsets from the center channel frequency by multiples of 1MHz. These bursts are applied with no traffic on the channel. The first frequencies above and below the center channel frequency that have a detection rate below 90% define the radar bandwidth, the actual range being 1MHz below the upper frequency and 1MHz above the lower frequency.

DFS - CHANNEL CLOSING TRANSMISSION TIME AND CHANNEL MOVE TIME

Channel clearing and closing times are measured by applying a burst of radar with the device configured to change channel and by observing the channel for transmissions. The time between the end of the applied radar waveform and the final transmission on the channel is the channel move time

The aggregate transmission closing time is measured in one of two ways:

FCC/KCC Notice No. 2010-48 – the total time of all individual transmissions from the EUT that are observed starting 200ms at the end of the last radar pulse in the waveform. This value is required to be less than 60ms.

DFS - CHANNEL NON-OCCUPANCY AND VERIFICATION OF PASSIVE SCANNING

The channel that was in use prior to radar detection by the master is additionally monitored for 30 minutes to ensure no transmissions on the vacated channel over the required non-occupancy period. This is achieved by tuning the spectrum analyzer to the vacated channel in zero-span mode and connecting the IF output to an oscilloscope. The oscilloscope is triggered by the radar pulse and set to provide a single sweep (in peak detect mode) that lasts for at least 30 minutes after the end of the channel move time.

File: R98544 Rev 1 Page 26 of 133

DFS CHANNEL AVAILABILITY CHECK TIME

It is preferred that the EUT report when it starts the radar channel availability check. If the EUT does not report the start of the check time, then the time to start transmitting on a channel after switching the device on is measured to approximate the time from power-on to the end of the channel availability check. The start of the channel availability check is assumed to be 60 seconds prior to the first transmission on the channel.

To evaluate the channel availability check, a single burst of one radar type is applied within the first 2 seconds of the start of the channel availability check and it is verified that the device does not use the channel by continuing to monitor the channel for a period of at least 60 seconds. The test is repeated by applying a burst of radar in the last 2 seconds (i.e. between 58 and 60 seconds after the start of CAC when evaluating a 60-second CAC) of the channel availability check.

UNIFORM LOADING

Compliance with the FCC's channel loading requirement is demonstrated through the manufacturer's operational description for the device under test.

TRANSMIT POWER CONTROL (TPC)

Compliance with the transmit power control requirements for devices is demonstrated through measurements showing multiple power levels and manufacturer statements explaining how the power control is implemented.

File: R98544 Rev 1 Page 27 of 133

SAMPLE CALCULATIONS

DETECTION PROBABILITY / SUCCESS RATE

The detection probability, or success rate, for any one radar waveform equals the number of successful trials divided by the total number of trials for that waveform.

In the case of the FCC requirements, for radar waveform types 1 through 4 an additional calculation is made to determine the average detection probability over all four radar waveform types. This calculation is the arithmetic mean of the four individual probabilities.

THRESHOLD LEVEL

The threshold level is the level of the simulated radar waveform at the EUT's antenna. If the test is performed in a conducted fashion then the level at the rf input equals the level at the antenna plus the gain of the antenna assembly, in dBi. The gain of the antenna assembly equals the gain of the antenna minus the loss of the cabling between the rf input and the antenna. The lowest gain value for all antenna assemblies intended for use with the device is used when making this calculation.

If the test is performed using the radiated method then the threshold level is the level at the antenna.

File: R98544 Rev 1 Page 28 of 133

Report Date: June 15, 2015

Appendix A Test Equipment Calibration Data

<u>Manufacturer</u>	<u>Description</u>	Model #	Asset #	Cal Due
Hewlett Packard	EMC Spectrum Analyzer, 9 kHz - 6.5 GHz	8593EM	787	18-Aug-15
ETS Lindgren	Antenna, Horn, 1-18 GHz	3117	1662	04-Jun-16
Agilent Technologies	PSG, Vector Signal Generator, (250kHz - 20GHz)	E8267C	1877	19-Jun-15
Tektronix	500MHz, 2CH, 5GS/s Scope	TDS5052B	2118	30-Oct-15

File: R98544 Rev 1 Page 29 of 133

Appendix B Test Data Tables for Radar Detection Probability

The plot below shows the channel loading during testing as evaluated over a 2 second period. The traffic was generated by FCC video file.




Figure 9 Channel Utilization During In-Service Detection Measurements (20MHz)




Figure 10 Channel Utilization During In-Service Detection Measurements (40MHz)

File: R98544 Rev 1 Page 30 of 133




Figure 11 Channel Utilization During In-Service Detection Measurements (80MHz)

File: R98544 Rev 1 Page 31 of 133

Table 7 - Detection Bandwidth Measurements (Bandwidth: +10MHz/-10MHz) n20										
EUT Frequency	Radar Type	Radar Frequency	# Detected	# Not Detected	Success (%)					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5489.00 MHz	1	2	33					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5490.00 MHz	10	0	100					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5491.00 MHz	10	0	100					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5492.00 MHz	10	0	100					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5493.00 MHz	10	0	100					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5494.00 MHz	10	0	100					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5495.00 MHz	10	0	100					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5500.00 MHz	10	0	100					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5505.00 MHz	10	0	100					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5506.00 MHz	10	0	100					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5507.00 MHz	10	0	100					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5508.00 MHz	10	0	100					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5509.00 MHz	10	0	100					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5510.00 MHz	10	0	100					
5500.00 MHz	FCC Short Pulse Radar (Type 0)	5511.00 MHz	2	2	50					

Table 8 - Summary of All Results n20									
Waveform Name	Pd (%)	Pd Required (%)	Number of Trials	Status					
FCC Short Pulse Radar (Type 1A)	100.0 %	60.0 %	15	PASSED					
FCC Short Pulse Radar (Type 1B)	100.0 %	60.0 %	15	PASSED					
FCC Short Pulse Radar (Type 2)	100.0 %	60.0 %	30	PASSED					
FCC Short Pulse Radar (Type 3)	93.3 %	60.0 %	30	PASSED					
FCC Short Pulse Radar (Type 4)	86.7 %	60.0 %	30	PASSED					
Aggregate of above results	95.0 %	80.0 %	120	PASSED					
FCC frequency hopping radar (Type 6)	97.6 %	70.0 %	42	PASSED					
Long Sequence	96.7 %	80.0 %	30	PASSED					

File: R98544 Rev 1 Page 32 of 133

	Table 9 - FCC Short Pulse Radar (Type 1A) Results n20										
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information					
1	78	1.0	678.0	Yes	5500.0MHz, -64.0dBm	Single burst					
2	59	1.0	898.0	Yes	5495.0MHz, -64.0dBm	Single burst					
3	76	1.0	698.0	Yes	5505.0MHz, -64.0dBm	Single burst					
4	63	1.0	838.0	Yes	5500.0MHz, -64.0dBm	Single burst					
5	67	1.0	798.0	Yes	5495.0MHz, -64.0dBm	Single burst					
6	83	1.0	638.0	Yes	5505.0MHz, -64.0dBm	Single burst					
7	62	1.0	858.0	Yes	5500.0MHz, -64.0dBm	Single burst					
8	68	1.0	778.0	Yes	5495.0MHz, -64.0dBm	Single burst					
9	92	1.0	578.0	Yes	5505.0MHz, -64.0dBm	Single burst					
10	65	1.0	818.0	Yes	5500.0MHz, -64.0dBm	Single burst					
11	81	1.0	658.0	Yes	5495.0MHz, -64.0dBm	Single burst					
12	89	1.0	598.0	Yes	5505.0MHz, -64.0dBm	Single burst					
13	99	1.0	538.0	Yes	5500.0MHz, -64.0dBm	Single burst					
14	57	1.0	938.0	Yes	5495.0MHz, -64.0dBm	Single burst					
15	61	1.0	878.0	Yes	5505.0MHz, -64.0dBm	Single burst					

	Table 10 - FCC Short Pulse Radar (Type 1B) Results n20										
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information					
1	30	1.0	1774.0	Yes	5500.0MHz, -64.0dBm	Single burst					
2	27	1.0	1965.0	Yes	5495.0MHz, -64.0dBm	Single burst					
3	59	1.0	899.0	Yes	5505.0MHz, -64.0dBm	Single burst					
4	32	1.0	1681.0	Yes	5500.0MHz, -64.0dBm	Single burst					
5	36	1.0	1480.0	Yes	5495.0MHz, -64.0dBm	Single burst					
6	40	1.0	1327.0	Yes	5505.0MHz, -64.0dBm	Single burst					
7	94	1.0	566.0	Yes	5500.0MHz, -64.0dBm	Single burst					
8	20	1.0	2705.0	Yes	5495.0MHz, -64.0dBm	Single burst					
9	33	1.0	1603.0	Yes	5505.0MHz, -64.0dBm	Single burst					
10	28	1.0	1893.0	Yes	5500.0MHz, -64.0dBm	Single burst					
11	33	1.0	1625.0	Yes	5495.0MHz, -64.0dBm	Single burst					
12	19	1.0	2828.0	Yes	5505.0MHz, -64.0dBm	Single burst					
13	33	1.0	1618.0	Yes	5500.0MHz, -64.0dBm	Single burst					
14	89	1.0	597.0	Yes	5495.0MHz, -64.0dBm	Single burst					
15	28	1.0	1909.0	Yes	5505.0MHz, -64.0dBm	Single burst					

File: R98544 Rev 1 Page 33 of 133

	Table 11 - FCC Short Pulse Radar (Type 2) Results n20										
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information					
1	28	4.3	194.0	Yes	5500.0MHz, -64.0dBm	Single burst					
2	24	4.8	166.0	Yes	5495.0MHz, -64.0dBm	Single burst					
3	24	2.4	161.0	Yes	5505.0MHz, -64.0dBm	Single burst					
4	28	4.8	210.0	Yes	5500.0MHz, -64.0dBm	Single burst					
5	28	3.2	186.0	Yes	5495.0MHz, -64.0dBm	Single burst					
6	26	4.1	223.0	Yes	5505.0MHz, -64.0dBm	Single burst					
7	29	1.3	157.0	Yes	5500.0MHz, -64.0dBm	Single burst					
8	27	2.1	187.0	Yes	5495.0MHz, -64.0dBm	Single burst					
9	29	3.8	159.0	Yes	5505.0MHz, -64.0dBm	Single burst					
10	24	4.1	190.0	Yes	5500.0MHz, -64.0dBm	Single burst					
11	24	3.5	177.0	Yes	5495.0MHz, -64.0dBm	Single burst					
12	28	2.2	200.0	Yes	5505.0MHz, -64.0dBm	Single burst					
13	25	1.3	178.0	Yes	5500.0MHz, -64.0dBm	Single burst					
14	24	2.6	164.0	Yes	5495.0MHz, -64.0dBm	Single burst					
15	25	4.5	225.0	Yes	5505.0MHz, -64.0dBm	Single burst					
16	28	1.9	207.0	Yes	5500.0MHz, -64.0dBm	Single burst					
17	26	1.5	199.0	Yes	5495.0MHz, -64.0dBm	Single burst					
18	26	1.6	182.0	Yes	5505.0MHz, -64.0dBm	Single burst					
19	26	2.7	215.0	Yes	5500.0MHz, -64.0dBm	Single burst					
20	26	1.3	155.0	Yes	5495.0MHz, -64.0dBm	Single burst					
21	27	1.2	229.0	Yes	5505.0MHz, -64.0dBm	Single burst					
22	28	1.6	159.0	Yes	5500.0MHz, -64.0dBm	Single burst					
23	24	4.0	173.0	Yes	5495.0MHz, -64.0dBm	Single burst					
24	28	2.8	221.0	Yes	5505.0MHz, -64.0dBm	Single burst					
25	25	2.5	204.0	Yes	5500.0MHz, -64.0dBm	Single burst					
26	25	3.0	193.0	Yes	5495.0MHz, -64.0dBm	Single burst					
27	26	2.6	220.0	Yes	5505.0MHz, -64.0dBm	Single burst					
28	24	1.5	228.0	Yes	5500.0MHz, -64.0dBm	Single burst					
29	25	1.9	225.0	Yes	5495.0MHz, -64.0dBm	Single burst					
30	26	1.8	183.0	Yes	5505.0MHz, -64.0dBm	Single burst					

File: R98544 Rev 1 Page 34 of 133

Table 12 - FCC Short Pulse Radar (Type 3) Results n20									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
1	17	8.8	431.0	Yes	5500.0MHz, -64.0dBm	Single burst			
2	17	8.6	476.0	Yes	5495.0MHz, -64.0dBm	Single burst			
3	17	8.1	234.0	Yes	5505.0MHz, -64.0dBm	Single burst			
4	17	7.3	396.0	Yes	5500.0MHz, -64.0dBm	Single burst			
5	16	6.4	477.0	Yes	5495.0MHz, -64.0dBm	Single burst			
6	18	6.8	459.0	Yes	5505.0MHz, -64.0dBm	Single burst			
7	18	7.2	279.0	Yes	5500.0MHz, -64.0dBm	Single burst			
8	17	9.7	401.0	Yes	5495.0MHz, -64.0dBm	Single burst			
9	17	7.9	325.0	Yes	5505.0MHz, -64.0dBm	Single burst			
10	16	8.8	323.0	No	5500.0MHz, -64.0dBm	Single burst			
11	17	7.6	411.0	Yes	5495.0MHz, -64.0dBm	Single burst			
12	18	7.7	375.0	Yes	5505.0MHz, -64.0dBm	Single burst			
13	18	6.9	489.0	Yes	5500.0MHz, -64.0dBm	Single burst			
14	17	8.6	421.0	Yes	5495.0MHz, -64.0dBm	Single burst			
15	17	6.7	371.0	Yes	5505.0MHz, -64.0dBm	Single burst			
16	16	6.4	480.0	Yes	5500.0MHz, -64.0dBm	Single burst			
17	17	8.8	342.0	No	5495.0MHz, -64.0dBm	Single burst			
18	17	9.1	264.0	Yes	5505.0MHz, -64.0dBm	Single burst			
19	17	6.0	316.0	Yes	5500.0MHz, -64.0dBm	Single burst			
20	17	9.6	218.0	Yes	5495.0MHz, -64.0dBm	Single burst			
21	17	6.6	277.0	Yes	5505.0MHz, -64.0dBm	Single burst			
22	16	6.3	334.0	Yes	5500.0MHz, -64.0dBm	Single burst			
23	17	8.4	230.0	Yes	5495.0MHz, -64.0dBm	Single burst			
24	17	6.4	342.0	Yes	5505.0MHz, -64.0dBm	Single burst			
25	16	6.7	470.0	Yes	5500.0MHz, -64.0dBm	Single burst			
26	18	8.0	373.0	Yes	5495.0MHz, -64.0dBm	Single burst			
27	17	6.6	429.0	Yes	5505.0MHz, -64.0dBm	Single burst			
28	17	7.1	367.0	Yes	5500.0MHz, -64.0dBm	Single burst			
29	16	8.6	238.0	Yes	5495.0MHz, -64.0dBm	Single burst			
30	16	7.0	393.0	Yes	5505.0MHz, -64.0dBm	Single burst			

File: R98544 Rev 1 Page 35 of 133

Table 13 - FCC Short Pulse Radar (Type 4) Results n20									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
1	14	14.1	387.0	Yes	5500.0MHz, -64.0dBm	Single burst			
2	15	15.2	338.0	No	5495.0MHz, -64.0dBm	Single burst			
3	16	13.7	392.0	Yes	5505.0MHz, -64.0dBm	Single burst			
4	13	17.1	422.0	Yes	5500.0MHz, -64.0dBm	Single burst			
5	13	11.1	244.0	Yes	5495.0MHz, -64.0dBm	Single burst			
6	13	11.8	236.0	Yes	5505.0MHz, -64.0dBm	Single burst			
7	14	12.5	461.0	Yes	5500.0MHz, -64.0dBm	Single burst			
8	16	15.5	277.0	No	5495.0MHz, -64.0dBm	Single burst			
9	14	12.6	379.0	Yes	5505.0MHz, -64.0dBm	Single burst			
10	12	19.4	202.0	Yes	5500.0MHz, -64.0dBm	Single burst			
11	12	11.7	247.0	Yes	5495.0MHz, -64.0dBm	Single burst			
12	16	13.9	273.0	Yes	5505.0MHz, -64.0dBm	Single burst			
13	13	11.1	436.0	Yes	5500.0MHz, -64.0dBm	Single burst			
14	16	17.4	490.0	Yes	5495.0MHz, -64.0dBm	Single burst			
15	15	13.2	460.0	Yes	5505.0MHz, -64.0dBm	Single burst			
16	14	19.8	411.0	Yes	5500.0MHz, -64.0dBm	Single burst			
17	12	14.0	402.0	Yes	5495.0MHz, -64.0dBm	Single burst			
18	15	14.9	397.0	No	5505.0MHz, -64.0dBm	Single burst			
19	16	13.8	224.0	Yes	5500.0MHz, -64.0dBm	Single burst			
20	16	15.9	374.0	Yes	5495.0MHz, -64.0dBm	Single burst			
21	13	19.1	295.0	Yes	5505.0MHz, -64.0dBm	Single burst			
22	15	11.1	218.0	Yes	5500.0MHz, -64.0dBm	Single burst			
23	15	17.1	312.0	Yes	5495.0MHz, -64.0dBm	Single burst			
24	16	17.0	338.0	Yes	5505.0MHz, -64.0dBm	Single burst			
25	12	13.4	298.0	Yes	5500.0MHz, -64.0dBm	Single burst			
26	12	18.6	217.0	Yes	5495.0MHz, -64.0dBm	Single burst			
27	15	12.5	272.0	Yes	5505.0MHz, -64.0dBm	Single burst			
28	15	12.2	231.0	Yes	5500.0MHz, -64.0dBm	Single burst			
29	13	17.1	278.0	Yes	5495.0MHz, -64.0dBm	Single burst			
30	12	14.9	443.0	No	5505.0MHz, -64.0dBm	Single burst			

File: R98544 Rev 1 Page 36 of 133

		Table	e 14 - FC	C frequency	hopping radar (Type 6) Results n20
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
1	9	1.0	333.0	Yes	5509.0MHz, -64.0dBm	Hop sequence: 5516, 5434, 5515, 5713, 5332, 5461, 5594, 5435, 5314, 5343, 5458, 5450, 5299, 5627, 5400, 5414, 5558, 5408, 5556, 5704, 5567, 5258, 5432, 5692, 5625, 5392, 5534, 5401, 5384, 5631, 5598, 5347, 5499, 5415, 5446, 5302, 5687, 5527, 5385, 5583, 5396, 5725, 5613, 5371, 5642, 5393, 5528, 5439, 5705, 5404, 5618, 5660, 5271, 5524, 5379, 5354, 5329, 5380, 5335, 5576, 5487, 5275, 5623, 5374, 5635, 5505, 5341, 5464, 5257, 5549, 5382, 5591, 5601, 5362, 5539, 5428, 5650, 5707, 5364, 5550, 5356, 5313, 5494, 5533, 5634, 5502, 5669, 5402, 5333, 5423, 5322, 5622, 5538, 5659, 5663, 5563, 5566, 5656, 5540, 5407 (4 hits)
2	9	1.0	333.0	Yes	5510.0MHz, -64.0dBm	Hop sequence: 5413, 5394, 5428, 5354, 5269, 5661, 5550, 5491, 5314, 5298, 5395, 5396, 5374, 5704, 5628, 5570, 5477, 5463, 5567, 5591, 5257, 5333, 5353, 5351, 5321, 5441, 5343, 5253, 5612, 5680, 5543, 5639, 5375, 5398, 5412, 5481, 5318, 5717, 5530, 5622, 5561, 5623, 5719, 5322, 5462, 5664, 5478, 5425, 5458, 5583, 5336, 5340, 5662, 5584, 5352, 5677, 5540, 5595, 5364, 5448, 5489, 5349, 5565, 5621, 5459, 5369, 5712, 5355, 5512, 5624, 5632, 5553, 5277, 5511, 5571, 5376, 5598, 5308, 5663, 5461, 5548, 5326, 5569, 5294, 5307, 5346, 5513, 5517, 5278, 5497, 5454, 5671, 5493, 5556, 5560, 5534, 5335, 5710, 5272, 5282 (3 hits)
3	9	1.0	333.0	Yes	5490.0MHz, -64.0dBm	Hop sequence: 5256, 5670, 5400, 5261, 5432, 5407, 5351, 5277, 5354, 5327, 5347, 5356, 5520, 5547, 5592, 5265, 5665, 5725, 5291, 5656, 5611, 5534, 5403, 5402, 5500, 5499, 5433, 5558, 5331, 5657, 5285, 5426, 5543, 5287, 5527, 5443, 5519, 5445, 5528, 5412, 5707, 5344, 5692, 5713, 5668, 5722, 5353, 5648, 5329, 5695, 5413, 5279, 5566, 5625, 5659, 5683, 5372, 5381, 5252, 5542, 5488, 5716, 5377, 5651, 5703, 5463, 5260, 5312, 5440, 5617, 5345, 5506, 5652, 5595, 5585, 5718, 5661, 5461, 5539, 5599, 5480, 5454, 5572, 5641, 5646, 5552, 5360, 5462, 5671, 5483, 5315, 5326, 5714, 5624, 5302, 5694, 5379, 5504, 5644, 5418 (4 hits)
4	9	1.0	333.0	Yes	5491.0MHz, -64.0dBm	Hop sequence: 5662, 5550, 5316, 5363, 5599, 5501, 5674, 5683, 5441, 5330, 5378, 5685, 5710, 5581, 5583, 5472, 5406, 5309, 5413, 5412, 5607, 5452, 5506, 5557, 5256, 5579, 5707, 5437, 5680, 5705, 5264, 5536, 5469, 5374, 5632, 5382, 5584, 5349, 5640, 5340, 5468, 5492, 5675, 5430, 5695, 5522, 5591, 5391, 5617, 5343, 5399, 5287, 5660, 5677, 5439, 5638, 5274, 5529, 5644, 5634, 5447, 5400, 5605, 5713, 5631, 5444, 5323, 5626, 5396, 5284, 5514, 5575, 5686, 5509, 5569, 5645, 5270, 5356, 5408, 5420, 5276, 5333, 5602, 5500, 5641, 5548, 5706, 5367, 5565, 5720, 5597, 5423, 5370, 5292, 5322, 5520, 5315, 5401, 5355, 5504 (6 hits)
5	9	1.0	333.0	Yes	5492.0MHz, -64.0dBm	Hop sequence: 5589, 5469, 5404, 5646, 5281, 5268, 5410, 5626, 5693, 5440, 5406, 5478, 5458, 5364, 5617, 5651, 5378, 5278, 5446, 5696, 5300, 5588, 5473, 5428, 5539, 5610, 5420, 5315, 5724, 5271, 5575, 5286, 5442, 5467, 5595, 5620, 5366, 5630, 5320, 5459, 5280, 5434, 5665, 5666, 5624, 5566, 5691, 5327, 5712, 5489, 5561, 5612, 5360, 5510, 5491, 5317, 5650, 5451, 5363, 5496, 5423, 5493, 5390, 5498, 5641, 5354, 5465, 5570, 5717, 5679, 5723, 5468, 5602, 5379, 5294, 5347, 5411, 5678, 5707, 5414, 5533, 5332, 5370, 5254, 5716, 5644, 5367, 5290, 5703, 5394, 5304, 5674, 5700, 5645, 5522, 5267, 5565, 5637, 5348, 5664 (5 hits)
6	9	1.0	333.0	Yes	5493.0MHz,	Hop sequence: 5327, 5344, 5274, 5519, 5315, 5292, 5485, 5539, 5650, 5478, 5518, 5570, 5431, 5678,

File: R98544 Rev 1 Page 37 of 133

		Table	e 14 - FC	C frequency	hopping radar (Type 6) Results n20
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
					-64.0dBm	5493, 5415, 5386, 5606, 5422, 5373, 5613, 5658, 5649, 5592, 5611, 5331, 5258, 5529, 5581, 5587, 5615, 5637, 5328, 5299, 5647, 5511, 5356, 5289, 5509, 5551, 5724, 5384, 5449, 5616, 5627, 5503, 5580, 5364, 5301, 5659, 5721, 5489, 5554, 5412, 5318, 5513, 5601, 5329, 5662, 5377, 5567, 5354, 5598, 5574, 5633, 5259, 5604, 5557, 5284, 5576, 5618, 5540, 5674, 5447, 5691, 5656, 5679, 5534, 5267, 5707, 5350, 5577, 5365, 5712, 5276, 5480, 5652, 5443, 5492, 5468, 5651, 5617, 5375, 5591, 5672, 5271, 5498, 5585, 5326, 5537 (5 hits)
7	9	1.0	333.0	Yes	5494.0MHz, -64.0dBm	Hop sequence: 5525, 5365, 5259, 5628, 5375, 5703, 5479, 5369, 5700, 5551, 5255, 5403, 5576, 5472, 5258, 5665, 5563, 5311, 5602, 5603, 5453, 5497, 5650, 5386, 5368, 5610, 5408, 5306, 5717, 5594, 5439, 5638, 5561, 5600, 5720, 5560, 5404, 5292, 5257, 5612, 5449, 5707, 5338, 5356, 5695, 5406, 5614, 5318, 5264, 5483, 5639, 5300, 5598, 5664, 5302, 5397, 5672, 5657, 5501, 5626, 5474, 5471, 5275, 5682, 5288, 5333, 5663, 5437, 5440, 5250, 5458, 5409, 5446, 5588, 5349, 5718, 5599, 5624, 5677, 5426, 5457, 5351, 5569, 5391, 5515, 5567, 5649, 5447, 5506, 5346, 5571, 5604, 5309, 5286, 5701, 5336, 5337, 5414, 5390, 5512 (3 hits)
8	9	1.0	333.0	Yes	5495.0MHz, -64.0dBm	Hop sequence: 5504, 5532, 5369, 5359, 5687, 5347, 5565, 5530, 5660, 5579, 5718, 5511, 5316, 5283, 5705, 5297, 5545, 5310, 5466, 5489, 5537, 5435, 5375, 5293, 5723, 5610, 5490, 5295, 5623, 5547, 5470, 5527, 5495, 5586, 5558, 5461, 5402, 5694, 5559, 5571, 5256, 5372, 5412, 5721, 5303, 5616, 5661, 5515, 5581, 5706, 5471, 5284, 5383, 5480, 5382, 5597, 5553, 5286, 5299, 5430, 5485, 5596, 5278, 5326, 5459, 5423, 5350, 5252, 5499, 5398, 5683, 5704, 5607, 5544, 5273, 5634, 5524, 5619, 5513, 5259, 5725, 5476, 5601, 5253, 5442, 5692, 5345, 5302, 5394, 5298, 5429, 5309, 5344, 5399, 5510, 5274, 5389, 5670, 5594 (5 hits)
9	9	1.0	333.0	Yes	5496.0MHz, -64.0dBm	Hop sequence: 5710, 5539, 5569, 5535, 5511, 5463, 5274, 5324, 5579, 5685, 5394, 5317, 5720, 5251, 5527, 5462, 5660, 5577, 5719, 5378, 5276, 5391, 5690, 5456, 5264, 5327, 5644, 5520, 5287, 5671, 5306, 5536, 5639, 5490, 5650, 5621, 5340, 5347, 5574, 5338, 5717, 5482, 5628, 5465, 5373, 5654, 5528, 5303, 5268, 5695, 5543, 5402, 5529, 5518, 5354, 5575, 5487, 5627, 5312, 5657, 5328, 5313, 5337, 5270, 5310, 5357, 5445, 5472, 5258, 5659, 5606, 5589, 5405, 5322, 5544, 5615, 5561, 5495, 5289, 5412, 5284, 5298, 5610, 5362, 5460, 5458, 5265, 5326, 5608, 5254, 5593, 5410, 5548, 5273, 5469, 5311, 5513, 5396, 5407, 5366 (2 hits)
10	9	1.0	333.0	Yes	5497.0MHz, -64.0dBm	Hop sequence: 5511, 5678, 5345, 5307, 5502, 5692, 5578, 5567, 5539, 5606, 5589, 5621, 5527, 5268, 5299, 5544, 5411, 5344, 5623, 5600, 5706, 5590, 5459, 5505, 5323, 5432, 5694, 5327, 5702, 5475, 5674, 5263, 5661, 5366, 5409, 5371, 5512, 5418, 5550, 5615, 5420, 5602, 5334, 5288, 5522, 5318, 5635, 5581, 5630, 5532, 5350, 5479, 5541, 5442, 5572, 5487, 5566, 5253, 5354, 5330, 5689, 5637, 5452, 5341, 5449, 5558, 5619, 5717, 5691, 5348, 5549, 5697, 5458, 5431, 5591, 5568, 5710, 5625, 5547, 5389, 5397, 5601, 5347, 5402, 5676, 5654, 5430, 5607, 5470, 5483, 5701, 5337, 5688, 5611, 5352, 5494, 5718, 5518, 5482, 5534 (3 hits)
11	9	1.0	333.0	Yes	5498.0MHz, -64.0dBm	Hop sequence: 5319, 5492, 5710, 5601, 5669, 5257, 5449, 5660, 5480, 5618, 5559, 5667, 5477, 5437, 5366, 5616, 5393, 5424, 5417, 5473, 5478, 5537, 5309, 5664, 5352, 5476, 5390, 5266, 5548, 5404, 5681, 5615, 5572, 5391, 5593, 5502, 5573, 5351,

File: R98544 Rev 1 Page 38 of 133

		Tabl	e 14 - FC	C frequency	hopping radar (Type 6) Results n20
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5714, 5411, 5534, 5709, 5663, 5488, 5443, 5358, 5471, 5531, 5302, 5603, 5412, 5464, 5392, 5707, 5617, 5291, 5279, 5431, 5294, 5479, 5457, 5579, 5704, 5469, 5544, 5722, 5538, 5403, 5611, 5263, 5712, 5270, 5685, 5726, 5281, 5407, 5344, 5330, 5290, 5689, 5386, 5482, 5313, 5634, 5370, 5644, 5546, 5568, 5317, 5453, 5659, 5274, 5278, 5602, 5560, 5261, 5676, 5463, 5347, 5399 (2 hits)
12	9	1.0	333.0	Yes	5499.0MHz, -64.0dBm	Hop sequence: 5693, 5457, 5412, 5268, 5300, 5437, 5296, 5376, 5484, 5516, 5549, 5458, 5333, 5625, 5409, 5648, 5363, 5420, 5397, 5293, 5674, 5384, 5379, 5632, 5561, 5684, 5499, 5638, 5503, 5533, 5535, 5435, 5718, 5617, 5629, 5283, 5678, 5555, 5545, 5444, 5717, 5558, 5310, 5309, 5421, 5302, 5289, 5474, 5438, 5254, 5418, 5635, 5439, 5403, 5382, 5377, 5389, 5651, 5506, 5587, 5291, 5317, 5319, 5390, 5265, 5668, 5465, 5515, 5292, 5529, 5642, 5401, 5256, 5264, 5586, 5644, 5336, 5708, 5282, 5470, 5443, 5531, 5610, 5327, 5522, 5425, 5385, 5479, 5326, 5252, 5524, 5275, 5261, 5682, 5346, 5286, 5313, 5301, 5577, 5657 (3 hits)
13	9	1.0	333.0	Yes	5500.0MHz, -64.0dBm	Hop sequence: 5401, 5638, 5506, 5485, 5584, 5626, 5272, 5508, 5328, 5585, 5709, 5297, 5389, 5476, 5456, 5373, 5342, 5706, 5367, 5562, 5529, 5686, 5408, 5619, 5539, 5514, 5399, 5261, 5678, 5710, 5451, 5618, 5615, 5354, 5338, 5640, 5535, 5492, 5322, 5325, 5571, 5525, 5453, 5653, 5684, 5329, 5254, 5655, 5680, 5679, 5720, 5671, 5330, 5606, 5465, 5587, 5452, 5713, 5278, 5531, 5482, 5512, 5544, 5275, 5502, 5319, 5431, 5500, 5504, 5637, 5495, 5444, 5276, 5659, 5479, 5534, 5253, 5470, 5549, 5306, 5363, 5646, 5455, 5372, 5668, 5477, 5349, 5371, 5588, 5424, 5459, 5392, 5699, 5598, 5718, 5717, 5386, 5320, 5612, 5651 (7 hits)
14	9	1.0	333.0	Yes	5501.0MHz, -64.0dBm	Hop sequence: 5316, 5310, 5496, 5553, 5520, 5566, 5323, 5552, 5376, 5521, 5377, 5562, 5586, 5527, 5426, 5254, 5643, 5642, 5466, 5432, 5500, 5252, 5291, 5339, 5398, 5663, 5634, 5703, 5462, 5617, 5534, 5424, 5459, 5680, 5303, 5401, 5705, 5436, 5608, 5389, 5463, 5381, 5414, 5287, 5687, 5718, 5565, 5670, 5646, 5690, 5468, 5465, 5294, 5519, 5423, 5308, 5402, 5666, 5599, 5624, 5251, 5570, 5461, 5380, 5501, 5258, 5347, 5678, 5392, 5498, 5711, 5300, 5267, 5571, 5447, 5346, 5645, 5626, 5275, 5292, 5563, 5692, 5443, 5524, 5418, 5573, 5584, 5493, 5327, 5293, 5386, 5522, 5409, 5698, 5364, 5512, 5425, 5378, 5684, 5529 (5 hits)
15	9	1.0	333.0	No	5502.0MHz, -64.0dBm	Hop sequence: 5602, 5603, 5453, 5352, 5409, 5386, 5392, 5649, 5294, 5397, 5669, 5287, 5593, 5408, 5282, 5463, 5509, 5556, 5361, 5721, 5421, 5313, 5272, 5504, 5253, 5396, 5461, 5363, 5405, 5622, 5456, 5355, 5569, 5494, 5564, 5491, 5431, 5583, 5535, 5319, 5473, 5280, 5699, 5373, 5380, 5389, 5481, 5273, 5489, 5465, 5631, 5305, 5376, 5430, 5475, 5697, 5459, 5333, 5479, 5517, 5707, 5545, 5498, 5411, 5452, 5607, 5285, 5548, 5606, 5432, 5393, 5534, 5716, 5341, 5472, 5466, 5283, 5609, 5560, 5566, 5501, 5268, 5640, 5301, 5311, 5507, 5415, 5601, 5681, 5335, 5656, 5584, 5334, 5550, 5513, 5657, 5366, 5655, 5661, 5267 (7 hits)
16	9	1.0	333.0	Yes	5503.0MHz, -64.0dBm	Hop sequence: 5515, 5305, 5483, 5651, 5531, 5583, 5605, 5702, 5481, 5273, 5512, 5669, 5450, 5533, 5252, 5390, 5357, 5685, 5458, 5289, 5694, 5625, 5529, 5617, 5621, 5648, 5418, 5469, 5507, 5393, 5345, 5386, 5279, 5449, 5281, 5362, 5410, 5614, 5266, 5664, 5520, 5461, 5271, 5432, 5543, 5317, 5504, 5470, 5344, 5722, 5423, 5403, 5296, 5429, 5397, 5421, 5294, 5697, 5508, 5608, 5487, 5498,

File: R98544 Rev 1 Page 39 of 133

	Table 14 - FCC frequency hopping radar (Type 6) Results n20								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
	Barot	Witti (do)	(us)		iover (doin)	5699, 5326, 5262, 5272, 5477, 5713, 5654, 5307, 5278, 5323, 5643, 5682, 5314, 5379, 5525, 5312, 5516, 5674, 5568, 5405, 5261, 5622, 5255, 5595, 5270, 5293, 5657, 5431, 5687, 5698, 5719, 5267, 5426, 5349, 5596, 5372, 5269, 5721 (4 hits)			
17	9	1.0	333.0	Yes	5504.0MHz, -64.0dBm	Hop sequence: 5392, 5506, 5273, 5603, 5361, 5690, 5584, 5699, 5334, 5652, 5272, 5533, 5486, 5491, 5553, 5389, 5423, 5254, 5440, 5643, 5266, 5414, 5417, 5353, 5354, 5264, 5338, 5377, 5453, 5258, 5512, 5321, 5621, 5703, 5656, 5306, 5416, 5494, 5284, 5337, 5456, 5304, 5441, 5422, 5716, 5714, 5328, 5305, 5262, 5609, 5472, 5458, 5421, 5543, 5368, 5692, 5457, 5276, 5336, 5639, 5689, 5620, 5504, 5322, 5327, 5466, 5694, 5425, 5632, 5626, 5403, 5638, 5481, 5382, 5588, 5564, 5290, 5294, 5347, 5485, 5565, 5647, 5668, 5360, 5645, 5502, 5559, 5710, 5583, 5405, 5348, 5447, 5660, 5642, 5442, 5346, 5330, 5286, 5269, 5556 (5 hits)			
18	9	1.0	333.0	Yes	5505.0MHz, -64.0dBm	Hop sequence: 5630, 5642, 5483, 5725, 5497, 5644, 5305, 5722, 5255, 5460, 5598, 5478, 5473, 5347, 5423, 5600, 5421, 5522, 5377, 5669, 5412, 5437, 5654, 5409, 5687, 5401, 5317, 5666, 5623, 5452, 5652, 5443, 5354, 5671, 5442, 5346, 5295, 5445, 5348, 5572, 5625, 5645, 5254, 5720, 5648, 5693, 5566, 5539, 5703, 5285, 5694, 5650, 5518, 5251, 5568, 5559, 5286, 5629, 5400, 5297, 5641, 5675, 5352, 5417, 5465, 5391, 5274, 5283, 5635, 5397, 5690, 5540, 5408, 5656, 5665, 5301, 5395, 5519, 5282, 5705, 5599, 5269, 5683, 5293, 5291, 5448, 5371, 5426, 5321, 5464, 5553, 5611, 5349, 5651, 5662, 5304, 5717, 5258, 5716, 5430 (1 hits)			
19	9	1.0	333.0	Yes	5506.0MHz, -64.0dBm	Hop sequence: 5416, 5527, 5541, 5706, 5275, 5572, 5361, 5470, 5286, 5476, 5489, 5387, 5483, 5445, 5715, 5375, 5589, 5301, 5671, 5504, 5558, 5279, 5547, 5660, 5536, 5328, 5670, 5717, 5385, 5305, 5540, 5592, 5379, 5707, 5573, 5533, 5507, 5564, 5262, 5332, 5523, 5360, 5561, 5570, 5652, 5298, 5617, 5676, 5461, 5499, 5256, 5605, 5273, 5539, 5448, 5687, 5721, 5553, 5711, 5554, 5511, 5653, 5274, 5525, 5337, 5649, 5270, 5674, 5411, 5365, 5583, 5606, 5306, 5648, 5456, 5404, 5514, 5546, 5344, 5398, 5413, 5260, 5677, 5631, 5371, 5264, 5472, 5369, 5368, 5643, 5718, 5662, 5491, 5251, 5441, 5642, 5346, 5257, 5440, 5391 (4 hits)			
20	9	1.0	333.0	Yes	5507.0MHz, -64.0dBm	Hop sequence: 5379, 5361, 5346, 5692, 5638, 5453, 5354, 5472, 5338, 5332, 5603, 5716, 5422, 5263, 5351, 5262, 5412, 5401, 5255, 5505, 5444, 5419, 5563, 5677, 5569, 5400, 5277, 5330, 5625, 5493, 5561, 5410, 5710, 5554, 5358, 5436, 5675, 5499, 5497, 5481, 5613, 5642, 5574, 5476, 5353, 5538, 5266, 5473, 5454, 5649, 5576, 5628, 5383, 5276, 5309, 5636, 5596, 5305, 5293, 5479, 5389, 5683, 5428, 5643, 5559, 5368, 5440, 5619, 5432, 5579, 5411, 5348, 5477, 5488, 5487, 5585, 5288, 5669, 5485, 5690, 5593, 5416, 5670, 5522, 5311, 5512, 5282, 5714, 5261, 5687, 5415, 5509, 5417, 5482, 5492, 5545, 5718, 5355, 5640, 5250 (6 hits)			
21	9	1.0	333.0	Yes	5508.0MHz, -64.0dBm	Hop sequence: 5420, 5415, 5425, 5715, 5706, 5367, 5673, 5381, 5694, 5549, 5506, 5280, 5556, 5658, 5716, 5339, 5511, 5704, 5396, 5508, 5344, 5472, 5621, 5592, 5498, 5680, 5590, 5526, 5326, 5489, 5253, 5292, 5677, 5581, 5463, 5462, 5416, 5717, 5284, 5543, 5707, 5256, 5360, 5501, 5458, 5601, 5369, 5337, 5364, 5584, 5355, 5588, 5300, 5456, 5423, 5419, 5309, 5698, 5660, 5467, 5368, 5376, 5630, 5485, 5490, 5544, 5306, 5251, 5563, 5515, 5323, 5585, 5532, 5377, 5460, 5529, 5434, 5375, 5572, 5334, 5646, 5595, 5573, 5254, 5260, 5277,			

File: R98544 Rev 1 Page 40 of 133

File: R98544 Rev 1 Page 41 of 133

		Tabl	e 14 - FC	C frequency	hopping radar (Type 6) Results n20
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
					-64.0dBm	5462, 5595, 5695, 5573, 5537, 5279, 5512, 5544, 5494, 5627, 5289, 5655, 5650, 5615, 5286, 5528, 5532, 5662, 5274, 5389, 5657, 5545, 5406, 5309, 5619, 5645, 5708, 5361, 5726, 5609, 5624, 5466, 5470, 5542, 5436, 5391, 5707, 5257, 5661, 5616, 5626, 5584, 5454, 5698, 5618, 5517, 5477, 5720, 5254, 5636, 5509, 5518, 5490, 5273, 5465, 5590, 5445, 5589, 5315, 5310, 5523, 5713, 5360, 5458, 5565, 5398, 5469, 5251, 5673, 5551, 5706, 5471, 5526, 5380, 5387, 5374, 5622, 5344, 5524, 5639, 5505, 5649, 5456, 5577, 5612, 5304, 5515, 5325, 5546, 5271, 5294, 5365, 5492, 5674 (5 hits)
28	9	1.0	333.0	Yes	5494.0MHz, -64.0dBm	Hop sequence: 5346, 5521, 5696, 5448, 5551, 5424, 5713, 5586, 5516, 5623, 5528, 5353, 5601, 5361, 5267, 5385, 5337, 5493, 5490, 5370, 5379, 5605, 5409, 5359, 5334, 5473, 5399, 5602, 5378, 5306, 5505, 5350, 5649, 5427, 5660, 5629, 5674, 5718, 5295, 5254, 5374, 5683, 5487, 5256, 5357, 5465, 5655, 5664, 5333, 5437, 5445, 5470, 5708, 5526, 5607, 5308, 5657, 5408, 5636, 5638, 5347, 5461, 5577, 5513, 5707, 5288, 5354, 5584, 5650, 5701, 5381, 5500, 5474, 5639, 5392, 5326, 5589, 5270, 5263, 5618, 5257, 5677, 5579, 5287, 5721, 5363, 5371, 5502, 5678, 5342, 5704, 5366, 5614, 5383, 5519, 5667, 5694, 5608, 5690, 5319 (5 hits)
29	9	1.0	333.0	Yes	5495.0MHz, -64.0dBm	Hop sequence: 5663, 5347, 5469, 5684, 5383, 5576, 5406, 5481, 5465, 5527, 5548, 5328, 5697, 5480, 5549, 5260, 5389, 5455, 5272, 5725, 5289, 5699, 5391, 5381, 5630, 5521, 5650, 5451, 5665, 5397, 5554, 5702, 5287, 5610, 5588, 5642, 5618, 5592, 5573, 5616, 5485, 5317, 5572, 5594, 5479, 5578, 5685, 5438, 5689, 5547, 5651, 5265, 5379, 5664, 5472, 5380, 5277, 5345, 5497, 5536, 5390, 5707, 5492, 5696, 5452, 5652, 5717, 5441, 5520, 5602, 5298, 5334, 5560, 5546, 5386, 5644, 5368, 5329, 5405, 5296, 5445, 5467, 5679, 5622, 5649, 5575, 5515, 5372, 5414, 5267, 5653, 5686, 5424, 5280, 5537, 5504, 5448, 5307, 5691, 5275 (3 hits)
30	9	1.0	333.0	Yes	5496.0MHz, -64.0dBm	Hop sequence: 5689, 5642, 5369, 5675, 5351, 5668, 5578, 5704, 5673, 5604, 5660, 5636, 5648, 5697, 5672, 5418, 5674, 5669, 5337, 5293, 5402, 5665, 5341, 5279, 5302, 5440, 5380, 5720, 5625, 5343, 5277, 5308, 5719, 5640, 5511, 5393, 5269, 5339, 5436, 5273, 5631, 5354, 5324, 5723, 5575, 5368, 5400, 5649, 5707, 5654, 5698, 5298, 5309, 5544, 5261, 5421, 5630, 5478, 5549, 5513, 5250, 5471, 5438, 5488, 5492, 5419, 5303, 5262, 5519, 5328, 5507, 5307, 5267, 5616, 5475, 5333, 5390, 5490, 5444, 5623, 5528, 5280, 5360, 5683, 5506, 5570, 5652, 5476, 5447, 5372, 5595, 5555, 5352, 5257, 5406, 5525, 5585, 5596, 5650, 5559 (4 hits)
31	9	1.0	333.0	Yes	5497.0MHz, -64.0dBm	Hop sequence: 5273, 5614, 5450, 5331, 5473, 5543, 5476, 5259, 5370, 5700, 5523, 5508, 5367, 5400, 5393, 5391, 5541, 5526, 5388, 5694, 5300, 5414, 5486, 5667, 5294, 5704, 5582, 5443, 5610, 5272, 5605, 5278, 5559, 5607, 5491, 5478, 5639, 5361, 5308, 5724, 5323, 5254, 5369, 5305, 5594, 5277, 5590, 5547, 5682, 5350, 5587, 5427, 5578, 5536, 5315, 5307, 5510, 5711, 5505, 5306, 5586, 5395, 5544, 5402, 5576, 5351, 5516, 5377, 5716, 5618, 5592, 5380, 5465, 5503, 5406, 5449, 5417, 5706, 5415, 5525, 5643, 5514, 5652, 5573, 5343, 5714, 5482, 5624, 5355, 5373, 5666, 5620, 5265, 5719, 5563, 5303, 5283, 5520, 5650, 5686 (5 hits)
32	9	1.0	333.0	Yes	5498.0MHz, -64.0dBm	Hop sequence: 5683, 5367, 5400, 5494, 5704, 5355, 5698, 5315, 5522, 5386, 5272, 5551, 5600, 5580, 5555, 5691, 5675, 5481, 5636, 5666, 5262, 5552, 5264, 5629, 5462, 5529, 5530, 5674, 5695, 5493,

File: R98544 Rev 1 Page 42 of 133

		Tabl	e 14 - FC	C frequency	hopping radar (Type 6) Results n20
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5479, 5634, 5541, 5697, 5368, 5259, 5269, 5711, 5402, 5688, 5334, 5694, 5520, 5550, 5445, 5362, 5485, 5677, 5719, 5488, 5586, 5353, 5335, 5465, 5517, 5525, 5427, 5408, 5366, 5686, 5591, 5405, 5380, 5518, 5303, 5671, 5376, 5384, 5598, 5563, 5437, 5540, 5273, 5344, 5649, 5716, 5321, 5725, 5461, 5477, 5502, 5289, 5268, 5250, 5627, 5508, 5701, 5302, 5464, 5664, 5630, 5533, 5435, 5510, 5444, 5407, 5511, 5420, 5471, 5339 (5 hits)
33	9	1.0	333.0	Yes	5499.0MHz, -64.0dBm	Hop sequence: 5288, 5329, 5438, 5298, 5262, 5660, 5509, 5620, 5448, 5300, 5250, 5673, 5332, 5345, 5311, 5587, 5430, 5648, 5580, 5282, 5437, 5650, 5434, 5653, 5711, 5628, 5261, 5290, 5705, 5466, 5341, 5640, 5417, 5326, 5303, 5512, 5586, 5657, 5534, 5252, 5399, 5267, 5366, 5582, 5335, 5502, 5519, 5364, 5563, 5493, 5388, 5693, 5343, 5469, 5544, 5583, 5286, 5353, 5725, 5720, 5253, 5474, 5491, 5573, 5679, 5634, 5562, 5374, 5342, 5441, 5369, 5658, 5419, 5662, 5651, 5404, 5496, 5656, 5405, 5287, 5383, 5464, 5524, 5604, 5637, 5556, 5291, 5540, 5548, 5407, 5331, 5456, 5453, 5702, 5432, 5511, 5258, 5607, 5482, 5665 (5 hits)
34	9	1.0	333.0	Yes	5500.0MHz, -64.0dBm	Hop sequence: 5365, 5431, 5528, 5345, 5313, 5410, 5541, 5480, 5718, 5343, 5448, 5631, 5396, 5460, 5304, 5492, 5359, 5389, 5481, 5374, 5376, 5486, 5590, 5512, 5386, 5500, 5668, 5280, 5578, 5393, 5508, 5340, 5330, 5689, 5697, 5538, 5293, 5645, 5467, 5519, 5613, 5434, 5498, 5314, 5484, 5518, 5474, 5574, 5287, 5683, 5342, 5652, 5640, 5433, 5593, 5307, 5465, 5254, 5700, 5368, 5599, 5621, 5261, 5276, 5464, 5579, 5255, 5487, 5436, 5445, 5336, 5584, 5723, 5282, 5638, 5346, 5669, 5713, 5320, 5475, 5663, 5527, 5560, 5630, 5502, 5292, 5551, 5319, 5383, 5625, 5537, 5318, 5256, 5624, 5495, 5627, 5419, 5413, 5687, 5289 (6 hits)
35	9	1.0	333.0	Yes	5501.0MHz, -64.0dBm	Hop sequence: 5692, 5691, 5688, 5675, 5324, 5416, 5640, 5407, 5615, 5523, 5263, 5443, 5534, 5455, 5724, 5672, 5559, 5396, 5683, 5682, 5674, 5378, 5721, 5725, 5638, 5524, 5586, 5707, 5437, 5693, 5479, 5549, 5299, 5359, 5626, 5676, 5338, 5406, 5685, 5660, 5611, 5357, 5373, 5505, 5280, 5717, 5609, 5262, 5684, 5605, 5648, 5572, 5658, 5369, 5526, 5266, 5655, 5483, 5333, 5584, 5477, 5583, 5252, 5558, 5664, 5478, 5285, 5521, 5546, 5506, 5496, 5400, 5395, 5701, 5346, 5452, 5612, 5498, 5580, 5603, 5673, 5501, 5677, 5565, 5582, 5273, 5444, 5472, 5627, 5581, 5464, 5562, 5616, 5307, 5467, 5510, 5665, 5303, 5637, 5326 (6 hits)
36	9	1.0	333.0	Yes	5502.0MHz, -64.0dBm	Hop sequence: 5644, 5688, 5441, 5438, 5502, 5372, 5477, 5708, 5538, 5689, 5583, 5255, 5551, 5420, 5466, 5724, 5339, 5589, 5495, 5503, 5269, 5602, 5293, 5635, 5619, 5522, 5509, 5494, 5258, 5584, 5579, 5341, 5374, 5488, 5581, 5695, 5497, 5417, 5336, 5297, 5547, 5665, 5473, 5346, 5516, 5430, 5543, 5664, 5669, 5368, 5719, 5413, 5440, 5512, 5521, 5526, 5310, 5289, 5717, 5658, 5533, 5475, 5313, 5286, 5408, 5304, 5718, 5604, 5378, 5439, 5666, 5470, 5270, 5597, 5259, 5523, 5300, 5380, 5715, 5493, 5366, 5474, 5504, 5436, 5685, 5610, 5279, 5444, 5330, 5370, 5457, 5649, 5354, 5317, 5576, 5613, 5347, 5559, 5586, 5311 (8 hits)
37	9	1.0	333.0	Yes	5503.0MHz, -64.0dBm	Hop sequence: 5273, 5264, 5578, 5412, 5317, 5712, 5313, 5445, 5461, 5465, 5692, 5285, 5631, 5561, 5515, 5441, 5647, 5482, 5580, 5628, 5471, 5660, 5609, 5649, 5272, 5542, 5263, 5366, 5487, 5352, 5334, 5399, 5476, 5293, 5687, 5353, 5437, 5486, 5336, 5390, 5261, 5349, 5701, 5427, 5706, 5323, 5597, 5306, 5268, 5577, 5302, 5374, 5337, 5568,

File: R98544 Rev 1 Page 43 of 133

	Table 14 - FCC frequency hopping radar (Type 6) Results n20									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
	2000	(65)	(us)		io (uzii)	5296, 5529, 5657, 5463, 5550, 5274, 5477, 5606, 5699, 5446, 5564, 5472, 5674, 5344, 5589, 5670, 5499, 5483, 5513, 5526, 5522, 5319, 5280, 5622, 5533, 5585, 5520, 5671, 5287, 5626, 5276, 5574, 5346, 5378, 5668, 5379, 5295, 5451, 5467, 5538, 5419, 5700, 5617, 5281, 5527, 5485 (1 hits)				
38	9	1.0	333.0	Yes	5504.0MHz, -64.0dBm	Hop sequence: 5570, 5560, 5428, 5354, 5290, 5512, 5561, 5256, 5634, 5264, 5260, 5643, 5601, 5513, 5419, 5279, 5421, 5550, 5384, 5659, 5721, 5705, 5670, 5359, 5523, 5449, 5255, 5320, 5635, 5627, 5549, 5632, 5524, 5701, 5529, 5656, 5527, 5673, 5353, 5451, 5685, 5336, 5303, 5341, 5471, 5466, 5574, 5322, 5679, 5699, 5606, 5344, 5423, 5450, 5351, 5533, 5294, 5270, 5334, 5464, 5277, 5310, 5714, 5358, 5626, 5614, 5343, 5677, 5630, 5427, 5388, 5583, 5637, 5547, 5382, 5541, 5596, 5521, 5486, 5591, 5526, 5288, 5586, 5460, 5683, 5702, 5362, 5684, 5436, 5457, 5425, 5330, 5280, 5715, 5553, 5676, 5328, 5394, 5300, 5507 (1 hits)				
39	9	1.0	333.0	Yes	5505.0MHz, -64.0dBm	Hop sequence: 5349, 5326, 5296, 5712, 5586, 5354, 5484, 5304, 5448, 5480, 5361, 5694, 5550, 5598, 5311, 5661, 5268, 5404, 5515, 5365, 5635, 5683, 5631, 5618, 5563, 5292, 5588, 5558, 5401, 5275, 5439, 5335, 5584, 5392, 5702, 5670, 5555, 5560, 5348, 5306, 5518, 5476, 5337, 5486, 5406, 5397, 5600, 5393, 5435, 5540, 5418, 5470, 5265, 5677, 5638, 5336, 5668, 5287, 5445, 5714, 5505, 5572, 5619, 5547, 5362, 5490, 5475, 5273, 5438, 5262, 5724, 5291, 5331, 5573, 5315, 5353, 5637, 5385, 5434, 5549, 5473, 5386, 5630, 5646, 5309, 5523, 5613, 5367, 5281, 5488, 5543, 5633, 5408, 5514, 5293, 5360, 5305, 5504, 5705, 5531 (3 hits)				
40	9	1.0	333.0	Yes	5506.0MHz, -64.0dBm	Hop sequence: 5568, 5363, 5436, 5309, 5672, 5674, 5451, 5471, 5258, 5605, 5352, 5313, 5372, 5486, 5606, 5344, 5472, 5435, 5280, 5643, 5389, 5542, 5268, 5325, 5565, 5317, 5310, 5534, 5355, 5529, 5599, 5428, 5370, 5409, 5699, 5639, 5398, 5481, 5485, 5569, 5402, 5489, 5301, 5705, 5474, 5361, 5354, 5283, 5558, 5625, 5715, 5391, 5634, 5343, 5642, 5384, 5429, 5691, 5395, 5508, 5604, 5306, 5648, 5656, 5615, 5563, 5646, 5503, 5614, 5621, 5561, 5300, 5494, 5692, 5350, 5712, 5505, 5440, 5584, 5470, 5266, 5302, 5465, 5460, 5629, 5653, 5668, 5416, 5535, 5299, 5595, 5496, 5689, 5466, 5297, 5356, 5446, 5686, 5608, 5490, 5571 (6 hits)				
41	9	1.0	333.0	Yes	5507.0MHz, -64.0dBm	Hop sequence: 5578, 5664, 5319, 5602, 5482, 5513, 5612, 5254, 5725, 5583, 5334, 5494, 5705, 5580, 5707, 5629, 5404, 5493, 5309, 5416, 5465, 5364, 5307, 5498, 5635, 5401, 5379, 5616, 5340, 5723, 5430, 5656, 5383, 5435, 5637, 5300, 5702, 5294, 5596, 5439, 5601, 5342, 5460, 5495, 5429, 5651, 5713, 5644, 5499, 5320, 5517, 5531, 5394, 5487, 5392, 5555, 5341, 5446, 5524, 5374, 5609, 5542, 5504, 5295, 5541, 5276, 5423, 5505, 5403, 5274, 5363, 5549, 5595, 5701, 5655, 5642, 5684, 5622, 5561, 5347, 5415, 5250, 5704, 5480, 5338, 5571, 5492, 5641, 5696, 5570, 5448, 5474, 5554, 5628, 5418, 5469, 5478, 5522, 5673, 5422 (8 hits)				
42	9	1.0	333.0	Yes	5508.0MHz, -64.0dBm	Hop sequence: 5594, 5494, 5612, 5363, 5388, 5295, 5467, 5528, 5584, 5599, 5579, 5421, 5490, 5549, 5325, 5411, 5613, 5502, 5701, 5640, 5408, 5691, 5555, 5519, 5553, 5424, 5614, 5597, 5500, 5385, 5288, 5616, 5558, 5451, 5709, 5470, 5536, 5706, 5583, 5665, 5305, 5285, 5722, 5433, 5475, 5260, 5264, 5634, 5498, 5342, 5724, 5655, 5508, 5474, 5704, 5453, 5377, 5651, 5720, 5581, 5669, 5687, 5631, 5473, 5642, 5261, 5575, 5380, 5698, 5268, 5690, 5685, 5671, 5561, 5333, 5672, 5301, 5564,				

File: R98544 Rev 1 Page 44 of 133

Test Report Reissue Date: July 10, 2015 Report Date: June 15, 2015

	Table 14 - FCC frequency hopping radar (Type 6) Results n20								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
						5318, 5629, 5364, 5402, 5323, 5525, 5341, 5329, 5335, 5652, 5339, 5550, 5541, 5718, 5370, 5512, 5292, 5593, 5344, 5569, 5371, 5620 (6 hits)			

File: R98544 Rev 1 Page 45 of 133

Table 15 - Long Sequence Waveform Summary n20							
Long Sequence Trial	Result	Radar Frequency / Amplitude					
Trial #1	Detected	5500.0MHz, -64.0dBm					
Trial #2	Detected	5495.0MHz, -64.0dBm					
Trial #3	Detected	5505.0MHz, -64.0dBm					
Trial #4	Detected	5500.0MHz, -64.0dBm					
Trial #5	Detected	5495.0MHz, -64.0dBm					
Trial #6	Detected	5505.0MHz, -64.0dBm					
Trial #7	Detected	5500.0MHz, -64.0dBm					
Trial #8	Detected	5495.0MHz, -64.0dBm					
Trial #9	Detected	5505.0MHz, -64.0dBm					
Trial #10	Detected	5500.0MHz, -64.0dBm					
Trial #11	Detected	5495.0MHz, -64.0dBm					
Trial #12	Detected	5505.0MHz, -64.0dBm					
Trial #13	Detected	5500.0MHz, -64.0dBm					
Trial #14	Detected	5495.0MHz, -64.0dBm					
Trial #15	Detected	5505.0MHz, -64.0dBm					
Trial #16	Detected	5500.0MHz, -64.0dBm					
Trial #17	Detected	5495.0MHz, -64.0dBm					
Trial #18	Detected	5505.0MHz, -64.0dBm					
Trial #19	Detected	5500.0MHz, -64.0dBm					
Trial #20	NOT Detected	5495.0MHz, -64.0dBm					
Trial #21	Detected	5505.0MHz, -64.0dBm					
Trial #22	Detected	5500.0MHz, -64.0dBm					
Trial #23	Detected	5495.0MHz, -64.0dBm					
Trial #24	Detected	5505.0MHz, -64.0dBm					
Trial #25	Detected	5500.0MHz, -64.0dBm					
Trial #26	Detected	5495.0MHz, -64.0dBm					
Trial #27	Detected	5505.0MHz, -64.0dBm					
Trial #28	Detected	5500.0MHz, -64.0dBm					
Trial #29	Detected	5495.0MHz, -64.0dBm					
Trial #30	Detected	5505.0MHz, -64.0dBm					

	Table 16 - Long Sequence Waveform Trial#1 (Detected) n20								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	70.8	18	1253.0	-	0.663095			
2	3	76.1	6	1917.0	1967.0	1.097292			
3	2	73.9	12	1092.0	-	1.835304			
4	2	87.1	18	1833.0	-	2.797879			
5	2	85.6	14	1016.0	-	3.265603			
6	2	92.9	16	1472.0	-	3.984254			
7	2	71.7	6	1223.0	-	4.789337			
8	1	97.0	8	-	-	5.300868			
9	2	98.0	16	1039.0	-	6.066695			
10	1	90.1	8	-	=	7.437329			
11	1	70.4	17	-	-	7.539109			
12	1	54.9	15	-	-	8.867522			
13	3	58.6	14	1893.0	1456.0	9.535283			
14	3	61.6	12	1914.0	1614.0	10.351203			
15	3	53.6	14	1954.0	1891.0	10.728363			
16	2	80.9	10	1211.0	-	11.751584			

File: R98544 Rev 1 Page 46 of 133

Report Date: June 15, 2015

	Table 17 - Long Sequence Waveform Trial#2 (Detected) n20								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	89.7	15	1777.0	1059.0	0.683048			
2	2	74.7	19	1929.0	-	2.346360			
3	2	52.3	14	1862.0	-	2.924102			
4	2	69.4	15	1970.0	-	3.778452			
5	2	84.6	14	1065.0	-	5.505843			
6	3	71.4	8	1027.0	1561.0	6.707773			
7	2	77.5	8	1645.0	-	7.606190			
8	3	97.5	5	1326.0	1520.0	8.479549			
9	3	86.4	7	1299.0	1164.0	10.613964			
10	2	83.2	18	1343.0	-	11.378348			

	Table 18 - Long Sequence Waveform Trial#3 (Detected) n20									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	51.6	11	1867.0	-	0.255200				
2	1	86.8	7	-	-	0.895935				
3	2	77.3	16	1683.0	-	2.099704				
4	3	95.6	17	1133.0	1117.0	2.454249				
5	1	73.8	17	-	-	3.417979				
6	1	90.9	11	-	-	3.922637				
7	1	69.4	18	-	-	4.953851				
8	2	78.8	8	1156.0	-	5.916919				
9	2	87.7	16	1909.0	-	6.717316				
10	3	77.6	18	1620.0	1419.0	7.230805				
11	2	96.8	6	1297.0	-	7.968206				
12	2	50.5	11	1184.0	-	8.940682				
13	1	94.8	15	-	-	9.171922				
14	2	86.9	13	1270.0	-	10.389317				
15	2	96.5	19	1366.0	-	11.194783				
16	2	81.8	12	1083.0	-	11.684990				

	Table 19 - Long Sequence Waveform Trial#4 (Detected) n20							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	1	77.1	9	-	-	0.389986		
2	1	79.7	17	-	-	1.588477		
3	3	70.4	18	1739.0	1845.0	2.913419		
4	3	99.5	14	1457.0	1853.0	3.306327		
5	3	75.5	18	1579.0	1198.0	4.047094		
6	1	74.0	16	-	-	5.913689		
7	2	63.7	8	1727.0	-	6.208328		
8	1	76.2	17	-	-	7.167788		
9	1	52.2	15	=	-	8.362309		
10	2	55.6	12	1857.0	-	9.986894		
11	2	56.7	9	1087.0	-	10.730738		
12	2	83.4	13	1706.0	-	11.932958		

Table 20 - Long Sequence Waveform Trial#5 (Detected) n20

File: R98544 Rev 1 Page 47 of 133

Test Report Reissue Date: July 10, 2015 Report Date: June 15, 2015

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	67.7	15	-	-	0.944587
2	1	52.8	10	=	=	2.692421
3	3	83.9	9	1295.0	1726.0	4.215568
4	2	88.7	20	1487.0	-	5.342658
5	2	50.1	10	1827.0	=	6.674427
6	2	91.8	7	1752.0	-	8.756461
7	1	72.8	9	=	=	9.754959
8	1	55.2	15	-	-	10.799333

		Table 21 - Long Sequence Waveform Trial#6 (Detected) n20						
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	83.2	18	1150.0	1695.0	0.568098		
2	2	66.0	14	1149.0	-	0.841828		
3	2	81.3	5	1669.0	-	1.503129		
4	3	87.1	16	1446.0	1610.0	2.157217		
5	2	67.5	17	1611.0	-	3.197705		
6	2	50.9	12	1019.0	-	3.891425		
7	2	85.0	16	1676.0	-	4.051472		
8	2	54.6	5	1785.0	-	4.936798		
9	3	61.8	11	1609.0	1847.0	5.819976		
10	2	67.1	17	1500.0	-	6.567307		
11	1	66.8	14	-	-	6.882057		
12	3	69.0	7	1548.0	1685.0	7.643393		
13	2	93.9	9	1247.0	-	8.364364		
14	2	91.4	17	1153.0	-	8.777103		
15	2	89.1	12	1911.0	-	9.897258		
16	3	95.3	19	1449.0	1514.0	10.561470		
17	1	77.2	18	-	-	11.111681		
18	2	74.2	10	1830.0	-	11.454191		

File: R98544 Rev 1 Page 48 of 133

		Table 22 -	Long Sequ	ence Waveform Trial	#7 (Detected) n20	
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	78.5	9	-	-	0.186845
2	3	52.2	16	1237.0	1036.0	0.906905
3	1	70.4	9	-	-	1.845889
4	1	74.0	11	-	-	2.645207
5	1	96.6	9	-	-	3.260353
6	2	56.2	8	1801.0	-	3.402012
7	3	66.8	20	1694.0	1053.0	4.093813
8	3	59.5	15	1104.0	1249.0	5.107053
9	2	93.0	17	1881.0	-	5.629741
10	2	62.3	8	1333.0	-	6.200325
11	1	86.1	5	-	-	6.693827
12	1	52.4	13	-	-	7.622371
13	1	94.3	17	-	-	8.015163
14	1	94.2	16	-	-	8.850909
15	3	93.8	19	1561.0	1748.0	9.936549
16	2	53.8	8	1392.0	-	10.321769
17	1	66.3	7	-	-	11.329141
18	1	78.6	14	-	-	11.818439

		Table 23 - Long Sequence Waveform Trial#8 (Detected) n20						
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	61.4	15	1585.0	-	0.183733		
2	2	87.0	15	1482.0	-	1.154720		
3	2	89.1	12	1890.0	-	1.986300		
4	1	68.7	13	-	-	2.850954		
5	2	68.3	7	1153.0	-	3.270845		
6	3	77.8	13	1177.0	1083.0	4.343467		
7	2	78.0	13	1978.0	-	5.030484		
8	3	71.5	18	1882.0	1869.0	5.583849		
9	2	55.0	14	1201.0	-	6.080602		
10	1	98.9	7	-	-	6.766742		
11	2	54.7	6	1259.0	-	8.192350		
12	2	60.6	15	1624.0	-	8.969547		
13	1	79.3	13	-	-	9.502749		
14	3	99.6	17	1066.0	1792.0	10.425083		
15	2	90.6	16	1626.0	-	10.985697		
16	1	54.0	9	-	-	11.967599		

File: R98544 Rev 1 Page 49 of 133

		Table 24 - Long Sequence Waveform Trial#9 (Detected) n20						
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	70.4	6	1651.0	1291.0	0.706328		
2	1	61.7	19	-	-	1.037141		
3	2	96.5	17	1579.0	-	2.679527		
4	2	83.5	16	1312.0	-	3.140335		
5	3	70.4	19	1999.0	1261.0	4.094315		
6	3	64.1	6	1602.0	1142.0	4.715529		
7	3	59.7	18	1135.0	1834.0	5.566980		
8	3	84.6	15	1821.0	1611.0	7.340051		
9	3	64.0	15	1186.0	1005.0	7.788661		
10	3	64.0	7	1560.0	1289.0	8.668034		
11	2	62.9	7	1740.0	-	10.054402		
12	2	54.2	13	1413.0	-	10.303127		
13	3	94.0	15	1910.0	1796.0	11.165977		

		Table 25 -	ence Waveform Trial	Trial#10 (Detected) n20		
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	84.2	6	1539.0	-	0.222426
2	1	77.1	12	-	-	1.021175
3	3	88.2	9	1420.0	1968.0	1.654415
4	1	51.1	11	-	-	2.539729
5	2	94.5	10	1787.0	-	3.717726
6	3	78.8	9	1105.0	1074.0	3.882324
7	3	85.4	19	1554.0	1165.0	4.920192
8	3	75.6	19	1738.0	1126.0	5.470204
9	2	55.9	7	1003.0	-	6.067495
10	2	82.1	15	1897.0	-	7.182384
11	1	79.4	9	-	-	8.008723
12	1	85.7	19	-	-	8.628891
13	2	54.2	15	1899.0	-	9.231832
14	3	83.3	6	1787.0	1701.0	10.147393
15	2	87.8	9	1882.0	-	10.573850
16	1	95.2	14	-	-	11.280705

File: R98544 Rev 1 Page 50 of 133

Table 26 - Long Sequence Waveform Trial#11 (Detected) n20						
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	96.0	5	1009.0	-	0.110187
2	3	57.2	8	1362.0	1116.0	1.581029
3	2	63.0	19	1948.0	-	2.048215
4	3	89.7	13	1984.0	1324.0	2.698823
5	3	85.2	11	1300.0	1151.0	4.039487
6	3	76.8	19	1056.0	1085.0	4.658316
7	3	83.5	5	1999.0	1548.0	5.765890
8	2	84.0	19	1172.0	-	6.222257
9	2	88.0	13	1821.0	-	7.281142
10	2	52.5	6	1118.0	-	7.842201
11	3	89.0	12	1494.0	1398.0	8.995908
12	3	82.0	20	1944.0	1910.0	9.878977
13	2	63.1	16	1944.0	-	10.967057
14	2	76.6	7	1822.0	-	11.494027

	Table 27 - Long Sequence Waveform Trial#12 (Detected) n20						
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	2	61.8	19	1476.0	-	0.474619	
2	3	91.1	11	1400.0	1793.0	1.883788	
3	1	91.1	13	-	-	2.465417	
4	2	64.8	5	1916.0	-	4.076463	
5	2	91.4	9	1889.0	-	4.575554	
6	1	52.2	10	-	-	5.734869	
7	3	84.1	16	1682.0	1562.0	7.114406	
8	3	87.1	16	1208.0	1438.0	8.279789	
9	2	81.0	19	1915.0	-	9.474560	
10	1	78.8	15	-	-	10.889590	
11	3	77.8	7	1959.0	1493.0	11.215905	

Table 28 - Long Sequence Waveform Trial#13 (Detected) n20						
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	54.5	15	1862.0	-	0.356345
2	2	66.8	19	1238.0	-	1.678072
3	2	66.2	6	1370.0	-	2.782990
4	2	53.6	7	1051.0	-	3.905785
5	1	72.2	20	-	-	4.960477
6	1	73.8	19	-	-	5.529631
7	2	68.3	12	1557.0	-	6.944528
8	3	53.8	9	1520.0	1036.0	7.051350
9	2	81.1	7	1580.0	-	8.209320
10	2	89.2	13	1591.0	-	9.379610
11	2	54.4	6	1330.0	-	10.084427
12	1	63.9	11	-	-	11.925024

File: R98544 Rev 1 Page 51 of 133

Table 29 - Long Sequence Waveform Trial#14 (Detected) n20							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	1	50.8	19	-	-	0.025061	
2	3	66.0	19	1086.0	1103.0	0.647289	
3	2	86.4	17	1691.0	-	1.595904	
4	2	65.2	19	1068.0	-	2.470567	
5	3	97.7	19	1109.0	1586.0	2.827855	
6	2	52.2	11	1643.0	-	3.583217	
7	2	81.5	16	1664.0	-	3.933520	
8	2	92.0	14	1794.0	-	4.898497	
9	2	64.5	19	1330.0	-	5.069483	
10	2	65.5	10	1700.0	-	5.955157	
11	2	63.5	16	1911.0	-	6.762649	
12	3	90.3	6	1030.0	1974.0	7.151949	
13	1	81.9	11	-	-	7.587137	
14	2	54.8	6	1944.0	-	8.368051	
15	1	73.2	6	-	-	9.275978	
16	2	77.2	14	1029.0	-	9.879501	
17	1	69.7	19	-	-	10.433717	
18	2	89.5	17	1240.0	-	11.274692	
19	2	50.7	16	1949.0	-	11.866344	

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	67.1	10	1850.0	-	0.067300
2	2	81.3	6	1338.0	-	1.070739
3	1	53.8	9	-	-	1.610954
4	2	51.5	12	1554.0	-	2.380527
5	2	78.4	13	1490.0	-	2.951310
6	3	73.7	10	1520.0	1196.0	3.732845
7	3	53.8	11	1378.0	1068.0	4.038091
8	2	62.8	9	1674.0	-	5.003921
9	2	55.7	9	1757.0	-	5.401956
10	3	90.7	18	1503.0	1945.0	6.423279
11	2	51.8	11	1738.0	-	6.987887
12	2	80.1	5	1085.0	-	7.961989
13	3	57.6	15	1549.0	1045.0	8.386745
14	1	93.6	18	=	-	9.297796
15	2	55.1	13	1328.0	-	9.818906
16	3	62.4	10	1090.0	1773.0	10.095804
17	2	53.0	11	1329.0	-	10.845144
18	1	55.0	11	-	-	11.867917

File: R98544 Rev 1 Page 52 of 133

	Table 31 - Long Sequence Waveform Trial#16 (Detected) n20								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	98.4	8	-	-	0.281624			
2	2	59.0	11	1212.0	-	0.843552			
3	2	94.0	13	1168.0	-	1.383285			
4	2	54.7	18	1253.0	-	2.222100			
5	1	74.0	10	-	-	2.970343			
6	2	93.9	19	1792.0	-	3.560949			
7	3	90.5	16	1719.0	1245.0	3.778227			
8	3	69.6	11	1923.0	1981.0	4.727794			
9	1	80.5	18	-	-	5.155136			
10	2	85.4	16	1097.0	-	5.773558			
11	1	56.5	18	-	-	6.336583			
12	2	90.8	18	1370.0	-	6.827272			
13	2	67.3	20	1826.0	-	7.600032			
14	2	61.6	12	1145.0	-	7.958271			
15	3	66.3	13	1420.0	1436.0	8.987017			
16	2	72.7	18	1563.0	-	9.073769			
17	2	76.0	9	1237.0	-	10.185661			
18	1	67.2	16	-	-	10.502400			
19	1	93.0	5	-	-	11.165988			
20	3	89.0	8	1079.0	1190.0	11.723317			

	Table 32 - Long Sequence Waveform Trial#17 (Detected) n20								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	53.4	9	-	-	0.836760			
2	1	67.2	14	-	-	0.924758			
3	2	75.9	8	1799.0	-	2.476755			
4	2	53.9	18	1748.0	-	3.326252			
5	2	85.9	13	1297.0	-	3.834485			
6	3	68.5	5	1550.0	1352.0	4.415665			
7	2	60.3	15	1554.0	-	5.182053			
8	3	86.8	9	1664.0	1946.0	6.142421			
9	2	61.3	19	1838.0	-	7.175753			
10	3	96.7	19	1133.0	1434.0	8.130410			
11	2	64.4	15	1892.0	-	9.405482			
12	2	55.1	14	1204.0	-	9.440637			
13	3	75.1	13	1046.0	1011.0	11.025399			
14	3	70.3	14	1213.0	1199.0	11.963590			

File: R98544 Rev 1 Page 53 of 133

	Table 33 - Long Sequence Waveform Trial#18 (Detected) n20								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	52.9	11	1725.0	-	0.217996			
2	1	93.7	12	-	-	1.087397			
3	1	93.6	14	-	-	1.505963			
4	2	73.1	7	1041.0	-	2.319802			
5	2	55.7	9	1484.0	-	2.534669			
6	1	97.9	19	-	-	3.403256			
7	1	99.7	15	-	-	4.173816			
8	1	88.2	10	-	-	4.611750			
9	2	57.4	9	1432.0	-	4.818899			
10	2	54.0	15	1465.0	-	5.561441			
11	2	80.9	11	1190.0	-	6.493634			
12	1	86.2	11	-	-	6.813075			
13	2	93.4	14	1975.0	-	7.285637			
14	2	93.7	18	1308.0	-	7.868182			
15	2	92.3	10	1347.0	-	8.834076			
16	2	90.7	14	1583.0	-	9.102435			
17	2	57.6	11	1785.0	-	10.066465			
18	2	63.3	17	1344.0	-	10.438847			
19	1	78.2	16	-	-	11.316789			
20	2	98.8	19	1471.0	-	11.882426			

	Table 34 - Long Sequence Waveform Trial#19 (Detected) n20								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	99.4	5	1841.0	-	0.761075			
2	3	71.1	13	1972.0	1990.0	1.616096			
3	1	81.1	13	-	-	2.252925			
4	2	75.3	8	1850.0	-	4.201093			
5	3	87.5	18	1760.0	1869.0	4.400567			
6	2	75.0	20	1740.0	-	6.324111			
7	2	54.7	18	1756.0	-	7.498378			
8	2	59.2	13	1894.0	-	8.197134			
9	2	82.0	13	1866.0	-	9.368781			
10	1	61.5	19	-	-	10.727200			
11	2	63.9	18	1391.0	-	11.327720			

File: R98544 Rev 1 Page 54 of 133

	Table 35 - Long Sequence Waveform Trial#20 (NOT Detected) n20								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	96.2	16	1009.0	-	0.302409			
2	3	74.4	15	1028.0	1218.0	1.623696			
3	2	81.0	15	1157.0	-	2.030552			
4	1	83.7	8	-	-	3.424971			
5	1	94.8	17	-	-	3.910811			
6	2	54.0	17	1277.0	-	5.228897			
7	2	85.4	18	1333.0	-	6.379734			
8	3	67.0	11	1237.0	1281.0	6.903519			
9	3	89.0	19	1678.0	1397.0	8.141115			
10	2	85.2	10	1872.0	-	8.594093			
11	1	69.7	17	-	-	9.894707			
12	3	91.8	9	1535.0	1451.0	10.300671			
13	2	57.7	10	2000.0	-	11.891089			

Table 36 - Long Sequence Waveform Trial#21 (Detected) n20								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	89.2	11	1424.0	1932.0	0.459370		
2	1	74.4	11	-	-	1.547866		
3	1	92.6	6	-	-	1.841527		
4	3	53.1	11	1801.0	1438.0	2.693633		
5	2	80.8	16	1949.0	-	3.228372		
6	3	65.4	7	1833.0	1812.0	4.175247		
7	1	98.4	18	-	-	4.913181		
8	3	53.4	9	1512.0	1916.0	5.846110		
9	1	65.0	19	-	-	6.476820		
10	1	85.7	11	-	-	7.448838		
11	1	84.0	17	-	-	8.090440		
12	2	85.4	15	1120.0	-	9.053840		
13	1	83.2	7	-	-	10.151575		
14	2	96.9	5	1804.0	-	10.669997		
15	1	67.8	17	-	-	11.994929		

File: R98544 Rev 1 Page 55 of 133

	Table 37 - Long Sequence Waveform Trial#22 (Detected) n20									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	3	53.2	15	1738.0	1491.0	0.607674				
2	1	77.2	14	-	-	0.940309				
3	3	82.3	9	1935.0	1625.0	1.651981				
4	2	58.6	18	1874.0	-	2.599350				
5	1	68.9	13	-	-	3.527909				
6	1	96.1	9	-	-	4.349352				
7	2	82.4	6	1952.0	-	4.589282				
8	1	87.7	7	-	-	5.593635				
9	2	61.8	10	1728.0	-	6.696120				
10	1	52.2	6	-	-	7.090918				
11	1	57.7	15	-	-	7.931352				
12	1	51.4	15	-	-	8.898308				
13	2	60.7	19	1263.0	-	9.619579				
14	3	84.9	11	1489.0	1154.0	9.952679				
15	1	63.1	7	-	-	11.038537				
16	3	65.7	17	1320.0	1492.0	11.597070				

Table 38 - Long Sequence Waveform Trial#23 (Detected) n20								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	87.2	7	1030.0	-	0.013789		
2	1	80.1	17	-	-	0.638704		
3	3	72.5	9	1017.0	1999.0	1.811110		
4	2	75.8	9	1989.0	-	2.438861		
5	2	81.5	9	1043.0	-	3.011456		
6	3	78.7	11	1085.0	1749.0	3.251745		
7	2	61.0	17	1402.0	-	4.226194		
8	3	97.9	6	1769.0	1912.0	4.660096		
9	2	75.3	16	1653.0	-	5.101685		
10	3	88.4	10	1724.0	1729.0	5.851735		
11	2	73.3	19	1280.0	-	6.487488		
12	1	56.2	14	-	-	6.979647		
13	1	90.9	13	-	-	8.129271		
14	2	86.4	13	1313.0	-	8.706546		
15	2	51.5	19	1202.0	-	8.979962		
16	3	82.3	19	1265.0	1971.0	9.951362		
17	2	97.8	12	1129.0	-	10.432505		
18	1	84.5	15	-	-	10.882414		
19	1	65.9	10	-	-	11.531445		

File: R98544 Rev 1 Page 56 of 133

	Table 39 - Long Sequence Waveform Trial#24 (Detected) n20									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	3	97.1	11	1936.0	1375.0	0.369552				
2	2	91.5	9	1727.0	-	1.164281				
3	1	78.5	11	-	-	2.056919				
4	2	79.3	19	1662.0	-	2.536781				
5	2	71.6	5	1493.0	-	3.224306				
6	3	81.7	12	1326.0	1313.0	4.708943				
7	2	94.7	17	1647.0	-	5.494521				
8	2	56.2	12	1470.0	-	5.867665				
9	2	60.5	6	1922.0	-	6.776811				
10	3	96.7	11	1400.0	1746.0	7.648076				
11	2	75.1	15	1953.0	-	8.351290				
12	2	96.5	20	1615.0	-	9.015242				
13	2	75.7	10	1204.0	-	10.152700				
14	2	58.5	16	1812.0	-	10.638610				
15	2	83.8	6	1177.0	-	11.836466				

	Table 40 - Long Sequence Waveform Trial#25 (Detected) n20									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	52.7	15	1731.0	-	0.340841				
2	3	58.7	13	1884.0	1665.0	1.796412				
3	3	53.7	10	1499.0	1785.0	2.763644				
4	2	54.2	18	1897.0	-	3.540966				
5	2	94.5	16	1173.0	-	4.453101				
6	2	62.4	8	1587.0	-	4.842784				
7	2	81.7	9	1152.0	-	5.625803				
8	1	55.2	10	-	-	6.964344				
9	1	83.3	6	-	-	7.563733				
10	2	56.6	12	1293.0	-	9.180680				
11	1	97.3	8	-	-	9.454626				
12	1	88.7	11	-	-	10.365812				
13	2	63.9	11	1198.0	-	11.504431				

	Table 41 - Long Sequence Waveform Trial#26 (Detected) n20								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	63.9	13	1172.0	1773.0	0.709254			
2	3	96.8	13	1941.0	1260.0	1.124854			
3	3	99.8	20	1663.0	1782.0	2.917779			
4	3	88.5	16	1909.0	1160.0	3.596160			
5	2	60.9	10	1573.0	-	4.495581			
6	2	51.0	19	1798.0	=	5.776681			
7	1	63.3	16	-	-	6.158967			
8	2	98.4	9	1043.0	=	7.598966			
9	2	84.7	19	1583.0	-	8.943286			
10	2	59.5	17	1320.0	-	9.761855			
11	1	75.8	12	-	-	10.698546			
12	1	70.8	14	-	=	11.909901			

File: R98544 Rev 1 Page 57 of 133

Table 42 - Long Sequence Waveform Trial#27 (Detected) n20								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	1	84.5	8	-	-	0.506557		
2	2	76.2	10	1459.0	-	1.496925		
3	3	50.2	6	1849.0	1506.0	2.560432		
4	2	54.0	8	1411.0	-	3.371427		
5	3	65.5	17	1755.0	1491.0	4.423956		
6	2	56.5	12	1083.0	-	5.084819		
7	2	61.2	15	1037.0	-	6.005880		
8	2	51.1	17	1886.0	-	7.657283		
9	2	59.0	8	1202.0	-	8.892169		
10	2	86.2	16	1162.0	-	9.867138		
11	2	53.9	13	1943.0	-	10.305425		
12	3	96.1	6	1246.0	1239.0	11.712114		

	Table 43 - Long Sequence Waveform Trial#28 (Detected) n20								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	51.5	8	1822.0	-	0.164991			
2	1	68.5	19	-	-	1.835699			
3	1	58.1	17	-	-	2.827823			
4	1	52.9	9	-	-	4.268927			
5	1	64.5	18	-	-	5.284064			
6	3	73.1	17	1599.0	1035.0	6.495318			
7	3	82.4	19	1860.0	1602.0	6.591126			
8	3	69.9	18	1391.0	1872.0	8.124058			
9	3	86.9	18	1530.0	1379.0	9.090748			
10	2	55.8	14	1956.0	-	10.451533			
11	2	56.9	7	1077.0	-	11.404255			

	Table 44 - Long Sequence Waveform Trial#29 (Detected) n20								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	65.8	8	1543.0	-	0.085766			
2	1	83.4	18	-	-	1.285279			
3	2	56.2	15	1793.0	-	2.140459			
4	1	97.1	10	-	-	2.936861			
5	2	50.8	8	1921.0	-	3.486879			
6	1	54.4	6	-	-	4.419402			
7	3	78.3	7	1165.0	1558.0	4.890032			
8	2	61.0	18	1774.0	-	5.272877			
9	3	85.1	6	1401.0	1048.0	6.286471			
10	2	90.8	10	1625.0	-	7.008948			
11	2	86.7	8	1376.0	-	7.770264			
12	1	63.8	11	-	-	8.860284			
13	2	81.4	13	1763.0	-	9.280444			
14	2	83.2	12	1016.0	-	10.430677			
15	3	90.7	17	1384.0	1406.0	10.578047			
16	2	95.4	12	1705.0	-	11.819401			

Table 45 - Long Sequence Waveform Trial#30 (Detected) n20

File: R98544 Rev 1 Page 58 of 133

Report Date: June 15, 2015 Reissue

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	66.5	7	1578.0	-	0.447958
2	2	84.5	11	1462.0	-	1.165140
3	1	85.1	18	-	-	1.851462
4	1	91.2	13	-	-	2.348403
5	3	83.1	20	1747.0	1678.0	2.929082
6	1	53.9	10	-	-	3.678516
7	1	54.0	20	-	-	4.210864
8	3	72.6	6	1394.0	1002.0	4.963308
9	3	92.6	14	1230.0	1668.0	5.178521
10	3	81.3	20	1494.0	1529.0	5.876907
11	2	96.6	16	1895.0	-	6.835417
12	1	58.7	16	=	-	7.108029
13	3	51.9	19	1745.0	1972.0	7.689009
14	2	84.5	17	1480.0	-	8.342129
15	2	68.7	12	1506.0	-	8.939407
16	2	83.4	20	1928.0	-	10.004199
17	3	99.5	14	1311.0	1934.0	10.578500
18	3	65.5	20	1324.0	1361.0	11.301929
19	3	75.0	19	1520.0	1256.0	11.549635

File: R98544 Rev 1 Page 59 of 133

Measured 99% bandwidth (from RF test report) for 802.11n 40MHz: 36.5MHz

Table 4	Table 46 - Detection Bandwidth Measurements (Bandwidth: +19MHz/-19MHz) n40									
EUT Frequency	Radar Type	Radar Frequency	# Detected	# Not Detected	Success (%)					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5490.00 MHz	1	2	33					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5491.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5492.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5493.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5494.00 MHz	9	1	90					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5495.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5496.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5497.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5498.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5499.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5500.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5501.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5502.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5503.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5504.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5505.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5510.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5515.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5516.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5517.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5518.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5519.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5520.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5521.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5522.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5523.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5524.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5525.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5526.00 MHz	9	1	90					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5527.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5528.00 MHz	9	1	90					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5529.00 MHz	10	0	100					
5510.00 MHz	FCC Short Pulse Radar (Type 0)	5530.00 MHz	1	2	33					

Table 47 - Summary of All Results 40MHz								
Waveform Name	Pd (%)	Pd Required (%)	Number of Trials	Status				
FCC Short Pulse Radar (Type 1A)	100.0 %	60.0 %	15	PASSED				
FCC Short Pulse Radar (Type 1B)	100.0 %	60.0 %	15	PASSED				
FCC Short Pulse Radar (Type 2)	96.7 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 3)	100.0 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 4)	96.7 %	60.0 %	30	PASSED				
Aggregate of above results	96.7 %	80.0 %	120	PASSED				
FCC frequency hopping radar (Type 6)	100.0 %	70.0 %	39	PASSED				
Long Sequence	100.0 %	80.0 %	30	PASSED				

Table 48 - FCC Short Pulse Radar (Type 1A) Results 40MHz

File: R98544 Rev 1 Page 60 of 133

Report Date: June 15, 2015

Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
1	70	1.0	758.0	Yes	5510.0MHz, -64.0dBm	Single burst
2	62	1.0	858.0	Yes	5505.0MHz, -64.0dBm	Single burst
3	61	1.0	878.0	Yes	5500.0MHz, -64.0dBm	Single burst
4	65	1.0	818.0	Yes	5495.0MHz, -64.0dBm	Single burst
5	83	1.0	638.0	Yes	5525.0MHz, -64.0dBm	Single burst
6	67	1.0	798.0	Yes	5520.0MHz, -64.0dBm	Single burst
7	57	1.0	938.0	Yes	5515.0MHz, -64.0dBm	Single burst
8	99	1.0	538.0	Yes	5510.0MHz, -64.0dBm	Single burst
9	18	1.0	3066.0	Yes	5505.0MHz, -64.0dBm	Single burst
10	72	1.0	738.0	Yes	5500.0MHz, -64.0dBm	Single burst
11	102	1.0	518.0	Yes	5495.0MHz, -64.0dBm	Single burst
12	76	1.0	698.0	Yes	5525.0MHz, -64.0dBm	Single burst
13	95	1.0	558.0	Yes	5520.0MHz, -64.0dBm	Single burst
14	89	1.0	598.0	Yes	5515.0MHz, -64.0dBm	Single burst
15	63	1.0	838.0	Yes	5510.0MHz, -64.0dBm	Single burst

	Table 49 - FCC Short Pulse Radar (Type 1B) Results 40MHz									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
1	28	1.0	1940.0	Yes	5510.0MHz, -64.0dBm	Single burst				
2	22	1.0	2464.0	Yes	5505.0MHz, -64.0dBm	Single burst				
3	23	1.0	2332.0	Yes	5500.0MHz, -64.0dBm	Single burst				
4	43	1.0	1248.0	Yes	5495.0MHz, -64.0dBm	Single burst				
5	92	1.0	579.0	Yes	5525.0MHz, -64.0dBm	Single burst				
6	45	1.0	1176.0	Yes	5520.0MHz, -64.0dBm	Single burst				
7	22	1.0	2405.0	Yes	5515.0MHz, -64.0dBm	Single burst				
8	38	1.0	1401.0	Yes	5510.0MHz, -64.0dBm	Single burst				
9	29	1.0	1869.0	Yes	5505.0MHz, -64.0dBm	Single burst				
10	24	1.0	2269.0	Yes	5500.0MHz, -64.0dBm	Single burst				
11	22	1.0	2402.0	Yes	5495.0MHz, -64.0dBm	Single burst				
12	33	1.0	1614.0	Yes	5525.0MHz, -64.0dBm	Single burst				
13	41	1.0	1305.0	Yes	5520.0MHz, -64.0dBm	Single burst				
14	60	1.0	886.0	Yes	5515.0MHz, -64.0dBm	Single burst				
15	58	1.0	924.0	Yes	5510.0MHz, -64.0dBm	Single burst				

File: R98544 Rev 1 Page 61 of 133

	Table 50 - FCC Short Pulse Radar (Type 2) Results 40MHz									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
1	28	4.9	183.0	Yes	5510.0MHz, -64.0dBm	Single burst				
2	27	3.8	182.0	Yes	5505.0MHz, -64.0dBm	Single burst				
3	28	3.1	153.0	Yes	5500.0MHz, -64.0dBm	Single burst				
4	25	3.1	160.0	Yes	5495.0MHz, -64.0dBm	Single burst				
5	24	3.8	224.0	Yes	5525.0MHz, -64.0dBm	Single burst				
6	28	3.7	175.0	Yes	5520.0MHz, -64.0dBm	Single burst				
7	27	2.3	193.0	Yes	5515.0MHz, -64.0dBm	Single burst				
8	27	3.2	154.0	Yes	5510.0MHz, -64.0dBm	Single burst				
9	29	4.1	210.0	Yes	5505.0MHz, -64.0dBm	Single burst				
10	28	3.5	219.0	Yes	5500.0MHz, -64.0dBm	Single burst				
11	25	1.6	171.0	Yes	5495.0MHz, -64.0dBm	Single burst				
12	26	4.1	192.0	Yes	5525.0MHz, -64.0dBm	Single burst				
13	23	3.6	225.0	Yes	5520.0MHz, -64.0dBm	Single burst				
14	25	4.0	203.0	Yes	5515.0MHz, -64.0dBm	Single burst				
15	28	3.6	210.0	Yes	5510.0MHz, -64.0dBm	Single burst				
16	25	2.9	194.0	Yes	5505.0MHz, -64.0dBm	Single burst				
17	28	4.8	158.0	Yes	5500.0MHz, -64.0dBm	Single burst				
18	26	4.9	187.0	Yes	5495.0MHz, -64.0dBm	Single burst				
19	29	2.3	164.0	No	5525.0MHz, -64.0dBm	Single burst				
20	24	2.1	170.0	Yes	5520.0MHz, -64.0dBm	Single burst				
21	28	4.9	154.0	Yes	5515.0MHz, -64.0dBm	Single burst				
22	25	1.7	151.0	Yes	5510.0MHz, -64.0dBm	Single burst				
23	27	4.8	154.0	Yes	5505.0MHz, -64.0dBm	Single burst				
24	23	3.3	176.0	Yes	5500.0MHz, -64.0dBm	Single burst				
25	23	3.6	222.0	Yes	5495.0MHz, -64.0dBm	Single burst				
26	25	1.2	229.0	Yes	5525.0MHz, -64.0dBm	Single burst				
27	24	2.0	187.0	Yes	5520.0MHz, -64.0dBm	Single burst				
28	27	4.0	204.0	Yes	5515.0MHz, -64.0dBm	Single burst				
29	28	2.6	192.0	Yes	5510.0MHz, -64.0dBm	Single burst				
30	26	3.0	160.0	Yes	5505.0MHz, -64.0dBm	Single burst				

File: R98544 Rev 1 Page 62 of 133

	Table 51 - FCC Short Pulse Radar (Type 3) Results 40MHz									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
1	18	8.0	353.0	Yes	5510.0MHz, -64.0dBm	Single burst				
2	16	6.9	237.0	Yes	5505.0MHz, -64.0dBm	Single burst				
3	17	7.0	423.0	Yes	5500.0MHz, -64.0dBm	Single burst				
4	18	8.0	366.0	Yes	5495.0MHz, -64.0dBm	Single burst				
5	17	7.2	365.0	Yes	5525.0MHz, -64.0dBm	Single burst				
6	16	9.7	498.0	Yes	5520.0MHz, -64.0dBm	Single burst				
7	17	9.0	328.0	Yes	5515.0MHz, -64.0dBm	Single burst				
8	17	8.6	239.0	Yes	5510.0MHz, -64.0dBm	Single burst				
9	16	8.1	442.0	Yes	5505.0MHz, -64.0dBm	Single burst				
10	17	9.0	434.0	Yes	5500.0MHz, -64.0dBm	Single burst				
11	16	9.9	451.0	Yes	5495.0MHz, -64.0dBm	Single burst				
12	18	6.8	204.0	Yes	5525.0MHz, -64.0dBm	Single burst				
13	18	7.3	412.0	Yes	5520.0MHz, -64.0dBm	Single burst				
14	18	6.1	415.0	Yes	5515.0MHz, -64.0dBm	Single burst				
15	17	6.5	437.0	Yes	5510.0MHz, -64.0dBm	Single burst				
16	17	9.9	255.0	Yes	5505.0MHz, -64.0dBm	Single burst				
17	17	7.0	440.0	Yes	5500.0MHz, -64.0dBm	Single burst				
18	16	9.0	318.0	Yes	5495.0MHz, -64.0dBm	Single burst				
19	17	6.2	375.0	Yes	5525.0MHz, -64.0dBm	Single burst				
20	17	7.8	286.0	Yes	5520.0MHz, -64.0dBm	Single burst				
21	18	9.4	232.0	Yes	5515.0MHz, -64.0dBm	Single burst				
22	16	6.3	260.0	Yes	5510.0MHz, -64.0dBm	Single burst				
23	17	7.1	428.0	Yes	5505.0MHz, -64.0dBm	Single burst				
24	16	10.0	388.0	Yes	5500.0MHz, -64.0dBm	Single burst				
25	17	8.7	442.0	Yes	5495.0MHz, -64.0dBm	Single burst				
26	17	9.4	284.0	Yes	5525.0MHz, -64.0dBm	Single burst				
27	17	8.0	416.0	Yes	5520.0MHz, -64.0dBm	Single burst				
28	16	7.8	346.0	Yes	5515.0MHz, -64.0dBm	Single burst				
29	17	6.2	440.0	Yes	5510.0MHz, -64.0dBm	Single burst				
30	17	8.4	355.0	Yes	5505.0MHz, -64.0dBm	Single burst				

File: R98544 Rev 1 Page 63 of 133

	Table 52 - FCC Short Pulse Radar (Type 4) Results 40MHz									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
1	15	19.2	424.0	Yes	5510.0MHz, -64.0dBm	Single burst				
2	15	13.8	433.0	Yes	5505.0MHz, -64.0dBm	Single burst				
3	15	19.2	471.0	Yes	5500.0MHz, -64.0dBm	Single burst				
4	16	19.6	241.0	Yes	5495.0MHz, -64.0dBm	Single burst				
5	15	16.3	478.0	Yes	5525.0MHz, -64.0dBm	Single burst				
6	16	18.9	408.0	Yes	5520.0MHz, -64.0dBm	Single burst				
7	15	16.8	354.0	Yes	5515.0MHz, -64.0dBm	Single burst				
8	16	15.1	317.0	Yes	5510.0MHz, -64.0dBm	Single burst				
9	13	18.6	398.0	Yes	5505.0MHz, -64.0dBm	Single burst				
10	15	18.6	384.0	Yes	5500.0MHz, -64.0dBm	Single burst				
11	12	13.1	426.0	Yes	5495.0MHz, -64.0dBm	Single burst				
12	12	11.0	252.0	Yes	5525.0MHz, -64.0dBm	Single burst				
13	16	17.4	238.0	Yes	5520.0MHz, -64.0dBm	Single burst				
14	15	18.3	450.0	Yes	5515.0MHz, -64.0dBm	Single burst				
15	14	12.9	429.0	Yes	5510.0MHz, -64.0dBm	Single burst				
16	16	11.1	361.0	Yes	5505.0MHz, -64.0dBm	Single burst				
17	15	16.6	430.0	Yes	5500.0MHz, -64.0dBm	Single burst				
18	15	18.8	461.0	Yes	5495.0MHz, -64.0dBm	Single burst				
19	16	12.0	286.0	Yes	5525.0MHz, -64.0dBm	Single burst				
20	16	13.6	401.0	Yes	5520.0MHz, -64.0dBm	Single burst				
21	13	15.4	400.0	Yes	5515.0MHz, -64.0dBm	Single burst				
22	14	11.7	308.0	Yes	5510.0MHz, -64.0dBm	Single burst				
23	13	14.9	456.0	No	5505.0MHz, -64.0dBm	Single burst				
24	12	15.0	307.0	Yes	5500.0MHz, -64.0dBm	Single burst				
25	15	19.7	380.0	Yes	5495.0MHz, -64.0dBm	Single burst				
26	16	15.9	361.0	Yes	5525.0MHz, -64.0dBm	Single burst				
27	12	18.3	237.0	Yes	5520.0MHz, -64.0dBm	Single burst				
28	13	17.2	421.0	Yes	5515.0MHz, -64.0dBm	Single burst				
29	14	11.1	470.0	Yes	5510.0MHz, -64.0dBm	Single burst				
30	16	16.6	378.0	Yes	5505.0MHz, -64.0dBm	Single burst				

File: R98544 Rev 1 Page 64 of 133

		Table 53	- FCC fr	equency ho	pping radar (Typ	pe 6) Results 40MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
1	9	1.0	333.0	Yes	5528.0MHz, -64.0dBm	Hop sequence: 5287, 5443, 5353, 5644, 5348, 5375, 5278, 5445, 5555, 5475, 5673, 5510, 5280, 5462, 5452, 5581, 5706, 5592, 5569, 5628, 5683, 5547, 5389, 5329, 5342, 5639, 5604, 5378, 5291, 5674, 5313, 5602, 5414, 5669, 5607, 5565, 5251, 5272, 5324, 5586, 5413, 5372, 5564, 5486, 5661, 5477, 5668, 5465, 5507, 5339, 5640, 5387, 5253, 5307, 5717, 5426, 5350, 5322, 5395, 5320, 5449, 5579, 5701, 5284, 5541, 5412, 5432, 5483, 5508, 5570, 5359, 5635, 5255, 5262, 5710, 5295, 5571, 5368, 5468, 5667, 5345, 5338, 5447, 5626, 5497, 5588, 5524, 5495, 5398, 5501, 5584, 5688, 5258, 5328, 5589, 5522, 5352, 5333, 5394, 5703 (8 hits)
2	9	1.0	333.0	Yes	5529.0MHz, -64.0dBm	Hop sequence: 5571, 5344, 5459, 5472, 5432, 5505, 5635, 5534, 5269, 5684, 5563, 5475, 5401, 5483, 5694, 5633, 5448, 5495, 5658, 5675, 5584, 5356, 5688, 5585, 5311, 5496, 5473, 5386, 5532, 5515, 5677, 5359, 5407, 5429, 5640, 5392, 5334, 5607, 5712, 5346, 5331, 5408, 5669, 5578, 5651, 5366, 5415, 5445, 5379, 5442, 5514, 5304, 5307, 5478, 5302, 5521, 5294, 5602, 5547, 5605, 5680, 5699, 5701, 5616, 5636, 5509, 5474, 5575, 5313, 5512, 5455, 5522, 5695, 5398, 5303, 5387, 5528, 5268, 5426, 5716, 5309, 5679, 5317, 5642, 5554, 5524, 5264, 5609, 5357, 5454, 5510, 5648, 5267, 5631, 5403, 5378, 5471, 5551, 5612, 5337 (12 hits)
3	9	1.0	333.0	Yes	5491.0MHz, -64.0dBm	Hop sequence: 5325, 5557, 5439, 5698, 5379, 5643, 5451, 5541, 5375, 5719, 5420, 5454, 5606, 5712, 5583, 5552, 5647, 5564, 5304, 5559, 5444, 5266, 5401, 5333, 5501, 5389, 5418, 5306, 5374, 5587, 5356, 5307, 5631, 5396, 5680, 5349, 5594, 5370, 5623, 5678, 5493, 5353, 5259, 5340, 5399, 5618, 5334, 5565, 5414, 5539, 5671, 5376, 5392, 5566, 5368, 5686, 5535, 5718, 5576, 5258, 5512, 5478, 5699, 5430, 5271, 5421, 5377, 5515, 5292, 5713, 5452, 5715, 5634, 5464, 5624, 5473, 5324, 5558, 5410, 5490, 5277, 5403, 5610, 5561, 5669, 5254, 5366, 5263, 5543, 5273, 5456, 5253, 5274, 5426, 5514, 5597, 5650, 5604, 5706, 5308 (5 hits)
4	9	1.0	333.0	Yes	5492.0MHz, -64.0dBm	Hop sequence: 5364, 5549, 5539, 5458, 5564, 5694, 5525, 5340, 5512, 5516, 5451, 5598, 5622, 5385, 5313, 5292, 5388, 5477, 5412, 5257, 5347, 5497, 5660, 5559, 5570, 5553, 5554, 5357, 5557, 5623, 5672, 5720, 5647, 5351, 5534, 5341, 5699, 5400, 5342, 5717, 5498, 5561, 5252, 5337, 5289, 5514, 5416, 5376, 5573, 5443, 5423, 5317, 5585, 5596, 5615, 5386, 5662, 5336, 5537, 5472, 5712, 5607, 5528, 5611, 5558, 5716, 5664, 5560, 5708, 5692, 5273, 5414, 5355, 5307, 5726, 5509, 5697, 5523, 5631, 5579, 5397, 5700, 5288, 5489, 5446, 5398, 5621, 5714, 5269, 5483, 5522, 5644, 5668, 5405, 5284,

File: R98544 Rev 1 Page 65 of 133

		Table 53	- FCC fr	equency ho	pping radar (Typ	pe 6) Results 40MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
5	9	1.0	333.0	Yes	5493.0MHz, -64.0dBm	5360, 5335, 5281, 5301, 5348 (10 hits) Hop sequence: 5453, 5597, 5380, 5579, 5716, 5554, 5671, 5315, 5297, 5635, 5483, 5699, 5660, 5414, 5516, 5500, 5255, 5567, 5359, 5301, 5332, 5569, 5613, 5367, 5501, 5559, 5524, 5378, 5422, 5258, 5575, 5459, 5393, 5408, 5629, 5452, 5681, 5441, 5691, 5471, 5447, 5305, 5536, 5382, 5295, 5695, 5702, 5484, 5495, 5530, 5426, 5587, 5390, 5724, 5696, 5592, 5448, 5498, 5421, 5620, 5324, 5309, 5706, 5562, 5531, 5334, 5455, 5328, 5644, 5612, 5544, 5623, 5456, 5481, 5388, 5520, 5678, 5589, 5606, 5704, 5327, 5557, 5431, 5707, 5375, 5692, 5409, 5391, 5370, 5383, 5463, 5489, 5472, 5424, 5401, 5510, 5688, 5614, 5586, 5349 (8 hits)
6	9	1.0	333.0	Yes	5494.0MHz, -64.0dBm	Hop sequence: 5678, 5559, 5660, 5271, 5493, 5677, 5255, 5571, 5661, 5557, 5601, 5656, 5614, 5331, 5714, 5370, 5581, 5265, 5459, 5477, 5450, 5403, 5642, 5687, 5362, 5636, 5410, 5688, 5302, 5448, 5294, 5701, 5628, 5413, 5408, 5489, 5560, 5516, 5682, 5382, 5585, 5353, 5456, 5698, 5542, 5394, 5615, 5575, 5345, 5723, 5303, 5648, 5277, 5590, 5679, 5527, 5333, 5643, 5509, 5634, 5552, 5305, 5319, 5365, 5397, 5406, 5713, 5367, 5637, 5598, 5339, 5417, 5524, 5389, 5653, 5421, 5547, 5428, 5264, 5659, 5471, 5583, 5667, 5442, 5387, 5525, 5474, 5270, 5431, 5693, 5607, 5549, 5359, 5595, 5407, 5443, 5286, 5568, 5669, 5702 (6 hits)
7	9	1.0	333.0	Yes	5495.0MHz, -64.0dBm	Hop sequence: 5256, 5544, 5598, 5653, 5485, 5440, 5270, 5576, 5681, 5364, 5697, 5455, 5361, 5724, 5454, 5555, 5600, 5359, 5410, 5655, 5509, 5640, 5496, 5587, 5506, 5475, 5694, 5325, 5311, 5500, 5268, 5601, 5557, 5711, 5725, 5437, 5420, 5677, 5387, 5667, 5514, 5344, 5505, 5622, 5300, 5665, 5447, 5602, 5415, 5425, 5276, 5411, 5360, 5315, 5384, 5621, 5367, 5577, 5676, 5258, 5404, 5445, 5692, 5378, 5522, 5326, 5352, 5662, 5405, 5398, 5341, 5252, 5682, 5638, 5668, 5707, 5535, 5297, 5406, 5521, 5465, 5305, 5269, 5304, 5695, 5582, 5649, 5570, 5397, 5463, 5566, 5639, 5356, 5527, 5292, 5712, 5393, 5479, 5613, 5726 (9 hits)
8	9	1.0	333.0	Yes	5496.0MHz, -64.0dBm	Hop sequence: 5655, 5393, 5629, 5491, 5595, 5414, 5547, 5293, 5430, 5661, 5281, 5454, 5518, 5501, 5614, 5439, 5464, 5705, 5387, 5460, 5311, 5695, 5337, 5515, 5299, 5509, 5259, 5601, 5566, 5285, 5626, 5252, 5314, 5300, 5550, 5527, 5482, 5429, 5583, 5588, 5636, 5270, 5316, 5451, 5600, 5545, 5328, 5483, 5707, 5701, 5384, 5679, 5560, 5410, 5624, 5399, 5568, 5438, 5529, 5275, 5291, 5649, 5427, 5366, 5461, 5331, 5288, 5528, 5520, 5369, 5321, 5562, 5587, 5487, 5691, 5436, 5326, 5724, 5413, 5535, 5449, 5333, 5674, 5598, 5458, 5378, 5489, 5318, 5386, 5564, 5675, 5471, 5304, 5670, 5622, 5544, 5680, 5297, 5320, 5446 (9 hits)

File: R98544 Rev 1 Page 66 of 133

Table 53 - FCC frequency hopping radar (T						ee 6) Results 40MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
9	9	1.0	333.0	Yes	5497.0MHz, -64.0dBm	Hop sequence: 5507, 5388, 5341, 5635, 5333, 5445, 5274, 5597, 5709, 5514, 5702, 5575, 5665, 5612, 5352, 5682, 5315, 5309, 5483, 5724, 5440, 5435, 5281, 5617, 5580, 5456, 5450, 5526, 5571, 5510, 5596, 5722, 5340, 5530, 5581, 5513, 5265, 5298, 5544, 5541, 5499, 5720, 5278, 5551, 5486, 5363, 5301, 5257, 5285, 5397, 5327, 5582, 5506, 5418, 5644, 5312, 5622, 5655, 5640, 5650, 5704, 5651, 5618, 5614, 5293, 5528, 5516, 5305, 5303, 5328, 5715, 5608, 5266, 5424, 5275, 5592, 5546, 5656, 5593, 5375, 5307, 5690, 5443, 5448, 5319, 5407, 5288, 5675, 5400, 5471, 5473, 5491, 5472, 5359, 5429, 5371, 5331, 5339, 5300, 5477 (10 hits)
10	9	1.0	333.0	Yes	5498.0MHz, -64.0dBm	Hop sequence: 5405, 5685, 5649, 5427, 5439, 5551, 5292, 5354, 5520, 5373, 5493, 5296, 5363, 5384, 5664, 5700, 5558, 5393, 5720, 5704, 5638, 5450, 5489, 5307, 5574, 5510, 5553, 5455, 5625, 5492, 5712, 5449, 5654, 5412, 5568, 5575, 5715, 5651, 5609, 5303, 5401, 5698, 5690, 5653, 5561, 5594, 5403, 5331, 5410, 5650, 5273, 5536, 5376, 5550, 5440, 5474, 5272, 5433, 5661, 5431, 5559, 5592, 5529, 5297, 5293, 5662, 5453, 5596, 5267, 5646, 5389, 5644, 5274, 5635, 5560, 5434, 5640, 5321, 5656, 5581, 5258, 5402, 5469, 5497, 5562, 5443, 5350, 5484, 5461, 5343, 5666, 5531, 5683, 5392, 5549, 5381, 5286, 5327, 5681, 5530 (6 hits)
11	9	1.0	333.0	Yes	5499.0MHz, -64.0dBm	Hop sequence: 5442, 5580, 5330, 5717, 5385, 5321, 5263, 5439, 5433, 5694, 5712, 5671, 5505, 5690, 5514, 5306, 5706, 5673, 5470, 5261, 5691, 5298, 5384, 5554, 5696, 5583, 5528, 5594, 5603, 5287, 5496, 5345, 5670, 5445, 5581, 5300, 5436, 5335, 5606, 5282, 5714, 5549, 5411, 5392, 5648, 5443, 5516, 5589, 5484, 5715, 5416, 5520, 5460, 5718, 5645, 5464, 5544, 5510, 5652, 5625, 5284, 5258, 5292, 5364, 5524, 5720, 5638, 5525, 5423, 5632, 5475, 5483, 5463, 5320, 5316, 5389, 5254, 5255, 5570, 5308, 5417, 5425, 5681, 5350, 5311, 5488, 5542, 5688, 5438, 5723, 5370, 5492, 5286, 5374, 5318, 5512, 5386, 5262, 5346, 5419 (11 hits)
12	9	1.0	333.0	Yes	5500.0MHz, -64.0dBm	Hop sequence: 5670, 5310, 5640, 5719, 5289, 5260, 5673, 5469, 5562, 5708, 5621, 5348, 5532, 5494, 5530, 5255, 5392, 5464, 5391, 5677, 5410, 5434, 5646, 5560, 5317, 5502, 5713, 5421, 5632, 5564, 5655, 5658, 5666, 5507, 5678, 5662, 5458, 5535, 5262, 5577, 5645, 5569, 5323, 5355, 5353, 5337, 5331, 5561, 5414, 5556, 5724, 5322, 5326, 5498, 5481, 5681, 5282, 5257, 5297, 5291, 5417, 5676, 5460, 5665, 5619, 5610, 5712, 5648, 5375, 5663, 5309, 5522, 5292, 5365, 5567, 5402, 5477, 5373, 5559, 5657, 5534, 5380, 5480, 5659, 5574, 5296, 5308, 5554, 5515, 5422, 5595, 5330, 5394, 5377, 5566, 5686, 5586, 5616, 5620, 5679 (6 hits)
13	9	1.0	333.0	Yes	5501.0MHz,	Hop sequence: 5489, 5656, 5347, 5411,

File: R98544 Rev 1 Page 67 of 133

	Table 53 - FCC frequency hopping radar (Type 6) Results 40MHz						
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information	
					-64.0dBm	5430, 5677, 5361, 5682, 5527, 5574, 5650, 5510, 5284, 5417, 5638, 5498, 5428, 5261, 5669, 5272, 5645, 5703, 5635, 5424, 5427, 5461, 5519, 5653, 5521, 5456, 5548, 5670, 5290, 5326, 5684, 5647, 5412, 5551, 5339, 5478, 5396, 5593, 5607, 5533, 5365, 5678, 5584, 5297, 5409, 5429, 5350, 5494, 5419, 5291, 5369, 5276, 5342, 5368, 5439, 5588, 5464, 5475, 5512, 5664, 5275, 5642, 5399, 5406, 5603, 5511, 5277, 5524, 5269, 5585, 5323, 5405, 5421, 5506, 5594, 5592, 5600, 5335, 5480, 5537, 5491, 5681, 5333, 5601, 5310, 5265, 5652, 5389, 5420, 5328, 5723, 5379, 5565, 5614, 5572, 5531 (11 hits)	
14	9	1.0	333.0	Yes	5502.0MHz, -64.0dBm	Hop sequence: 5718, 5602, 5490, 5527, 5405, 5696, 5355, 5444, 5408, 5559, 5252, 5463, 5391, 5486, 5382, 5327, 5548, 5459, 5558, 5603, 5398, 5693, 5268, 5411, 5250, 5654, 5412, 5343, 5584, 5310, 5549, 5600, 5302, 5397, 5691, 5369, 5421, 5474, 5574, 5544, 5644, 5627, 5496, 5629, 5309, 5403, 5510, 5712, 5625, 5451, 5363, 5581, 5719, 5494, 5289, 5358, 5303, 5667, 5517, 5634, 5482, 5583, 5256, 5626, 5678, 5352, 5395, 5456, 5553, 5487, 5298, 5318, 5621, 5726, 5511, 5655, 5297, 5495, 5659, 5622, 5671, 5320, 5519, 5305, 5606, 5535, 5590, 5322, 5572, 5461, 5520, 5597, 5694, 5515, 5643, 5285, 5653, 5443, 5503, 5497 (12 hits)	
15	9	1.0	333.0	Yes	5503.0MHz, -64.0dBm	Hop sequence: 5682, 5531, 5512, 5392, 5458, 5304, 5510, 5605, 5460, 5695, 5475, 5620, 5517, 5494, 5498, 5570, 5615, 5295, 5301, 5653, 5568, 5640, 5660, 5377, 5327, 5705, 5666, 5424, 5412, 5553, 5548, 5370, 5440, 5330, 5360, 5371, 5588, 5269, 5427, 5379, 5519, 5385, 5489, 5642, 5272, 5251, 5635, 5658, 5423, 5322, 5610, 5309, 5384, 5521, 5398, 5382, 5715, 5419, 5451, 5564, 5524, 5525, 5268, 5704, 5378, 5332, 5539, 5356, 5662, 5437, 5693, 5436, 5566, 5318, 5407, 5555, 5594, 5644, 5678, 5598, 5329, 5671, 5335, 5429, 5614, 5447, 5328, 5717, 5649, 5725, 5656, 5431, 5651, 5599, 5534, 5279, 5497, 5298, 5350, 5522 (11 hits)	
16	9	1.0	333.0	Yes	5504.0MHz, -64.0dBm	Hop sequence: 5422, 5399, 5689, 5712, 5550, 5274, 5607, 5283, 5504, 5554, 5400, 5362, 5482, 5264, 5293, 5344, 5288, 5304, 5474, 5313, 5656, 5572, 5410, 5450, 5711, 5687, 5622, 5375, 5316, 5398, 5699, 5671, 5567, 5551, 5382, 5363, 5322, 5523, 5307, 5471, 5333, 5718, 5546, 5603, 5599, 5284, 5664, 5713, 5637, 5260, 5653, 5702, 5379, 5647, 5367, 5416, 5477, 5435, 5716, 5368, 5323, 5271, 5296, 5373, 5309, 5358, 5596, 5403, 5355, 5505, 5661, 5258, 5672, 5542, 5409, 5658, 5626, 5633, 5536, 5663, 5614, 5473, 5578, 5484, 5462, 5634, 5620, 5464, 5497, 5534, 5411, 5530, 5700, 5690, 5331, 5655, 5594, 5708, 5444, 5531 (4 hits)	
17	9	1.0	333.0	Yes	5505.0MHz,	Hop sequence: 5411, 5276, 5376, 5574, 5278, 5712, 5493, 5479, 5353, 5283, 5719,	

File: R98544 Rev 1 Page 68 of 133

File: R98544 Rev 1 Page 69 of 133

File: R98544 Rev 1 Page 70 of 133

File: R98544 Rev 1 Page 71 of 133

		Table 53	- FCC fr	equency ho	pping radar (Typ	oe 6) Results 40MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5501, 5292, 5641, 5468, 5721, 5587, 5706, 5338, 5536, 5667, 5419, 5418, 5692, 5340, 5712, 5702, 5290, 5370, 5684, 5281, 5714, 5707, 5562, 5708, 5251, 5367, 5665, 5429, 5376, 5620, 5361, 5520, 5679, 5643, 5321, 5405, 5267, 5425, 5275, 5686, 5271, 5699, 5645, 5644, 5615, 5552, 5553, 5433, 5261, 5533, 5662, 5478, 5391, 5522, 5537, 5404, 5428, 5256, 5348, 5690, 5413, 5616, 5330, 5583, 5596, 5360, 5530, 5578 (7 hits)
30	9	1.0	333.0	Yes	5518.0MHz, -64.0dBm	Hop sequence: 5359, 5365, 5504, 5638, 5499, 5275, 5587, 5640, 5431, 5495, 5545, 5549, 5349, 5383, 5336, 5444, 5687, 5567, 5713, 5595, 5575, 5520, 5400, 5466, 5422, 5290, 5523, 5447, 5323, 5711, 5270, 5641, 5443, 5445, 5392, 5576, 5309, 5460, 5652, 5648, 5557, 5589, 5490, 5570, 5697, 5558, 5307, 5610, 5704, 5369, 5361, 5363, 5373, 5607, 5368, 5580, 5389, 5532, 5612, 5302, 5598, 5688, 5325, 5404, 5390, 5380, 5498, 5527, 5449, 5602, 5256, 5333, 5287, 5611, 5304, 5288, 5448, 5334, 5372, 5337, 5624, 5398, 5561, 5535, 5721, 5725, 5636, 5553, 5403, 5646, 5634, 5694, 5352, 5295, 5679, 5330, 5654, 5628, 5291, 5413 (7 hits)
31	9	1.0	333.0	Yes	5519.0MHz, -64.0dBm	Hop sequence: 5455, 5433, 5625, 5458, 5686, 5417, 5716, 5362, 5565, 5636, 5444, 5467, 5689, 5411, 5612, 5637, 5662, 5626, 5674, 5621, 5346, 5641, 5528, 5353, 5406, 5673, 5480, 5551, 5265, 5697, 5506, 5620, 5404, 5277, 5603, 5323, 5664, 5345, 5619, 5503, 5633, 5567, 5341, 5615, 5330, 5541, 5398, 5260, 5299, 5254, 5648, 5402, 5365, 5571, 5557, 5352, 5291, 5385, 5373, 5279, 5410, 5479, 5436, 5724, 5366, 5377, 5714, 5314, 5335, 5694, 5654, 5470, 5538, 5608, 5553, 5337, 5544, 5706, 5632, 5561, 5497, 5297, 5292, 5527, 5524, 5502, 5700, 5560, 5428, 5513, 5640, 5468, 5693, 5287, 5509, 5315, 5646, 5675, 5387, 5443 (9 hits)
32	9	1.0	333.0	Yes	5520.0MHz, -64.0dBm	Hop sequence: 5560, 5487, 5326, 5548, 5389, 5542, 5444, 5409, 5445, 5493, 5695, 5270, 5535, 5559, 5654, 5578, 5502, 5517, 5572, 5472, 5392, 5606, 5312, 5696, 5463, 5309, 5561, 5617, 5523, 5298, 5546, 5284, 5580, 5605, 5405, 5516, 5303, 5451, 5589, 5329, 5631, 5426, 5680, 5632, 5569, 5611, 5357, 5282, 5550, 5438, 5477, 5306, 5500, 5341, 5564, 5366, 5423, 5707, 5665, 5367, 5343, 5584, 5558, 5278, 5615, 5251, 5410, 5601, 5583, 5277, 5323, 5315, 5332, 5485, 5717, 5527, 5712, 5365, 5536, 5411, 5388, 5319, 5434, 5565, 5418, 5709, 5354, 5475, 5377, 5440, 5664, 5720, 5630, 5716, 5457, 5587, 5724, 5549, 5723, 5317 (7 hits)
33	9	1.0	333.0	Yes	5521.0MHz, -64.0dBm	Hop sequence: 5282, 5628, 5531, 5573, 5719, 5390, 5619, 5529, 5261, 5714, 5542, 5546, 5455, 5516, 5568, 5567, 5654, 5420, 5602, 5686, 5692, 5435, 5340, 5505, 5616, 5712, 5563, 5333, 5324, 5694, 5633, 5646, 5430, 5365, 5444, 5700, 5306, 5660, 5502,

File: R98544 Rev 1 Page 72 of 133

File: R98544 Rev 1 Page 73 of 133

5353, 5327, 5356, 5464, 5722, 5405, 5661.

File: R98544 Rev 1 Page 74 of 133

Table 54 - Long Sequence Waveform Summary 40MHz							
Long Sequence Trial	Result	Radar Frequency / Amplitude					
Trial #1	Detected	5510.0MHz, -64.0dBm					
Trial #2	Detected	5505.0MHz, -64.0dBm					
Trial #3	Detected	5500.0MHz, -64.0dBm					
Trial #4	Detected	5495.0MHz, -64.0dBm					
Trial #5	Detected	5525.0MHz, -64.0dBm					
Trial #6	Detected	5520.0MHz, -64.0dBm					
Trial #7	Detected	5515.0MHz, -64.0dBm					
Trial #8	Detected	5510.0MHz, -64.0dBm					
Trial #9	Detected	5505.0MHz, -64.0dBm					
Trial #10	Detected	5500.0MHz, -64.0dBm					
Trial #11	Detected	5495.0MHz, -64.0dBm					
Trial #12	Detected	5525.0MHz, -64.0dBm					
Trial #13	Detected	5520.0MHz, -64.0dBm					
Trial #14	Detected	5515.0MHz, -64.0dBm					
Trial #15	Detected	5510.0MHz, -64.0dBm					
Trial #16	Detected	5505.0MHz, -64.0dBm					
Trial #17	Detected	5500.0MHz, -64.0dBm					
Trial #18	Detected	5495.0MHz, -64.0dBm					
Trial #19	Detected	5525.0MHz, -64.0dBm					
Trial #20	Detected	5520.0MHz, -64.0dBm					
Trial #21	Detected	5515.0MHz, -64.0dBm					
Trial #22	Detected	5510.0MHz, -64.0dBm					
Trial #23	Detected	5505.0MHz, -64.0dBm					
Trial #24	Detected	5500.0MHz, -64.0dBm					
Trial #25	Detected	5495.0MHz, -64.0dBm					
Trial #26	Detected	5525.0MHz, -64.0dBm					
Trial #27	Detected	5520.0MHz, -64.0dBm					
Trial #28	Detected	5515.0MHz, -64.0dBm					
Trial #29	Detected	5510.0MHz, -64.0dBm					
Trial #30	Detected	5505.0MHz, -64.0dBm					

	Table 55 - Long Sequence Waveform Trial#1 (Detected) 40MHz							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	72.5	18	1576.0	1351.0	0.196593		
2	3	96.5	12	1518.0	1424.0	1.266753		
3	2	91.3	19	1925.0	-	2.853490		
4	2	72.5	6	1520.0	-	3.508068		
5	3	59.0	8	1984.0	1058.0	5.109380		
6	1	63.9	13	-	-	6.286665		
7	3	99.5	14	1817.0	1623.0	6.825708		
8	2	91.7	7	1713.0	-	7.914198		
9	2	90.1	12	1292.0	-	8.999313		
10	2	60.4	17	1000.0	-	10.763362		
11	2	55.0	15	1045.0	-	11.581472		

File: R98544 Rev 1 Page 75 of 133

	Table 56 - Long Sequence Waveform Trial#2 (Detected) 40MHz							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	84.5	15	1714.0	-	0.580044		
2	2	72.0	20	1485.0	-	0.919928		
3	2	76.8	10	1050.0	-	1.757049		
4	2	80.2	19	1677.0	-	2.540646		
5	2	78.9	10	1458.0	-	2.776360		
6	3	85.8	10	1316.0	1378.0	3.908706		
7	2	79.7	15	1844.0	-	4.625645		
8	3	95.8	9	1344.0	1641.0	5.287807		
9	3	81.8	18	1664.0	1653.0	5.532706		
10	1	86.4	6	-	-	6.540898		
11	2	77.5	19	1635.0	-	6.721518		
12	1	79.3	8	-	-	7.680500		
13	3	60.4	18	1978.0	1099.0	8.021612		
14	2	51.3	15	1114.0	-	8.867937		
15	2	66.7	16	1664.0	-	9.357915		
16	3	71.6	12	1490.0	1238.0	10.566210		
17	2	76.6	10	1500.0	-	11.112055		
18	1	58.8	17	-	-	11.776367		

	Table 57 - Long Sequence Waveform Trial#3 (Detected) 40MHz							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	1	78.5	11	-	-	0.508101		
2	1	96.3	15	-	-	2.289737		
3	1	86.5	16	-	-	3.033655		
4	1	84.7	17	-	-	4.579886		
5	2	67.5	16	1731.0	-	5.696375		
6	2	95.3	17	1889.0	-	6.219383		
7	2	92.0	6	1982.0	-	7.879501		
8	1	69.0	11	-	-	9.129658		
9	1	64.2	15	-	-	9.858017		
10	1	99.7	8	-	-	11.524438		

File: R98544 Rev 1 Page 76 of 133

Table 58 - Long Sequence Waveform Trial#4 (Detected) 40MHz							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	2	69.1	7	1754.0	-	0.387950	
2	2	92.4	13	1689.0	-	0.973798	
3	3	57.1	5	1961.0	1324.0	1.392132	
4	1	70.9	9	-	-	2.213918	
5	2	78.3	12	1639.0	-	2.522433	
6	3	89.0	8	1801.0	1206.0	3.450393	
7	2	59.1	17	1715.0	-	4.133731	
8	3	83.0	9	1235.0	1012.0	4.670469	
9	3	66.1	10	1258.0	1920.0	4.983931	
10	1	58.4	13	-	-	5.587632	
11	3	56.9	19	1613.0	1430.0	6.086372	
12	3	86.0	5	1475.0	1157.0	6.752110	
13	2	93.0	17	1135.0	-	7.721096	
14	3	99.1	11	1562.0	1265.0	8.191633	
15	3	96.3	9	1028.0	1251.0	8.754757	
16	1	93.4	8	-	-	9.307007	
17	2	81.4	10	1200.0	-	9.837642	
18	2	82.0	19	1208.0	-	10.482040	
19	2	58.9	19	1608.0	-	11.083344	
20	3	90.6	8	1389.0	1165.0	11.597997	

	Table 59 - Long Sequence Waveform Trial#5 (Detected) 40MHz							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	1	62.1	10	-	-	0.408404		
2	1	77.6	15	-	-	1.731137		
3	3	74.4	10	1022.0	1025.0	3.276109		
4	1	56.8	11	-	-	4.384393		
5	2	92.1	9	1036.0	-	5.301543		
6	2	75.9	14	1500.0	-	6.557454		
7	2	68.4	12	1557.0	-	7.757045		
8	2	61.5	20	1834.0	-	8.843240		
9	3	69.5	19	1659.0	1355.0	10.215940		
10	3	51.4	18	1316.0	1247.0	11.479827		

File: R98544 Rev 1 Page 77 of 133

	Table 60 - Long Sequence Waveform Trial#6 (Detected) 40MHz							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	80.8	19	1866.0	-	0.336387		
2	2	58.9	8	1737.0	-	1.010199		
3	1	68.4	13	-	-	2.214387		
4	3	91.7	9	1715.0	1712.0	2.548330		
5	2	78.0	13	1002.0	-	3.303413		
6	1	76.3	12	-	-	3.771766		
7	2	67.2	8	1354.0	-	4.980916		
8	3	87.0	17	1171.0	1500.0	5.404591		
9	2	63.2	5	1028.0	-	6.567483		
10	1	85.0	18	-	-	7.373314		
11	1	79.6	19	-	-	8.212023		
12	1	54.7	7	-	-	8.313783		
13	3	87.7	6	1874.0	1410.0	9.698019		
14	2	60.4	17	1989.0	-	10.492732		
15	3	52.3	16	1731.0	1066.0	10.642725		
16	1	56.0	5	-	-	11.809780		

	Table 61 - Long Sequence Waveform Trial#7 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	64.9	16	1651.0	1321.0	0.152231			
2	1	92.0	15	-	-	0.953617			
3	2	59.2	18	1636.0	-	2.591683			
4	3	70.8	13	1479.0	1728.0	2.937386			
5	3	81.2	19	1667.0	1470.0	4.451482			
6	1	68.1	17	-	-	4.828426			
7	3	62.3	13	1676.0	1134.0	5.912533			
8	3	70.0	15	1536.0	1155.0	7.170366			
9	2	88.0	11	1743.0	-	7.508614			
10	2	92.4	11	1367.0	-	8.804344			
11	3	58.1	17	1113.0	1073.0	9.846773			
12	1	84.7	11	-	-	10.711216			
13	3	74.8	11	1818.0	1082.0	11.488807			

File: R98544 Rev 1 Page 78 of 133

	Table 62 - Long Sequence Waveform Trial#8 (Detected) 40MHz							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	1	90.0	9	-	-	0.200815		
2	2	51.9	6	1992.0	-	0.870001		
3	2	54.7	7	1873.0	-	1.933122		
4	3	81.8	15	1304.0	1967.0	2.589161		
5	3	93.2	6	1697.0	1441.0	2.937439		
6	2	65.6	18	1161.0	-	3.992909		
7	2	51.3	10	1760.0	-	4.179793		
8	2	72.0	16	1060.0	-	4.787510		
9	2	82.2	13	1697.0	-	5.669323		
10	2	73.4	15	1507.0	-	6.328662		
11	2	97.4	13	1508.0	-	7.272740		
12	2	62.2	12	1677.0	-	7.507661		
13	2	96.4	6	1003.0	-	8.403324		
14	3	94.6	14	1062.0	1762.0	8.759826		
15	2	56.7	16	1518.0	-	9.552565		
16	2	74.4	14	1506.0	-	10.074481		
17	3	73.4	11	1292.0	1355.0	11.261945		
18	2	69.6	17	1896.0	-	11.846962		

	Table 63 - Long Sequence Waveform Trial#9 (Detected) 40MHz							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	68.0	18	1291.0	1972.0	0.225522		
2	1	68.8	17	-	-	1.310244		
3	1	62.3	8	-	-	1.628357		
4	2	62.3	9	1752.0	-	2.377184		
5	1	77.7	17	-	-	3.464564		
6	1	86.2	9	-	-	3.910598		
7	2	68.1	19	1121.0	-	4.708105		
8	3	63.8	13	1558.0	1394.0	5.400470		
9	3	99.3	10	1087.0	1961.0	6.307608		
10	2	80.8	15	1476.0	-	6.521929		
11	2	91.2	17	1803.0	-	7.280122		
12	2	91.2	14	1844.0	-	8.027790		
13	2	74.7	7	1493.0	-	8.964606		
14	2	56.4	7	1944.0	-	9.407281		
15	2	77.5	6	1108.0	-	9.980785		
16	3	85.2	13	1335.0	1443.0	11.087059		
17	3	88.5	13	1597.0	1144.0	11.974300		

File: R98544 Rev 1 Page 79 of 133

	Table 64 - Long Sequence Waveform Trial#10 (Detected) 40MHz							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	84.5	14	1873.0	-	0.721028		
2	1	91.3	7	-	-	1.126935		
3	1	83.6	16	=	=	1.612959		
4	2	81.4	12	1946.0	=	2.915525		
5	3	52.1	13	1293.0	1574.0	3.695705		
6	3	79.6	19	1285.0	1202.0	4.271228		
7	2	52.5	15	1098.0	-	5.180443		
8	1	58.4	8	=	=	6.347923		
9	1	89.3	20	=	=	7.181255		
10	1	70.5	8	=	=	7.736661		
11	2	73.5	18	1029.0	-	8.567251		
12	2	95.1	16	1466.0	-	9.592340		
13	2	63.8	19	1870.0	-	9.669339		
14	2	92.3	17	1345.0	-	11.050879		
15	2	63.0	7	1859.0	-	11.981986		

	Table 65 - Long Sequence Waveform Trial#11 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	87.8	18	-	-	0.133644			
2	1	65.0	16	-	-	0.790562			
3	2	72.8	11	1843.0	-	1.742457			
4	2	98.7	10	1616.0	-	1.923446			
5	2	85.8	17	1155.0	-	2.767415			
6	3	77.9	17	1596.0	1031.0	3.280463			
7	2	55.8	9	1569.0	-	4.175728			
8	2	83.1	14	1194.0	-	4.788864			
9	1	51.1	9	-	-	5.177061			
10	2	67.7	15	1998.0	-	5.583036			
11	2	76.8	17	1853.0	-	6.443470			
12	2	76.7	15	1660.0	-	6.680133			
13	2	83.0	9	1707.0	-	7.302880			
14	2	68.1	13	1151.0	-	8.125794			
15	2	70.0	17	1335.0	-	8.894394			
16	2	65.4	16	1107.0	-	9.342074			
17	2	62.9	12	1781.0	-	10.193682			
18	3	89.6	11	1705.0	1734.0	10.405152			
19	2	85.1	7	1157.0	-	10.858448			
20	1	50.5	9	-	-	11.983140			

File: R98544 Rev 1 Page 80 of 133

	Table 66 - Long Sequence Waveform Trial#12 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	70.6	20	1323.0	-	0.974353			
2	1	92.3	6	-	-	1.940492			
3	1	89.1	9	-	-	2.650575			
4	2	55.8	19	1065.0	-	3.555164			
5	1	95.1	14	-	-	4.674277			
6	3	65.9	14	1578.0	1563.0	5.567417			
7	2	91.4	16	1853.0	-	7.023216			
8	2	74.0	11	1859.0	-	8.572508			
9	2	64.6	17	1849.0	-	9.780604			
10	2	87.7	15	1639.0	-	10.249199			
11	2	51.4	14	1320.0	-	11.689987			

	Table 67 - Long Sequence Waveform Trial#13 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	79.8	6	1644.0	-	0.325942			
2	2	74.6	12	1392.0	-	1.342591			
3	2	91.4	17	1626.0	-	1.798270			
4	2	95.0	11	1152.0	-	2.660169			
5	2	58.6	6	1489.0	-	3.612304			
6	3	90.5	16	1580.0	1299.0	4.231219			
7	2	88.8	10	1596.0	-	5.117716			
8	2	77.0	17	1542.0	-	5.910007			
9	3	98.5	18	1238.0	1286.0	6.057876			
10	1	63.8	8	-	-	7.455342			
11	1	68.2	8	-	-	7.959176			
12	2	61.8	17	1364.0	-	8.401821			
13	1	55.3	15	-	-	9.001146			
14	2	77.7	12	1115.0	-	9.907886			
15	3	69.5	6	1813.0	1440.0	10.841270			
16	3	98.2	20	1544.0	1892.0	11.674751			

Table 68 - Long Sequence Waveform Trial#14 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	55.6	9	1401.0	-	0.416649		
2	3	59.0	12	1250.0	1421.0	1.145748		
3	3	59.1	15	1909.0	1986.0	2.603617		
4	1	75.6	19	-	-	3.683546		
5	2	77.7	12	1467.0	-	4.702585		
6	1	85.0	7	-	-	5.346173		
7	3	96.1	7	1960.0	1576.0	6.287508		
8	1	67.3	8	-	-	7.789942		
9	1	90.6	8	-	-	8.324537		
10	3	85.9	11	1160.0	1658.0	9.145306		
11	2	93.8	14	1679.0	-	10.164190		
12	2	50.1	7	1674.0	-	11.523248		

File: R98544 Rev 1 Page 81 of 133

Report Date: June 15, 2015

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	99.6	6	-	-	0.494541
2	2	80.2	16	1131.0	-	1.137749
3	3	77.8	5	1820.0	1420.0	1.806883
4	2	89.5	13	1862.0	-	2.222853
5	3	94.0	15	1993.0	1928.0	2.747003
6	3	70.9	18	1110.0	1437.0	3.731428
7	2	67.8	16	1504.0	-	4.273816
8	1	86.6	16	-	-	4.957457
9	3	80.0	12	1336.0	1852.0	5.611397
10	3	59.9	8	1166.0	1680.0	5.956619
11	3	85.9	14	1983.0	1142.0	6.840231
12	2	100.0	11	1635.0	-	7.570302
13	2	57.9	12	1142.0	-	8.156041
14	2	60.2	8	1942.0	-	8.257554
15	2	100.0	19	1404.0	-	9.313247
16	2	72.3	11	1213.0	-	9.822562
17	3	80.7	10	1415.0	1310.0	10.287755
18	1	65.8	11	-	-	10.806745
19	3	87.2	15	1180.0	1376.0	11.848119

	Table 70 - Long Sequence Waveform Trial#16 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	66.3	14	1796.0	1519.0	0.797564			
2	2	96.5	12	1125.0	-	1.822358			
3	1	99.0	18	-	-	2.522211			
4	1	57.3	18	-	-	3.498031			
5	3	88.5	8	1283.0	1436.0	4.233820			
6	2	78.0	9	1932.0	-	4.867491			
7	2	82.7	12	1989.0	-	5.657206			
8	2	97.9	13	1881.0	-	6.937981			
9	2	62.4	8	1670.0	-	7.417867			
10	3	61.1	13	1893.0	1422.0	8.352115			
11	3	95.3	15	1310.0	1203.0	9.991724			
12	1	66.2	18	-	-	10.407061			
13	2	77.3	8	1356.0	-	11.490447			

File: R98544 Rev 1 Page 82 of 133

	Table 71 - Long Sequence Waveform Trial#17 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	75.1	13	1733.0	1702.0	0.423171			
2	1	97.6	12	-	-	0.751301			
3	2	58.8	17	1741.0	-	1.795368			
4	2	89.2	7	1504.0	-	2.159072			
5	2	64.9	18	1488.0	-	2.693485			
6	2	87.6	7	1889.0	-	3.036401			
7	3	72.6	18	1207.0	1006.0	4.139893			
8	3	56.1	15	1036.0	1348.0	4.342457			
9	3	62.4	9	1719.0	1779.0	5.235424			
10	1	53.7	17	-	-	5.946414			
11	3	52.4	14	1660.0	1136.0	6.190993			
12	2	63.8	12	1624.0	-	7.090568			
13	1	98.2	8	-	-	7.420624			
14	2	83.3	8	1980.0	-	8.394266			
15	2	88.9	19	1137.0	-	8.685970			
16	3	65.6	15	1351.0	1299.0	9.436377			
17	3	73.5	20	1434.0	1022.0	10.123049			
18	2	84.8	7	1779.0	-	10.751822			
19	1	75.1	7	-	-	10.875136			
20	2	88.2	20	1271.0	-	11.914314			

	Table 72 - Long Sequence Waveform Trial#18 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	80.5	14	1581.0	-	0.641172			
2	2	92.7	20	1593.0	-	1.111758			
3	3	88.9	9	1413.0	1165.0	1.811628			
4	1	65.7	8	-	-	2.681691			
5	3	82.0	9	1933.0	1122.0	3.481514			
6	1	62.5	9	-	-	3.893264			
7	3	61.4	18	1134.0	1513.0	5.023900			
8	2	82.9	17	1449.0	-	5.620566			
9	3	52.0	9	1172.0	1037.0	6.610325			
10	2	78.7	16	1572.0	-	7.325518			
11	2	89.1	13	1183.0	-	7.985821			
12	2	77.4	10	1584.0	-	8.758988			
13	3	59.1	13	1971.0	1783.0	9.111193			
14	3	73.7	8	1934.0	1723.0	9.860452			
15	2	75.1	8	1271.0	-	10.928309			
16	2	57.7	9	1415.0	-	11.726004			

File: R98544 Rev 1 Page 83 of 133

	Table 73 - Long Sequence Waveform Trial#19 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	90.6	7	-	-	0.741511			
2	2	64.3	16	1716.0	-	1.577327			
3	2	65.2	15	1465.0	-	3.313669			
4	2	87.2	9	1891.0	-	3.943654			
5	1	94.4	8	-	-	5.974023			
6	2	91.5	17	1118.0	-	6.907794			
7	1	73.9	14	-	-	7.275912			
8	2	66.1	5	1200.0	-	8.595467			
9	3	66.9	14	1836.0	1773.0	10.612472			
10	2	62.7	15	1333.0	-	10.839324			

	Table 74 - Long Sequence Waveform Trial#20 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	88.0	9	1896.0	1339.0	0.252944			
2	1	98.5	12	-	-	1.468781			
3	2	52.0	8	1844.0	-	2.232455			
4	3	55.1	9	1101.0	1552.0	3.249361			
5	2	81.6	18	1425.0	-	4.279993			
6	3	68.6	18	1184.0	1680.0	5.470487			
7	2	50.6	7	1616.0	-	6.309949			
8	1	90.8	7	-	-	7.805470			
9	2	51.0	7	1213.0	-	8.453251			
10	2	63.3	15	1405.0	-	9.925437			
11	3	73.7	20	1091.0	1212.0	10.254033			
12	2	51.1	16	1975.0	-	11.775029			

	Table 75 - Long Sequence Waveform Trial#21 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	76.4	13	1161.0	1178.0	0.589903			
2	3	51.4	8	1367.0	1825.0	0.934063			
3	3	80.3	12	1492.0	1047.0	2.372276			
4	2	60.3	9	1358.0	-	3.024440			
5	2	87.9	15	1196.0	-	3.584913			
6	2	60.6	19	1583.0	-	5.102194			
7	3	74.3	13	1128.0	1253.0	5.961083			
8	3	61.7	9	1373.0	1712.0	6.344728			
9	2	78.9	15	1532.0	-	6.870774			
10	1	89.7	20	-	-	8.003157			
11	3	79.2	18	1227.0	1706.0	8.639027			
12	1	75.5	19	-	-	9.460066			
13	1	72.8	15	-	-	10.305235			
14	2	59.4	10	1721.0	-	11.587258			

File: R98544 Rev 1 Page 84 of 133

	Table 76 - Long Sequence Waveform Trial#22 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	62.2	12	1731.0	1807.0	0.699632			
2	3	60.0	7	1473.0	1751.0	1.379420			
3	2	93.2	12	1003.0	-	1.823504			
4	2	54.6	6	1451.0	-	2.820029			
5	2	92.0	17	1483.0	-	3.384549			
6	2	67.9	10	1628.0	-	3.849477			
7	1	54.8	18	-	-	4.626576			
8	2	67.8	8	1296.0	-	5.318349			
9	1	81.6	10	-	-	5.693023			
10	2	64.3	13	1278.0	-	6.747568			
11	2	62.2	9	1031.0	-	7.135126			
12	2	91.3	10	1394.0	-	8.355709			
13	2	50.5	14	1160.0	-	9.155374			
14	2	67.1	9	1822.0	-	9.700847			
15	1	74.8	19	-	-	10.028313			
16	1	54.6	12	-	-	11.203232			
17	1	69.8	14	-	-	11.813677			

	Table 77 - Long Sequence Waveform Trial#23 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	67.4	9	1970.0	-	0.414581			
2	2	73.0	5	1917.0	=	1.544545			
3	3	83.4	5	1123.0	1269.0	1.964881			
4	3	65.9	10	1977.0	1846.0	3.225372			
5	2	76.5	13	1546.0	-	4.160228			
6	2	88.5	19	1342.0	=	4.291701			
7	2	93.0	16	1839.0	-	5.309632			
8	2	97.9	14	1933.0	=	6.406443			
9	3	80.8	8	1543.0	1389.0	7.224225			
10	2	69.3	17	1220.0	-	7.744821			
11	2	53.5	13	1480.0	=	9.060127			
12	2	90.1	9	1498.0	=	10.242267			
13	2	87.2	15	1555.0	=	10.334774			
14	2	55.8	19	1940.0	-	11.826318			

File: R98544 Rev 1 Page 85 of 133

	Table 78 - Long Sequence Waveform Trial#24 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	52.8	14	1702.0	-	0.906983			
2	3	85.3	12	1284.0	1635.0	1.031270			
3	1	63.3	8	-	-	2.570080			
4	2	71.2	18	1668.0	-	3.011977			
5	1	70.5	10	-	-	3.757449			
6	2	91.3	5	1814.0	-	5.119681			
7	1	88.6	7	-	-	5.917452			
8	2	65.2	17	1779.0	-	7.127946			
9	3	86.2	12	1788.0	1636.0	7.487151			
10	3	64.4	7	1737.0	1531.0	8.670572			
11	1	68.9	20	-	-	9.341720			
12	2	79.5	19	1525.0	-	10.175358			
13	2	82.6	7	1934.0	-	11.088585			

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	95.9	6	-	-	0.045807
2	2	55.9	16	1103.0	-	1.353153
3	3	87.3	11	1164.0	1033.0	1.483363
4	1	73.2	12	-	-	2.538357
5	1	78.9	11	-	-	2.908066
6	3	58.5	15	1399.0	1768.0	3.617330
7	1	68.9	12	-	-	4.259902
8	1	98.3	5	-	-	5.246480
9	2	51.9	18	1534.0	-	5.922815
10	3	94.7	16	1068.0	1901.0	6.734529
11	2	86.7	13	1444.0	-	7.529079
12	2	55.6	7	1756.0	-	7.928084
13	2	96.4	10	1789.0	-	8.870937
14	2	76.3	10	1554.0	-	9.315058
15	2	72.9	12	1657.0	-	10.547735
16	2	61.8	15	1161.0	-	10.903284
17	2	94.8	15	1560.0	-	11.378137

File: R98544 Rev 1 Page 86 of 133

	Table 80 - Long Sequence Waveform Trial#26 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	70.4	18	1135.0	-	0.792596			
2	2	77.8	8	1451.0	-	1.339967			
3	2	69.6	8	1267.0	-	2.175695			
4	1	73.9	14	-	-	2.431469			
5	3	63.8	14	1245.0	1218.0	3.339787			
6	2	85.7	14	1869.0	-	4.007807			
7	3	94.1	12	1575.0	1255.0	5.308601			
8	2	57.1	10	1666.0	-	6.246367			
9	3	77.0	10	1118.0	1563.0	6.919049			
10	3	65.6	10	1367.0	1426.0	7.207869			
11	2	79.3	12	1066.0	-	8.524258			
12	3	92.6	13	1034.0	1913.0	9.070530			
13	2	68.7	12	1737.0	-	9.812746			
14	2	61.5	10	1724.0	-	10.891901			
15	2	63.5	12	1658.0	-	11.274843			

	Table 81 - Long Sequence Waveform Trial#27 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	64.5	8	1495.0	1297.0	0.875577			
2	1	95.5	19	-	-	1.184085			
3	3	70.6	9	1200.0	1664.0	2.323229			
4	2	83.3	11	1234.0	-	3.109415			
5	2	91.2	16	1711.0	-	4.488904			
6	2	78.5	6	1973.0	-	4.856590			
7	2	91.5	17	1064.0	-	6.394883			
8	1	89.9	10	-	-	7.011045			
9	2	83.2	11	1039.0	-	7.661282			
10	2	61.5	7	1275.0	-	8.682020			
11	2	85.4	18	1953.0	-	9.248211			
12	2	85.2	16	1671.0	-	10.260868			
13	2	79.3	14	1834.0	-	11.302585			

Table 82 - Long Sequence Waveform Trial#28 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	50.7	10	1212.0	1275.0	0.959859		
2	1	56.0	15	-	-	2.130744		
3	2	88.9	17	1232.0	-	3.613947		
4	1	90.0	7	-	-	4.397247		
5	3	85.8	13	1935.0	1201.0	6.626710		
6	3	54.4	18	1069.0	1865.0	7.149760		
7	1	84.9	20	-	-	8.887845		
8	3	98.5	18	1494.0	1983.0	10.208410		
9	3	93.8	14	1106.0	1676.0	10.749573		

File: R98544 Rev 1 Page 87 of 133

	Table 83 - Long Sequence Waveform Trial#29 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	86.0	15	-	-	0.340597			
2	2	86.2	20	1428.0	-	2.094693			
3	3	59.6	12	1331.0	1488.0	3.030819			
4	2	62.2	11	1115.0	-	3.989915			
5	3	62.5	13	1122.0	1765.0	4.556426			
6	1	99.1	10	-	-	6.077025			
7	1	54.0	17	-	-	7.625726			
8	3	64.6	8	1887.0	1114.0	8.196274			
9	3	71.4	16	1619.0	1108.0	9.345632			
10	1	99.9	12	-	-	10.503127			
11	3	67.2	6	1384.0	1424.0	11.622439			

	Table 84 - Long Sequence Waveform Trial#30 (Detected) 40MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	83.5	9	-	-	0.325000			
2	1	64.1	14	-	-	1.062094			
3	1	68.0	9	-	-	1.619284			
4	2	99.2	5	1130.0	-	2.504404			
5	2	93.1	11	1231.0	-	3.061455			
6	2	77.9	13	1144.0	-	4.373159			
7	2	77.5	13	1171.0	-	5.061265			
8	3	55.6	7	1133.0	1730.0	5.986009			
9	1	74.4	6	-	-	6.334580			
10	2	89.7	7	1379.0	-	6.956531			
11	2	90.3	7	1081.0	-	7.686575			
12	3	75.3	19	1768.0	1411.0	8.438472			
13	2	51.1	11	1434.0	-	9.078451			
14	2	95.8	12	1112.0	-	9.929761			
15	2	87.5	6	1134.0	-	10.633456			
16	3	75.5	20	1167.0	1304.0	11.920893			

File: R98544 Rev 1 Page 88 of 133

Table 85 - De	etection Bandwidth Measurements	(Bandwidth: +40	MHz /-40MH	z) 802.11ac	80MHz
EUT Frequency	Radar Type	Radar Frequency	# Detected	# Not Detected	Success (%)
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5489.00 MHz	0	2	0
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5490.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5491.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5492.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5493.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5494.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5495.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5500.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5505.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5510.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5515.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5520.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5525.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5530.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5535.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5540.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5545.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5550.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5555.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5560.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5565.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5566.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5567.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5568.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5569.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5570.00 MHz	10	0	100
5530.00 MHz	FCC Short Pulse Radar (Type 0)	5571.00 MHz	0	2	0

Table 86 - Summary of All Results 802.11ac 80MHz							
Waveform Name	Pd (%)	Pd Required (%)	Number of Trials	Status			
FCC Short Pulse Radar (Type 1A)	100.0 %	60.0 %	15	PASSED			
FCC Short Pulse Radar (Type 1B)	100.0 %	60.0 %	15	PASSED			
FCC Short Pulse Radar (Type 2)	96.7 %	60.0 %	30	PASSED			
FCC Short Pulse Radar (Type 3)	93.3 %	60.0 %	30	PASSED			
FCC Short Pulse Radar (Type 4)	83.3 %	60.0 %	30	PASSED			
Aggregate of above results	93.3 %	80.0 %	120	PASSED			
FCC frequency hopping radar (Type 6)	100.0 %	70.0 %	81	PASSED			
Long Sequence	96.7 %	80.0 %	30	PASSED			

File: R98544 Rev 1 Page 89 of 133

	Table 87 - FCC Short Pulse Radar (Type 1A) Results 802.11ac 80MHz							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
1	81	1.0	658.0	Yes	5530.0MHz, -64.0dBm	Single burst		
2	89	1.0	598.0	Yes	5525.0MHz, -64.0dBm	Single burst		
3	61	1.0	878.0	Yes	5520.0MHz, -64.0dBm	Single burst		
4	83	1.0	638.0	Yes	5515.0MHz, -64.0dBm	Single burst		
5	78	1.0	678.0	Yes	5510.0MHz, -64.0dBm	Single burst		
6	58	1.0	918.0	Yes	5505.0MHz, -64.0dBm	Single burst		
7	95	1.0	558.0	Yes	5500.0MHz, -64.0dBm	Single burst		
8	74	1.0	718.0	Yes	5560.0MHz, -64.0dBm	Single burst		
9	92	1.0	578.0	Yes	5555.0MHz, -64.0dBm	Single burst		
10	68	1.0	778.0	Yes	5550.0MHz, -64.0dBm	Single burst		
11	99	1.0	538.0	Yes	5545.0MHz, -64.0dBm	Single burst		
12	76	1.0	698.0	Yes	5540.0MHz, -64.0dBm	Single burst		
13	62	1.0	858.0	Yes	5535.0MHz, -64.0dBm	Single burst		
14	65	1.0	818.0	Yes	5530.0MHz, -64.0dBm	Single burst		
15	86	1.0	618.0	Yes	5525.0MHz, -64.0dBm	Single burst		

	Table 88 - FCC Short Pulse Radar (Type 1B) Results 802.11ac 80MHz							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
1	48	1.0	1120.0	Yes	5530.0MHz, -64.0dBm	Single burst		
2	100	1.0	532.0	Yes	5525.0MHz, -64.0dBm	Single burst		
3	20	1.0	2733.0	Yes	5520.0MHz, -64.0dBm	Single burst		
4	20	1.0	2767.0	Yes	5515.0MHz, -64.0dBm	Single burst		
5	19	1.0	2837.0	Yes	5510.0MHz, -64.0dBm	Single burst		
6	19	1.0	2908.0	Yes	5505.0MHz, -64.0dBm	Single burst		
7	26	1.0	2041.0	Yes	5500.0MHz, -64.0dBm	Single burst		
8	85	1.0	625.0	Yes	5560.0MHz, -64.0dBm	Single burst		
9	20	1.0	2678.0	Yes	5555.0MHz, -64.0dBm	Single burst		
10	26	1.0	2062.0	Yes	5550.0MHz, -64.0dBm	Single burst		
11	25	1.0	2192.0	Yes	5545.0MHz, -64.0dBm	Single burst		
12	84	1.0	631.0	Yes	5540.0MHz, -64.0dBm	Single burst		
13	52	1.0	1017.0	Yes	5535.0MHz, -64.0dBm	Single burst		
14	57	1.0	942.0	Yes	5530.0MHz, -64.0dBm	Single burst		
15	26	1.0	2055.0	Yes	5525.0MHz, -64.0dBm	Single burst		

File: R98544 Rev 1 Page 90 of 133

		Table 89 - F	CC Short 1	Pulse Radar	(Type 2) Results 802.11ac 80M	MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
1	23	2.3	153.0	Yes	5530.0MHz, -64.0dBm	Single burst
2	26	3.3	219.0	Yes	5525.0MHz, -64.0dBm	Single burst
3	27	2.7	208.0	Yes	5520.0MHz, -64.0dBm	Single burst
4	28	2.7	221.0	Yes	5515.0MHz, -64.0dBm	Single burst
5	28	2.9	168.0	Yes	5510.0MHz, -64.0dBm	Single burst
6	29	2.8	169.0	Yes	5505.0MHz, -64.0dBm	Single burst
7	29	4.5	201.0	Yes	5500.0MHz, -64.0dBm	Single burst
8	23	1.7	195.0	Yes	5560.0MHz, -64.0dBm	Single burst
9	28	3.9	165.0	Yes	5555.0MHz, -64.0dBm	Single burst
10	28	4.1	190.0	Yes	5550.0MHz, -64.0dBm	Single burst
11	23	2.8	165.0	Yes	5545.0MHz, -64.0dBm	Single burst
12	26	3.2	159.0	Yes	5540.0MHz, -64.0dBm	Single burst
13	29	2.0	211.0	Yes	5535.0MHz, -64.0dBm	Single burst
14	27	1.8	229.0	Yes	5530.0MHz, -64.0dBm	Single burst
15	25	1.1	214.0	Yes	5525.0MHz, -64.0dBm	Single burst
16	23	1.3	153.0	Yes	5520.0MHz, -64.0dBm	Single burst
17	27	3.7	184.0	Yes	5515.0MHz, -64.0dBm	Single burst
18	29	3.2	198.0	Yes	5510.0MHz, -64.0dBm	Single burst
19	27	1.1	217.0	Yes	5505.0MHz, -64.0dBm	Single burst
20	26	2.1	181.0	Yes	5500.0MHz, -64.0dBm	Single burst
21	27	3.1	227.0	Yes	5560.0MHz, -64.0dBm	Single burst
22	27	3.3	203.0	Yes	5555.0MHz, -64.0dBm	Single burst
23	25	2.9	152.0	Yes	5550.0MHz, -64.0dBm	Single burst
24	26	3.8	184.0	Yes	5545.0MHz, -64.0dBm	Single burst
25	28	3.0	153.0	Yes	5540.0MHz, -64.0dBm	Single burst
26	27	2.3	200.0	No	5535.0MHz, -64.0dBm	Single burst
27	23	3.5	163.0	Yes	5530.0MHz, -64.0dBm	Single burst
28	24	3.6	179.0	Yes	5525.0MHz, -64.0dBm	Single burst
29	25	1.9	170.0	Yes	5520.0MHz, -64.0dBm	Single burst
30	27	1.1	174.0	Yes	5515.0MHz, -64.0dBm	Single burst

File: R98544 Rev 1 Page 91 of 133

	Table 90 - FCC Short Pulse Radar (Type 3) Results 802.11ac 80MHz									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
1	17	6.9	411.0	Yes	5530.0MHz, -64.0dBm	Single burst				
2	18	8.7	497.0	Yes	5525.0MHz, -64.0dBm	Single burst				
3	17	6.2	205.0	Yes	5520.0MHz, -64.0dBm	Single burst				
4	17	6.9	371.0	No	5515.0MHz, -64.0dBm	Single burst				
5	17	8.8	311.0	Yes	5510.0MHz, -64.0dBm	Single burst				
6	18	6.7	419.0	Yes	5505.0MHz, -64.0dBm	Single burst				
7	17	7.3	447.0	Yes	5500.0MHz, -64.0dBm	Single burst				
8	17	7.8	300.0	Yes	5560.0MHz, -64.0dBm	Single burst				
9	18	6.8	450.0	Yes	5555.0MHz, -64.0dBm	Single burst				
10	18	7.1	331.0	Yes	5550.0MHz, -64.0dBm	Single burst				
11	16	6.4	374.0	Yes	5545.0MHz, -64.0dBm	Single burst				
12	18	9.3	474.0	Yes	5540.0MHz, -64.0dBm	Single burst				
13	16	9.0	323.0	Yes	5535.0MHz, -64.0dBm	Single burst				
14	17	8.1	404.0	Yes	5530.0MHz, -64.0dBm	Single burst				
15	17	7.4	407.0	Yes	5525.0MHz, -64.0dBm	Single burst				
16	17	9.1	413.0	No	5520.0MHz, -64.0dBm	Single burst				
17	17	9.3	485.0	Yes	5515.0MHz, -64.0dBm	Single burst				
18	17	6.4	468.0	Yes	5510.0MHz, -64.0dBm	Single burst				
19	17	9.7	328.0	Yes	5505.0MHz, -64.0dBm	Single burst				
20	17	6.5	263.0	Yes	5500.0MHz, -64.0dBm	Single burst				
21	17	7.1	226.0	Yes	5560.0MHz, -64.0dBm	Single burst				
22	16	8.2	268.0	Yes	5555.0MHz, -64.0dBm	Single burst				
23	16	8.7	478.0	Yes	5550.0MHz, -64.0dBm	Single burst				
24	17	6.4	464.0	Yes	5545.0MHz, -64.0dBm	Single burst				
25	17	9.9	336.0	Yes	5540.0MHz, -64.0dBm	Single burst				
26	18	8.2	425.0	Yes	5535.0MHz, -64.0dBm	Single burst				
27	17	7.7	359.0	Yes	5530.0MHz, -64.0dBm	Single burst				
28	16	8.4	208.0	Yes	5525.0MHz, -64.0dBm	Single burst				
29	16	6.5	221.0	Yes	5520.0MHz, -64.0dBm	Single burst				
30	16	7.8	222.0	Yes	5515.0MHz, -64.0dBm	Single burst				

File: R98544 Rev 1 Page 92 of 133

	Table 91 - FCC Short Pulse Radar (Type 4) Results 802.11ac 80MHz										
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information					
1	12	14.2	443.0	Yes	5530.0MHz, -64.0dBm	Single burst					
2	14	19.9	355.0	Yes	5525.0MHz, -64.0dBm	Single burst					
3	14	13.3	207.0	Yes	5520.0MHz, -64.0dBm	Single burst					
4	15	14.3	353.0	Yes	5515.0MHz, -64.0dBm	Single burst					
5	16	19.1	266.0	Yes	5510.0MHz, -64.0dBm	Single burst					
6	16	18.8	482.0	Yes	5505.0MHz, -64.0dBm	Single burst					
7	13	18.0	412.0	Yes	5500.0MHz, -64.0dBm	Single burst					
8	12	12.0	466.0	Yes	5560.0MHz, -64.0dBm	Single burst					
9	15	19.2	326.0	Yes	5555.0MHz, -64.0dBm	Single burst					
10	13	19.1	291.0	Yes	5550.0MHz, -64.0dBm	Single burst					
11	15	16.5	434.0	Yes	5545.0MHz, -64.0dBm	Single burst					
12	14	17.6	295.0	Yes	5540.0MHz, -64.0dBm	Single burst					
13	14	18.1	406.0	Yes	5535.0MHz, -64.0dBm	Single burst					
14	15	17.2	217.0	No	5530.0MHz, -64.0dBm	Single burst					
15	14	19.7	307.0	Yes	5525.0MHz, -64.0dBm	Single burst					
16	16	11.6	329.0	Yes	5520.0MHz, -64.0dBm	Single burst					
17	14	17.2	345.0	Yes	5515.0MHz, -64.0dBm	Single burst					
18	13	13.1	445.0	Yes	5510.0MHz, -64.0dBm	Single burst					
19	14	13.2	217.0	Yes	5505.0MHz, -64.0dBm	Single burst					
20	12	14.4	328.0	Yes	5500.0MHz, -64.0dBm	Single burst					
21	14	13.8	267.0	No	5560.0MHz, -64.0dBm	Single burst					
22	14	17.2	459.0	Yes	5555.0MHz, -64.0dBm	Single burst					
23	15	14.6	379.0	Yes	5550.0MHz, -64.0dBm	Single burst					
24	16	16.7	372.0	Yes	5545.0MHz, -64.0dBm	Single burst					
25	16	17.1	373.0	No	5540.0MHz, -64.0dBm	Single burst					
26	14	13.5	242.0	Yes	5535.0MHz, -64.0dBm	Single burst					
27	16	19.9	335.0	No	5530.0MHz, -64.0dBm	Single burst					
28	12	19.1	429.0	Yes	5525.0MHz, -64.0dBm	Single burst					
29	15	16.0	274.0	Yes	5520.0MHz, -64.0dBm	Single burst					
30	13	11.7	240.0	No	5515.0MHz, -64.0dBm	Single burst					

File: R98544 Rev 1 Page 93 of 133

		Table 92 - F 0	CC freque	Results 802.11ac 80MHz		
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
1	9	1.0	333.0	Yes	5569.0MHz, -64.0dBm	Hop sequence: 5692, 5354, 5312, 5474, 5537, 5376, 5502, 5493, 5476, 5324, 5611, 5498, 5550, 5564, 5505, 5419, 5386, 5712, 5546, 5384, 5256, 5345, 5694, 5565, 5351, 5490, 5452, 5654, 5356, 5455, 5429, 5389, 5448, 5523, 5456, 5257, 5255, 5682, 5604, 5377, 5336, 5624, 5610, 5638, 5678, 5630, 5379, 5409, 5286, 5453, 5695, 5371, 5582, 5268, 5381, 5715, 5269, 5390, 5263, 5688, 5340, 5721, 5570, 5344, 5603, 5305, 5457, 5294, 5370, 5436, 5251, 5355, 5713, 5507, 5264, 5633, 5401, 5524, 5559, 5601, 5352, 5533, 5552, 5501, 5480, 5421, 5265, 5684, 5297, 5258, 5364, 5605, 5317, 5331, 5598, 5583, 5508, 5407, 5544, 5725 (20 hits)
2	9	1.0	333.0	Yes	5570.0MHz, -64.0dBm	Hop sequence: 5380, 5331, 5551, 5608, 5473, 5340, 5482, 5698, 5596, 5447, 5578, 5302, 5538, 5648, 5381, 5450, 5477, 5411, 5496, 5720, 5671, 5703, 5352, 5712, 5387, 5254, 5472, 5309, 5581, 5610, 5326, 5672, 5619, 5623, 5346, 5273, 5355, 5320, 5281, 5311, 5425, 5674, 5428, 5717, 5402, 5658, 5398, 5316, 5389, 5415, 5626, 5494, 5310, 5513, 5466, 5433, 5695, 5313, 5636, 5407, 5590, 5541, 5471, 5434, 5650, 5295, 5292, 5575, 5421, 5345, 5602, 5601, 5520, 5664, 5467, 5666, 5334, 5322, 5297, 5412, 5413, 5377, 5721, 5627, 5605, 5489, 5688, 5420, 5422, 5604, 5359, 5649, 5714, 5711, 5514, 5621, 5464, 5724, 5540, 5373 (9 hits)
3	9	1.0	333.0	Yes	5490.0MHz, -64.0dBm	Hop sequence: 5557, 5434, 5378, 5384, 5371, 5662, 5540, 5532, 5252, 5462, 5631, 5587, 5720, 5678, 5256, 5686, 5638, 5344, 5696, 5464, 5310, 5307, 5431, 5584, 5543, 5705, 5461, 5526, 5338, 5610, 5377, 5588, 5359, 5522, 5525, 5448, 5299, 5283, 5329, 5297, 5643, 5622, 5697, 5303, 5388, 5519, 5596, 5669, 5685, 5417, 5337, 5489, 5478, 5529, 5368, 5660, 5579, 5646, 5320, 5382, 5628, 5412, 5352, 5326, 5456, 5450, 5255, 5563, 5556, 5475, 5512, 5600, 5336, 5375, 5373, 5611, 5497, 5472, 5619, 5451, 5517, 5639, 5420, 5537, 5558, 5683, 5666, 5414, 5498, 5258, 5716, 5441, 5612, 5309, 5641, 5692, 5691, 5536, 5394, 5411 (18 hits)
4	9	1.0	333.0	Yes	5491.0MHz, -64.0dBm	Hop sequence: 5699, 5719, 5712, 5686, 5505, 5312, 5414, 5419, 5524, 5708, 5654, 5629, 5410, 5450, 5325, 5275, 5561, 5573, 5458, 5548, 5613, 5379, 5664, 5687, 5270, 5434, 5592, 5440, 5411, 5327, 5515, 5437, 5707, 5329, 5384, 5543, 5582, 5298, 5346, 5668, 5631, 5638, 5276, 5261, 5365, 5470, 5503, 5655, 5647, 5283, 5590, 5262, 5396, 5697, 5652, 5677, 5674, 5700, 5351, 5305, 5591, 5717, 5456, 5316, 5508, 5342, 5471, 5681, 5297, 5500, 5293, 5649, 5464, 5702, 5583, 5626, 5521, 5268, 5361, 5252, 5663, 5579, 5552, 5504, 5718, 5438, 5330, 5353, 5502, 5633, 5478, 5558, 5612, 5480, 5646, 5359, 5689, 5698, 5642, 5406 (14 hits)
5	9	1.0	333.0	Yes	5492.0MHz, -64.0dBm	Hop sequence: 5624, 5702, 5514, 5464, 5721, 5276, 5703, 5692, 5534, 5579, 5559, 5704, 5402, 5364, 5312, 5599, 5501, 5475, 5346, 5342, 5327, 5417, 5488, 5450, 5275, 5538, 5386, 5539, 5672, 5337, 5461, 5363, 5554, 5561, 5670, 5585, 5605, 5293, 5723, 5496, 5694, 5553, 5478, 5291, 5439, 5258, 5414, 5495, 5272, 5447, 5487, 5289, 5420, 5470, 5693, 5365, 5541, 5711, 5533, 5507, 5446, 5404, 5617, 5506, 5640, 5269, 5516, 5537, 5325, 5652, 5583, 5590, 5436, 5609, 5338, 5433, 5296, 5527, 5473, 5603, 5551, 5362, 5547, 5611, 5705, 5361, 5333, 5660, 5254, 5399, 5570, 5424, 5380,

File: R98544 Rev 1 Page 94 of 133

File: R98544 Rev 1 Page 95 of 133

		Table 92 - FO	CC freque	ency hopping	g radar (Type 6) l	Results 802.11ac 80MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5265, 5259, 5538, 5675, 5541, 5692, 5342, 5578, 5625, 5597, 5704, 5686, 5566, 5650, 5455, 5489, 5453, 5375, 5454, 5664, 5534, 5339, 5369 (19 hits)
11	9	1.0	333.0	Yes	5498.0MHz, -64.0dBm	Hop sequence: 5294, 5605, 5538, 5635, 5672, 5263, 5291, 5321, 5506, 5256, 5412, 5404, 5687, 5465, 5689, 5526, 5441, 5315, 5326, 5335, 5460, 5701, 5580, 5583, 5709, 5250, 5688, 5623, 5467, 5521, 5447, 5279, 5399, 5586, 5307, 5598, 5630, 5562, 5577, 5539, 5381, 5293, 5434, 5284, 5674, 5518, 5374, 5721, 5520, 5451, 5367, 5281, 5468, 5373, 5559, 5275, 5573, 5663, 5593, 5330, 5493, 5382, 5408, 5550, 5507, 5581, 5386, 5280, 5708, 5716, 5469, 5683, 5587, 5200, 5292, 5487, 5504, 5619, 5613, 5525, 5388, 5715, 5637, 5545, 5607, 5452, 5602, 5676, 5272, 5486, 5557, 5286, 5331, 5576, 5383, 5262, 5356, 5390, 5552, 5325 (17 hits)
12	9	1.0	333.0	Yes	5499.0MHz, -64.0dBm	Hop sequence: 5685, 5565, 5684, 5702, 5698, 5375, 5276, 5414, 5593, 5499, 5296, 5613, 5336, 5560, 5694, 5670, 5333, 5725, 5298, 5355, 5574, 5587, 5400, 5427, 5622, 5579, 5601, 5455, 5711, 5406, 5500, 5460, 5391, 5576, 5385, 5426, 5359, 5308, 5254, 5526, 5677, 5284, 5369, 5447, 5548, 5423, 5281, 5676, 5531, 5425, 5545, 5288, 5524, 5595, 5686, 5543, 5452, 5596, 5283, 5697, 5664, 5530, 5348, 5309, 5446, 5437, 5435, 5438, 5534, 5366, 5656, 5571, 5718, 5607, 5719, 5723, 5279, 5713, 5419, 5481, 5421, 5332, 5266, 5558, 5584, 5689, 5654, 5316, 5542, 5559, 5408, 5417, 5380, 5289, 5322, 5295, 5714, 5394, 5602, 5494 (16 hits)
13	9	1.0	333.0	Yes	5500.0MHz, -64.0dBm	Hop sequence: 5689, 5268, 5594, 5358, 5574, 5557, 5700, 5334, 5430, 5502, 5374, 5461, 5532, 5589, 5608, 5335, 5493, 5257, 5338, 5567, 5486, 5571, 5460, 5552, 5291, 5497, 5441, 5419, 5690, 5681, 5518, 5562, 5373, 5494, 5445, 5273, 5386, 5440, 5582, 5513, 5581, 5697, 5270, 5572, 5378, 5695, 5312, 5413, 5470, 5396, 5506, 5711, 5679, 5325, 5271, 5408, 5256, 5387, 5414, 5655, 5522, 5448, 5568, 5654, 5342, 5304, 5646, 5579, 5491, 5473, 5381, 5279, 5561, 5610, 5483, 5380, 5563, 5540, 5284, 5662, 5310, 5602, 5403, 5524, 5331, 5663, 5283, 5288, 5354, 5266, 5437, 5575, 5621, 5469, 5656, 5599, 5583, 5623, 5500, 5318 (20 hits)
14	9	1.0	333.0	Yes	5501.0MHz, -64.0dBm	Hop sequence: 5702, 5542, 5440, 5589, 5561, 5487, 5697, 5268, 5585, 5456, 5570, 5624, 5250, 5468, 5493, 5566, 5285, 5350, 5404, 5622, 5400, 5660, 5354, 5529, 5444, 5721, 5686, 5253, 5531, 5295, 5630, 5260, 5675, 5534, 5543, 5672, 5611, 5549, 5395, 5726, 5465, 5318, 5293, 5367, 5671, 5528, 5304, 5557, 5717, 5341, 5337, 5719, 5302, 5419, 5424, 5713, 5655, 5603, 5386, 5659, 5636, 5412, 5258, 5299, 5656, 5263, 5390, 5650, 5653, 5274, 5625, 5454, 5301, 5643, 5644, 5724, 5496, 5438, 5374, 5288, 5586, 5673, 5276, 5667, 5286, 5481, 5519, 5568, 5669, 5314, 5392, 5441, 5647, 5605, 5326, 5583, 5720, 5340, 5463, 5320 (15 hits)
15	9	1.0	333.0	Yes	5502.0MHz, -64.0dBm	Hop sequence: 5569, 5305, 5616, 5312, 5377, 5608, 5711, 5397, 5282, 5275, 5551, 5404, 5624, 5501, 5339, 5510, 5441, 5389, 5395, 5434, 5567, 5688, 5554, 5645, 5500, 5519, 5346, 5552, 5605, 5696, 5471, 5445, 5334, 5344, 5629, 5536, 5584, 5383, 5415, 5574, 5597, 5534, 5364, 5449, 5505, 5347, 5410, 5269, 5709, 5546, 5704, 5647, 5611, 5363, 5431, 5488, 5281, 5575, 5512, 5619, 5456,

File: R98544 Rev 1 Page 96 of 133

		Table 92 - F (CC freque	ency hopping	g radar (Type 6)	Results 802.11ac 80MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
-		(32)				5438, 5325, 5429, 5354, 5631, 5667, 5340, 5602, 5306, 5252, 5411, 5641, 5612, 5576, 5583, 5525, 5694, 5266, 5454, 5585, 5432, 5333, 5674, 5356, 5299, 5264, 5435, 5380, 5394, 5331, 5357, 5700, 5527, 5587, 5326, 5323, 5359, 5653, 5661 (16 hits)
16	9	1.0	333.0	Yes	5503.0MHz, -64.0dBm	Hop sequence: 5486, 5723, 5367, 5453, 5435, 5608, 5684, 5376, 5710, 5590, 5553, 5537, 5483, 5612, 5658, 5443, 5365, 5261, 5701, 5263, 5647, 5614, 5336, 5500, 5282, 5459, 5375, 5420, 5633, 5334, 5602, 5502, 5644, 5326, 5586, 5670, 5569, 5672, 5276, 5268, 5595, 5575, 5603, 5611, 5499, 5629, 5492, 5412, 5454, 5696, 5473, 5542, 5548, 5352, 5545, 5697, 5617, 5584, 5648, 5270, 5280, 5552, 5399, 5406, 5654, 5683, 5438, 5693, 5576, 5290, 5469, 5481, 5436, 5525, 5539, 5466, 5715, 5519, 5411, 5265, 5565, 5470, 5472, 5479, 5657, 5699, 5360, 5424, 5273, 5655, 5348, 5319, 5373, 5579, 5610, 5428, 5421, 5296, 5378, 5577 (15 hits)
17	9	1.0	333.0	Yes	5504.0MHz, -64.0dBm	Hop sequence: 5521, 5655, 5288, 5551, 5593, 5539, 5711, 5263, 5600, 5650, 5379, 5681, 5689, 5403, 5350, 5644, 5287, 5305, 5334, 5641, 5347, 5708, 5413, 5524, 5660, 5586, 5460, 5395, 5666, 5709, 5468, 5639, 5700, 5332, 5271, 5298, 5429, 5652, 5374, 5261, 5706, 5412, 5486, 5277, 5363, 5715, 5410, 5619, 5505, 5353, 5325, 5420, 5449, 5391, 5342, 5385, 5587, 5351, 5418, 5326, 5476, 5458, 5330, 5286, 5490, 5540, 5648, 5453, 5670, 5723, 5436, 5333, 5393, 5306, 5549, 5580, 5533, 5262, 5578, 5417, 5571, 5575, 5597, 5659, 5430, 5519, 5273, 5546, 5543, 5322, 5291, 5463, 5270, 5283, 5303, 5722, 5696, 5398, 5315, 5489 (12 hits)
18	9	1.0	333.0	Yes	5505.0MHz, -64.0dBm	Hop sequence: 5666, 5381, 5538, 5539, 5468, 5270, 5338, 5343, 5561, 5660, 5451, 5670, 5614, 5677, 5354, 5715, 5486, 5535, 5311, 5688, 5253, 5509, 5264, 5398, 5630, 5397, 5654, 5613, 5553, 5574, 5595, 5361, 5557, 5611, 5503, 5489, 5556, 5435, 5560, 5487, 5707, 5576, 5550, 5250, 5308, 5629, 5662, 5518, 5474, 5517, 5684, 5265, 5424, 5274, 5314, 5301, 5594, 5439, 5342, 5583, 5257, 5254, 5592, 5465, 5661, 5622, 5333, 5653, 5720, 5355, 5559, 5267, 5513, 5434, 5325, 5603, 5372, 5331, 5646, 5495, 5278, 5459, 5571, 5269, 5702, 5676, 5348, 5277, 5528, 5569, 5610, 5371, 5496, 5590, 5585, 5417, 5706, 5279, 5303, 5365 (19 hits)
19	9	1.0	333.0	Yes	5506.0MHz, -64.0dBm	Hop sequence: 5708, 5292, 5266, 5360, 5723, 5529, 5343, 5332, 5707, 5294, 5505, 5623, 5302, 5574, 5626, 5321, 5430, 5602, 5715, 5513, 5403, 5578, 5356, 5597, 5543, 5465, 5667, 5476, 5407, 5482, 5676, 5317, 5617, 5351, 5416, 5501, 5464, 5512, 5362, 5606, 5320, 5693, 5324, 5486, 5678, 5555, 5274, 5516, 5551, 5645, 5415, 5326, 5397, 5615, 5278, 5413, 5398, 5363, 5638, 5571, 5479, 5572, 5536, 5587, 5485, 5378, 5533, 5251, 5300, 5588, 5471, 5432, 5699, 5668, 5692, 5250, 5376, 5596, 5279, 5718, 5289, 5353, 5461, 5619, 5447, 5709, 5291, 5296, 5661, 5639, 5434, 5599, 5547, 5503, 5559, 5406, 5401, 5385, 5365, 5490 (15 hits)
20	9	1.0	333.0	Yes	5507.0MHz, -64.0dBm	Hop sequence: 5724, 5475, 5347, 5712, 5395, 5622, 5562, 5716, 5581, 5389, 5458, 5524, 5603, 5604, 5703, 5685, 5457, 5400, 5718, 5266, 5514, 5333, 5503, 5402, 5711, 5284, 5715, 5460, 5325, 5568, 5305, 5691, 5379, 5471, 5498, 5490, 5285, 5448, 5582, 5501, 5513, 5661, 5651, 5502, 5536,

File: R98544 Rev 1 Page 97 of 133

		Table 92 - F (CC freque	ency hoppin	g radar (Type 6)	Results 802.11ac 80MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
			()			5573, 5541, 5431, 5436, 5303, 5350, 5290, 5552, 5360, 5432, 5444, 5676, 5323, 5506, 5343, 5689, 5593, 5680, 5708, 5713, 5354, 5397, 5492, 5721, 5366, 5644, 5567, 5515, 5510, 5663, 5588, 5341, 5441, 5522, 5313, 5666, 5686, 5468, 5311, 5253, 5294, 5318, 5394, 5413, 5705, 5263, 5479, 5352, 5682, 5376, 5328, 5357, 5621, 5630, 5470 (19 hits) (04/08/2015 06:49:21 PM)
21	9	1.0	333.0	Yes	5508.0MHz, -64.0dBm	Hop sequence: 5583, 5516, 5545, 5251, 5710, 5607, 5601, 5668, 5426, 5442, 5378, 5702, 5591, 5305, 5700, 5624, 5456, 5561, 5349, 5539, 5555, 5463, 5699, 5353, 5493, 5291, 5648, 5412, 5627, 5574, 5467, 5448, 5329, 5522, 5271, 5478, 5586, 5289, 5388, 5384, 5451, 5474, 5571, 5618, 5354, 5681, 5470, 5387, 5281, 5275, 5562, 5253, 5576, 5544, 5293, 5327, 5377, 5382, 5499, 5363, 5504, 5337, 5584, 5489, 5324, 5333, 5405, 5473, 5438, 5350, 5434, 5538, 5283, 5454, 5292, 5390, 5600, 5336, 5683, 5613, 5272, 5614, 5446, 5518, 5317, 5656, 5642, 5481, 5664, 5590, 5280, 5339, 5486, 5477, 5599, 5407, 5334, 5402, 5286, 5397 (13 hits)
22	9	1.0	333.0	Yes	5509.0MHz, -64.0dBm	Hop sequence: 5396, 5350, 5579, 5461, 5524, 5618, 5262, 5471, 5586, 5432, 5400, 5449, 5315, 5318, 5690, 5455, 5687, 5260, 5707, 5726, 5251, 5606, 5348, 5303, 5624, 5538, 5604, 5694, 5325, 5625, 5320, 5324, 5256, 5712, 5301, 5490, 5298, 5534, 5583, 5540, 5595, 5659, 5382, 5293, 5588, 5328, 5493, 5527, 5622, 5460, 5402, 5650, 5308, 5261, 5425, 5420, 5302, 5477, 5453, 5614, 5571, 5655, 5556, 5505, 55548, 5299, 5581, 5409, 5592, 5434, 5483, 5313, 5721, 5344, 5300, 5513, 5416, 5448, 5406, 5703, 5390, 5327, 5589, 5514, 5565, 5543, 5722, 5352, 5612, 5714, 5638, 5525, 5502, 5517, 5668, 5498, 5345, 5357, 5580, 5691 (18 hits)
23	9	1.0	333.0	Yes	5510.0MHz, -64.0dBm	Hop sequence: 5288, 5524, 5424, 5515, 5580, 5682, 5601, 5553, 5476, 5701, 5419, 5260, 5353, 5576, 5511, 5359, 5659, 5614, 5461, 5348, 5389, 5499, 5402, 5417, 5529, 5703, 5451, 5425, 5330, 5670, 5574, 5315, 5509, 5281, 5277, 5276, 5638, 5641, 5716, 5331, 5706, 5711, 5377, 5320, 5590, 5433, 5693, 5273, 5390, 5586, 5422, 5347, 5650, 5474, 5349, 5644, 5311, 5382, 5467, 5654, 5327, 5352, 5675, 5391, 5401, 5340, 5662, 5368, 5360, 5268, 5527, 5658, 5572, 5444, 5685, 5718, 5346, 5602, 5440, 5625, 5328, 5380, 5636, 5362, 5510, 5512, 5272, 5620, 5462, 5413, 5481, 5640, 5683, 5484, 5364, 5420, 5464, 5513, 5403, 5692 (11 hits)
24	9	1.0	333.0	Yes	5511.0MHz, -64.0dBm	Hop sequence: 5617, 5274, 5298, 5713, 5419, 5297, 5374, 5317, 5332, 5341, 5597, 5554, 5583, 5417, 5312, 5351, 5528, 5534, 5432, 5627, 5275, 5570, 5500, 5630, 5306, 5641, 5308, 5550, 5335, 5696, 5469, 5354, 5666, 5660, 5372, 5677, 5639, 5321, 5698, 5279, 5695, 5334, 5397, 5667, 5476, 5293, 5623, 5686, 5489, 5591, 5692, 5362, 5512, 5383, 5408, 5345, 5517, 5614, 5360, 5311, 5564, 5313, 5649, 5347, 5470, 5631, 5329, 5269, 5283, 5338, 5385, 5588, 5464, 5497, 5488, 5390, 5581, 5608, 5436, 5511, 5546, 5348, 5537, 5356, 5632, 5404, 5420, 5381, 5326, 5579, 5294, 5650, 5711, 5568, 5562, 5656, 5669, 5577, 5545, 5573 (16 hits)
25	9	1.0	333.0	Yes	5512.0MHz, -64.0dBm	Hop sequence: 5351, 5444, 5488, 5422, 5577, 5668, 5575, 5503, 5517, 5355, 5584, 5360, 5284, 5640, 5599, 5709, 5399, 5572, 5509, 5365, 5434, 5521, 5483, 5661, 5340, 5499, 5324, 5725, 5649,

File: R98544 Rev 1 Page 98 of 133

		Table 92 - F (CC freque	ency hopping	g radar (Type 6) l	Results 802.11ac 80MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5375, 5330, 5431, 5679, 5691, 5473, 5576, 5495, 5311, 5368, 5551, 5628, 5623, 5569, 5255, 5302, 5455, 5502, 5426, 5513, 5687, 5558, 5700, 5566, 5396, 5701, 5684, 5295, 5564, 5358, 5563, 5325, 5619, 5543, 5565, 5603, 5278, 5259, 5448, 5613, 5496, 5533, 5329, 5323, 5280, 5607, 5665, 5531, 5344, 5335, 5382, 5252, 5307, 5328, 5676, 5262, 5261, 5401, 5656, 5659, 5625, 5477, 5489, 5475, 5696, 5253, 5704, 5527, 5506, 5535, 5274 (22 hits)
26	9	1.0	333.0	Yes	5513.0MHz, -64.0dBm	Hop sequence: 5548, 5292, 5601, 5661, 5645, 5493, 5464, 5345, 5649, 5272, 5626, 5591, 5494, 5597, 5424, 5702, 5436, 5409, 5670, 5256, 5503, 5527, 5603, 5421, 5608, 5694, 5656, 5646, 5684, 5616, 5399, 5536, 5390, 5284, 5572, 5690, 5250, 5577, 5289, 5202, 5491, 5625, 5391, 5633, 5420, 5329, 5373, 5367, 5471, 5622, 5657, 5323, 5297, 5689, 5288, 5299, 5487, 5419, 5447, 5322, 5459, 5442, 5437, 5717, 5319, 5312, 5722, 5364, 5273, 5332, 5624, 5457, 5296, 5695, 5653, 5720, 5704, 5417, 5317, 5410, 5389, 5473, 5336, 5325, 5615, 5538, 5663, 5489, 5475, 5630, 5540, 5398, 5672, 5383, 5377, 5611, 5647, 5407, 5499, 5276 (11 hits)
27	9	1.0	333.0	Yes	5514.0MHz, -64.0dBm	Hop sequence: 5300, 5661, 5320, 5334, 5479, 5526, 5423, 5305, 5413, 5489, 5516, 5342, 5396, 5602, 5719, 5385, 5547, 5253, 5449, 5356, 5450, 5705, 5576, 5572, 5430, 5501, 5278, 5383, 5328, 5397, 5723, 5485, 5458, 5379, 5712, 5583, 5685, 5273, 5415, 5687, 5407, 5437, 5264, 5504, 5549, 5531, 5270, 5395, 5378, 5606, 5716, 5314, 5593, 5376, 5556, 5560, 5678, 5540, 5523, 5666, 5358, 5650, 5254, 5496, 5524, 5532, 5567, 5285, 5271, 5312, 5708, 5558, 5339, 5302, 5520, 5595, 5274, 5260, 5467, 5634, 5624, 5389, 5724, 5344, 5268, 5288, 5304, 5550, 5537, 5446, 5365, 5553, 5277, 5452, 5466, 5552, 5680, 5373, 5530, 5459 (22 hits)
28	9	1.0	333.0	Yes	5515.0MHz, -64.0dBm	Hop sequence: 5581, 5382, 5678, 5342, 5578, 5524, 5319, 5637, 5570, 5687, 5612, 5361, 5615, 5400, 5266, 5552, 5514, 5369, 5405, 5264, 5431, 5294, 5350, 5529, 5461, 5433, 5680, 5267, 5623, 5632, 5567, 5254, 5346, 5555, 5436, 5688, 5411, 5712, 5628, 5703, 5592, 5697, 5664, 5591, 5317, 5401, 5607, 5282, 5475, 5482, 5304, 5368, 5509, 5582, 5456, 5449, 5389, 5530, 5370, 5590, 5451, 5606, 5641, 5595, 5517, 5356, 5272, 5447, 5616, 5416, 5711, 5396, 5343, 5430, 5516, 5268, 5258, 5285, 5654, 5649, 5292, 5574, 5385, 5464, 5669, 5584, 5453, 5610, 5439, 5362, 5677, 5613, 5501, 5373, 5561, 5695, 5375, 5441, 5363, 5714 (13 hits)
29	9	1.0	333.0	Yes	5516.0MHz, -64.0dBm	Hop sequence: 5420, 5347, 5676, 5633, 5706, 5456, 5616, 5457, 5550, 5625, 5418, 5704, 5383, 5289, 5262, 5382, 5278, 5590, 5391, 5428, 5619, 5577, 5522, 5607, 5273, 5584, 5683, 5673, 5404, 5627, 5305, 5338, 5352, 5573, 5477, 5394, 5458, 5636, 5712, 5345, 5256, 5370, 5589, 5390, 5608, 5694, 5300, 5552, 5698, 5276, 5265, 5548, 5403, 5571, 5340, 5599, 5533, 5643, 5252, 5350, 5450, 5524, 5640, 5378, 5506, 5482, 5287, 5709, 5435, 5668, 5317, 5402, 5580, 5647, 5578, 5463, 5655, 5582, 5353, 5532, 5464, 5413, 5481, 5359, 5266, 5690, 5544, 5725, 5263, 5410, 5443, 5703, 5480, 5604, 5261, 5311, 5612, 5632, 5487, 5424 (9 hits)
30	9	1.0	333.0	Yes	5517.0MHz, -64.0dBm	Hop sequence: 5673, 5426, 5355, 5594, 5494, 5556, 5617, 5615, 5466, 5679, 5548, 5535, 5413, 5497, 5701, 5404, 5378, 5384, 5521, 5488, 5643,

File: R98544 Rev 1 Page 99 of 133

File: R98544 Rev 1 Page 100 of 133

File: R98544 Rev 1 Page 101 of 133

	Table 92 - FCC frequency hopping radar (Type 6) Results 802.11ac 80MHz										
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information					
40	9	1.0	333.0	Yes	5527.0MHz, -64.0dBm	hits) Hop sequence: 5533, 5522, 5416, 5324, 5420, 5537, 5589, 5449, 5340, 5583, 5713, 5454, 5444, 5536, 5553, 5562, 5658, 5697, 5607, 5291, 5251, 5264, 5364, 5618, 5487, 5266, 5447, 5350, 5672, 5402, 5295, 5319, 5696, 5615, 5479, 5503, 5260, 5403, 5272, 5342, 5440, 5327, 5426, 5299, 5284, 5546, 5585, 5639, 5461, 5633, 5640, 5523, 5356, 5343, 5379, 5531, 5409, 5725, 5555, 5376, 5359, 5700, 5429, 5535, 5606, 5384, 5516, 5637, 5417, 5334, 5575, 5623, 5475, 5724, 5313, 5602, 5275, 5465, 5551, 5439, 5292, 5391, 5371, 5282, 5253, 5715, 5308, 5335, 5714, 5418, 5294, 5271, 5381, 5527, 5397, 5500, 5452, 5427, 5648, 5501 (17 hits)					
41	9	1.0	333.0	Yes	5528.0MHz, -64.0dBm	Hop sequence: 5448, 5567, 5367, 5521, 5337, 5709, 5261, 5326, 5685, 5672, 5322, 5635, 5384, 5531, 5267, 5255, 5484, 5439, 5646, 5537, 5666, 5648, 5317, 5306, 5309, 5660, 5506, 5571, 5518, 5665, 5442, 5501, 5250, 5592, 5310, 5396, 5433, 5319, 5388, 5561, 5702, 5345, 5535, 5723, 5558, 5705, 5383, 5639, 5469, 5611, 5253, 5271, 5559, 5377, 5357, 5340, 5498, 5263, 5428, 5282, 5312, 5490, 5530, 5670, 5447, 5491, 5467, 5548, 5500, 5300, 5321, 5276, 5489, 5581, 5527, 5566, 5525, 5691, 5266, 5457, 5496, 5625, 5364, 5419, 5614, 5299, 5359, 5712, 5679, 5711, 5549, 5473, 5628, 5626, 5640, 5375, 5552, 5315, 5369, 5343 (23 hits)					
42	9	1.0	333.0	Yes	5529.0MHz, -64.0dBm	Hop sequence: 5292, 5553, 5268, 5576, 5483, 5398, 5290, 5388, 5582, 5439, 5374, 5443, 5350, 5567, 5600, 5297, 5524, 5592, 5370, 5355, 5555, 5559, 5471, 5704, 5642, 5378, 5575, 5401, 5623, 5551, 5603, 5683, 5468, 5552, 5409, 5420, 5599, 5265, 5588, 5269, 5719, 5580, 5445, 5275, 5525, 5434, 5479, 5484, 5319, 5481, 5323, 5474, 5293, 5535, 5472, 5361, 5706, 5607, 5327, 5701, 5645, 5305, 5381, 5496, 5482, 5339, 5724, 5476, 5470, 5638, 5302, 5426, 5722, 5594, 5643, 5345, 5625, 5511, 5287, 5622, 5586, 5348, 5566, 5366, 5549, 5618, 5632, 5422, 5375, 5254, 5569, 5529, 5312, 5338, 5260, 5655, 5616, 5377, 5410, 5517 (16 hits)					
43	9	1.0	333.0	Yes	5530.0MHz, -64.0dBm	Hop sequence: 5373, 5364, 5472, 5380, 5370, 5298, 5521, 5417, 5658, 5634, 5688, 5271, 5323, 5377, 5622, 5330, 5692, 5286, 5576, 5432, 5498, 5452, 5403, 5726, 5487, 5433, 5296, 5575, 5593, 5613, 5713, 5318, 5388, 5314, 5539, 5632, 5332, 5570, 5321, 5532, 5643, 5502, 5480, 5331, 5543, 5303, 5376, 5624, 5311, 5357, 5426, 5466, 5268, 5467, 5518, 5368, 5588, 5430, 5459, 5328, 5603, 5361, 5390, 5470, 5408, 5272, 5661, 5553, 5636, 5565, 5300, 5293, 5434, 5616, 5404, 5511, 5278, 5612, 5710, 5363, 5325, 5477, 5548, 5549, 5382, 5399, 5326, 5601, 5250, 5703, 5563, 5358, 5474, 5675, 5436, 5446, 5493, 5507, 5666, 5270 (16 hits)					
44	9	1.0	333.0	Yes	5531.0MHz, -64.0dBm	Hop sequence: 5706, 5399, 5446, 5575, 5657, 5409, 5405, 5711, 5520, 5417, 5582, 5310, 5264, 5492, 5373, 5455, 5549, 5658, 5652, 5613, 5690, 5693, 5517, 5441, 5341, 5362, 5695, 5726, 5263, 5526, 5723, 5721, 5337, 5678, 5457, 5338, 5309, 5270, 5710, 5413, 5307, 5663, 5314, 5380, 5550, 5655, 5251, 5487, 5572, 5677, 5616, 5478, 5394, 5679, 5258, 5406, 5386, 5340, 5424, 5611, 5430, 5624, 5351, 5569, 5419, 5686, 5620, 5596, 5621, 5342, 5638, 5527, 5612, 5665, 5318, 5368, 5494, 5668, 5580, 5646, 5514, 5456, 5303, 5437, 5278,					

File: R98544 Rev 1 Page 102 of 133

		Table 92 - F (CC freque	ency hoppin	g radar (Type 6)	Results 802.11ac 80MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5454, 5285, 5653, 5287, 5259, 5718, 5352, 5348, 5360, 5571, 5552, 5432, 5670, 5618, 5385 (11 hits)
45	9	1.0	333.0	Yes	5532.0MHz, -64.0dBm	Hop sequence: 5418, 5613, 5281, 5496, 5625, 5647, 5435, 5508, 5313, 5477, 5675, 5329, 5530, 5345, 5551, 5324, 5456, 5623, 5571, 5724, 5717, 5470, 5420, 5653, 5325, 5669, 5610, 5502, 5713, 5709, 5301, 5390, 5452, 5396, 5662, 5697, 5567, 5392, 5400, 5364, 5250, 5568, 5498, 5547, 5712, 5573, 5274, 5395, 5365, 5254, 5609, 5525, 5450, 5251, 5370, 5663, 5434, 5532, 5622, 5457, 5347, 5507, 5406, 5667, 5491, 5339, 5684, 5298, 5658, 5564, 5521, 5554, 5681, 5660, 5275, 5529, 5425, 5541, 5394, 5503, 5617, 5439, 5677, 5427, 5560, 5351, 5414, 5676, 5500, 5488, 5259, 5304, 5581, 5505, 5512, 5637, 5604, 5469, 5693, 5292 (23 hits)
46	9	1.0	333.0	Yes	5533.0MHz, -64.0dBm	Hop sequence: 5275, 5331, 5402, 5693, 5588, 5362, 5710, 5370, 5483, 5279, 5606, 5407, 5479, 5287, 5676, 5547, 5634, 5704, 5566, 5381, 5399, 5272, 5423, 5674, 5714, 5649, 5392, 5544, 5388, 5455, 5266, 5641, 5645, 5273, 5306, 5578, 5411, 5652, 5309, 5251, 5528, 5536, 5717, 5665, 5316, 5707, 5294, 5444, 5427, 5317, 5698, 5420, 5654, 5549, 5560, 5417, 5563, 5386, 5415, 5283, 5445, 5435, 5277, 5538, 5692, 5361, 5447, 5725, 5586, 5604, 5612, 5594, 5472, 5426, 5373, 5642, 5677, 5646, 5548, 5695, 5690, 5555, 5384, 5288, 5716, 5313, 5408, 5650, 5500, 5596, 5473, 5304, 5537, 5598, 5660, 5587, 5513, 5656, 5434, 5611 (14 hits)
47	9	1.0	333.0	Yes	5534.0MHz, -64.0dBm	Hop sequence: 5524, 5358, 5611, 5666, 5482, 5432, 5392, 5545, 5712, 5433, 5572, 5468, 5508, 5396, 5700, 5690, 5607, 5579, 5356, 5257, 5412, 5541, 5306, 5348, 5631, 5471, 5271, 5442, 5275, 5657, 5359, 5330, 5601, 5597, 5670, 5548, 5629, 5676, 5533, 5664, 5526, 5571, 5709, 5711, 5422, 5510, 5296, 5459, 5586, 5694, 5640, 5428, 5461, 5454, 5352, 5337, 5301, 5273, 5345, 5419, 5277, 5401, 5378, 5343, 5269, 5630, 5355, 5473, 5339, 5265, 5625, 5725, 5255, 5304, 5398, 5308, 5550, 5286, 5360, 5610, 5290, 5515, 5474, 5438, 5293, 5609, 5578, 5594, 5322, 5512, 5703, 5633, 5278, 5506, 5264, 5632, 5559, 5522, 5683, 5405 (14 hits)
48	9	1.0	333.0	Yes	5535.0MHz, -64.0dBm	Hop sequence: 5361, 5257, 5554, 5724, 5308, 5570, 5456, 5622, 5598, 5493, 5461, 5282, 5582, 5563, 5681, 5662, 5325, 5572, 5517, 5310, 5588, 5319, 5492, 5345, 5306, 5446, 5540, 5581, 5703, 5535, 5591, 5269, 5511, 5650, 5441, 5608, 5585, 5348, 5545, 5524, 5381, 5534, 5387, 5614, 5302, 5290, 5716, 5331, 5336, 5552, 5393, 5680, 5255, 5569, 5484, 5400, 5466, 5561, 5575, 5532, 5356, 5503, 5458, 5357, 5392, 5281, 5520, 5640, 5559, 5555, 5712, 5508, 5688, 5513, 5314, 5386, 5397, 5718, 5603, 5309, 5380, 5313, 5653, 5541, 5351, 5602, 5553, 5352, 5595, 5720, 5462, 5437, 5349, 5625, 5646, 5661, 5445, 5481, 5362, 5390 (24 hits)
49	9	1.0	333.0	Yes	5536.0MHz, -64.0dBm	Hop sequence: 5455, 5599, 5694, 5604, 5614, 5572, 5516, 5689, 5270, 5436, 5307, 5309, 5277, 5409, 5621, 5394, 5403, 5644, 5268, 5651, 5685, 5648, 5585, 5523, 5404, 5563, 5493, 5601, 5428, 5649, 5619, 5503, 5480, 5681, 5485, 5616, 5548, 5416, 5672, 5605, 5723, 5498, 5509, 5250, 5444, 5569, 5555, 5499, 5472, 5488, 5255, 5418, 5634, 5262, 5374, 5414, 5271, 5368, 5704, 5626, 5449, 5659, 5636, 5641, 5420, 5341, 5584, 5683, 5567,

File: R98544 Rev 1 Page 103 of 133

		Table 92 - F (CC freque	ency hopping	g radar (Type 6)	Results 802.11ac 80MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5568, 5549, 5663, 5646, 5542, 5391, 5578, 5448, 5349, 5310, 5495, 5351, 5357, 5565, 5398, 5560, 5479, 5602, 5530, 5474, 5617, 5339, 5317, 5313, 5716, 5676, 5595, 5400, 5332, 5388, 5552 (20 hits)
50	9	1.0	333.0	Yes	5537.0MHz, -64.0dBm	Hop sequence: 5515, 5401, 5479, 5445, 5275, 5436, 5426, 5621, 5318, 5273, 5588, 5688, 5461, 5644, 5481, 5668, 5438, 5719, 5670, 5271, 5663, 5649, 5712, 5533, 5281, 5260, 5434, 5364, 5463, 5654, 5460, 5659, 5716, 5269, 5377, 5521, 5555, 5522, 5484, 5726, 5349, 5704, 5498, 5661, 5665, 5669, 5677, 5455, 5686, 5272, 5267, 5390, 5348, 5487, 5384, 5696, 5590, 5527, 5486, 5336, 5491, 5297, 5341, 5504, 5673, 5615, 5259, 5560, 5440, 5302, 5335, 5523, 5691, 5268, 5413, 5645, 5570, 5678, 5653, 5458, 5257, 5566, 5569, 5598, 5476, 5415, 5531, 5346, 5258, 5700, 5416, 5707, 5496, 5519, 5453, 5292, 5545, 5706, 5629, 5571 (18 hits)
51	9	1.0	333.0	Yes	5538.0MHz, -64.0dBm	Hop sequence: 5454, 5525, 5286, 5604, 5399, 5671, 5294, 5627, 5355, 5371, 5661, 5654, 5695, 5537, 5561, 5264, 5449, 5269, 5551, 5606, 5685, 5631, 5273, 5555, 5327, 5597, 5679, 5478, 5383, 5428, 5448, 5567, 5677, 5629, 5260, 5658, 5266, 5708, 5690, 5348, 5406, 5440, 5387, 5281, 5401, 5668, 5632, 5504, 5564, 5507, 5341, 5415, 5591, 5367, 5469, 5506, 5483, 5560, 5707, 5713, 5510, 5542, 5608, 5452, 5437, 5680, 5254, 5366, 5372, 5365, 5573, 5382, 5719, 5303, 5550, 5402, 5305, 5587, 5343, 5395, 5634, 5472, 5290, 5321, 5475, 5404, 5373, 5378, 5697, 5457, 5662, 5517, 5590, 5480, 5337, 5515, 5596, 5562, 5524, 5364 (18 hits)
52	9	1.0	333.0	Yes	5539.0MHz, -64.0dBm	Hop sequence: 5698, 5571, 5606, 5485, 5671, 5679, 5452, 5669, 5395, 5610, 5314, 5595, 5449, 5277, 5702, 5609, 5631, 5511, 5618, 5681, 5464, 5589, 5324, 5524, 5284, 5495, 5290, 5463, 5461, 5582, 5670, 5716, 5371, 5578, 5321, 5493, 5380, 5387, 5349, 5695, 5460, 5399, 5661, 5270, 5513, 5264, 5332, 5642, 5523, 5466, 5341, 5643, 5355, 5422, 5312, 5336, 5514, 5534, 5515, 5271, 5597, 5537, 5568, 5712, 5617, 5607, 5384, 5635, 5545, 5554, 5629, 5400, 5527, 5561, 5315, 5645, 5547, 5623, 5667, 5531, 5663, 5415, 5292, 5430, 5316, 5533, 5265, 5647, 5409, 5557, 5651, 5467, 5659, 5328, 5483, 5412, 5432, 5556, 5482, 5544 (21 hits)
53	9	1.0	333.0	Yes	5540.0MHz, -64.0dBm	Hop sequence: 5432, 5283, 5661, 5338, 5659, 5332, 5656, 5280, 5382, 5519, 5593, 5719, 5445, 5403, 5299, 5569, 5444, 5492, 5540, 5297, 5465, 5372, 5251, 5352, 5326, 5658, 5261, 5651, 5502, 5499, 5482, 5385, 5468, 5383, 5389, 5627, 5289, 5511, 5330, 5603, 5366, 5407, 5365, 5435, 5608, 5339, 5442, 5321, 5634, 5711, 5662, 5700, 5590, 5347, 5578, 5601, 5547, 5360, 5637, 5255, 5522, 5620, 5716, 5378, 5401, 5707, 5685, 5532, 5533, 5400, 5657, 5611, 5695, 5430, 5301, 5524, 5557, 5710, 5517, 5538, 5525, 5458, 5414, 5270, 5515, 5678, 5692, 5470, 5325, 5459, 5384, 5315, 5380, 5698, 5510, 5415, 5469, 5250, 5623, 5495 (19 hits)
54	9	1.0	333.0	Yes	5541.0MHz, -64.0dBm	Hop sequence: 5536, 5404, 5583, 5352, 5509, 5476, 5454, 5376, 5351, 5647, 5377, 5357, 5497, 5718, 5660, 5676, 5540, 5518, 5439, 5645, 5611, 5460, 5584, 5327, 5308, 5316, 5545, 5558, 5448, 5381, 5423, 5701, 5435, 5328, 5422, 5500, 5312, 5592, 5468, 5687, 5378, 5623, 5362, 5282, 5420, 5306, 5258, 5383, 5683, 5698, 5292, 5429, 5675,

File: R98544 Rev 1 Page 104 of 133

		Table 92 - F (CC freque	ency hoppin	g radar (Type 6)	Results 802.11ac 80MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5706, 5374, 5705, 5461, 5425, 5605, 5674, 5490, 5693, 5271, 5519, 5719, 5359, 5618, 5382, 5395, 5555, 5463, 5538, 5270, 5380, 5465, 5571, 5402, 5300, 5444, 5648, 5641, 5702, 5451, 5349, 5502, 5535, 5416, 5568, 5428, 5414, 5295, 5574, 5290, 5309, 5393, 5680, 5317, 5436, 5528, 5602 (16 hits)
55	9	1.0	333.0	Yes	5542.0MHz, -64.0dBm	Hop sequence: 5435, 5400, 5533, 5263, 5720, 5392, 5262, 5528, 5543, 5305, 5360, 5586, 5413, 5505, 5669, 5271, 5608, 5452, 5307, 5620, 5273, 5272, 5621, 5655, 5714, 5672, 5363, 5394, 5422, 5698, 5638, 5594, 5583, 5612, 5428, 5517, 5712, 5383, 5600, 5660, 5552, 5649, 5569, 5418, 5355, 5695, 5382, 5258, 5469, 5277, 5381, 5701, 5353, 5486, 5488, 5290, 5676, 5265, 5506, 5546, 5679, 5300, 5581, 5516, 5541, 5497, 5706, 5405, 5496, 5603, 5705, 5503, 5713, 5339, 5646, 5564, 5687, 5289, 5526, 5696, 5665, 5444, 5567, 5703, 5724, 5700, 5624, 5590, 5480, 5653, 5677, 5661, 5637, 5250, 5463, 5487, 5443, 5441, 5380, 5442 (17 hits)
56	9	1.0	333.0	Yes	5543.0MHz, -64.0dBm	Hop sequence: 5463, 5656, 5440, 5354, 5461, 5302, 5552, 5279, 5596, 5441, 5468, 5580, 5412, 5630, 5335, 5410, 5491, 5372, 5342, 5430, 5701, 5460, 5704, 5350, 5378, 5258, 5422, 5465, 5520, 5300, 5587, 5261, 5597, 5605, 5310, 5641, 5529, 5645, 5712, 5626, 5445, 5625, 5375, 5612, 5681, 5414, 5546, 5484, 5522, 5349, 5698, 5323, 5721, 5425, 5601, 5271, 5265, 5475, 5286, 5636, 5387, 5713, 5379, 5700, 5365, 5424, 5282, 5677, 5328, 5319, 5339, 5631, 5367, 5371, 5409, 5691, 5573, 5598, 5481, 5619, 5381, 5709, 5260, 5451, 5308, 5549, 5427, 5402, 5269, 5288, 5477, 5675, 5523, 5345, 5368, 5627, 5518, 5594, 5428, 5327 (9 hits)
57	9	1.0	333.0	Yes	5544.0MHz, -64.0dBm	Hop sequence: 5483, 5413, 5692, 5415, 5472, 5719, 5278, 5578, 5258, 5541, 5705, 5513, 5392, 5494, 5688, 5464, 5373, 5590, 5306, 5598, 5380, 5293, 5495, 5367, 5530, 5378, 5573, 5618, 5522, 5386, 5343, 5627, 5544, 5629, 5551, 5670, 5451, 5611, 5445, 5374, 5432, 5679, 5449, 5372, 5268, 5681, 5364, 5453, 5649, 5640, 5271, 5405, 5612, 5672, 5521, 5489, 5328, 5314, 5547, 5624, 5511, 5295, 5396, 5532, 5698, 5714, 5628, 5385, 5376, 5553, 5661, 5274, 5416, 5539, 5260, 5259, 5636, 5476, 5659, 5709, 5556, 5338, 5570, 5713, 5584, 5525, 5309, 5438, 5331, 5603, 5599, 5560, 5298, 5454, 5375, 5465, 5545, 5699, 5717, 5389 (19 hits)
58	9	1.0	333.0	Yes	5545.0MHz, -64.0dBm	Hop sequence: 5444, 5380, 5703, 5596, 5639, 5689, 5531, 5410, 5659, 5449, 5544, 5336, 5343, 5497, 5706, 5390, 5349, 5505, 5685, 5334, 5675, 5273, 5468, 5619, 5579, 5445, 5606, 5604, 5515, 5592, 5422, 5653, 5286, 5647, 5290, 5375, 5529, 5638, 5402, 5439, 5614, 5412, 5316, 5708, 5352, 5326, 5346, 5300, 5335, 5493, 5418, 5671, 5289, 5607, 5348, 5690, 5285, 5631, 5588, 5495, 5297, 5267, 5643, 5299, 5648, 5452, 5473, 5451, 5494, 5406, 5387, 5463, 5580, 5253, 5701, 5391, 5674, 5488, 5678, 5575, 5428, 5525, 5587, 5536, 5450, 5403, 5569, 5601, 5254, 5603, 5480, 5338, 5620, 5573, 5623, 5472, 5357, 5697, 5358, 5658 (13 hits)
59	9	1.0	333.0	Yes	5546.0MHz, -64.0dBm	Hop sequence: 5718, 5550, 5336, 5276, 5617, 5542, 5603, 5639, 5306, 5374, 5685, 5515, 5368, 5650, 5309, 5351, 5594, 5684, 5607, 5296, 5613, 5694, 5606, 5547, 5364, 5357, 5377, 5534, 5518, 5264, 5384, 5563, 5581, 5530, 5470, 5461, 5345, 5698, 5519, 5335, 5363, 5310, 5681, 5312, 5669,

File: R98544 Rev 1 Page 105 of 133

File: R98544 Rev 1 Page 106 of 133

		Table 92 - F (CC freque	ency hoppin	g radar (Type 6)	Results 802.11ac 80MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5485, 5333, 5628, 5530, 5299, 5416, 5585, 5670, 5551, 5630, 5516, 5359, 5646, 5357, 5480, 5477, 5384, 5664, 5444, 5273, 5531, 5341, 5422, 5689, 5559, 5618, 5713, 5595, 5602, 5274, 5265, 5668, 5361, 5577, 5439, 5685, 5603, 5625, 5660, 5483, 5374, 5464, 5666, 5492, 5568, 5686, 5377, 5335, 5296, 5403, 5427, 5313, 5611, 5498, 5682, 5270, 5560, 5497, 5300, 5566, 5433, 5667, 5571, 5703, 5505, 5538, 5671, 5540, 5314, 5297, 5402 (18 hits)
65	9	1.0	333.0	Yes	5552.0MHz, -64.0dBm	Hop sequence: 5265, 5718, 5440, 5509, 5548, 5321, 5724, 5617, 5306, 5296, 5632, 5373, 5489, 5654, 5479, 5657, 5372, 5501, 5543, 5721, 5577, 5573, 5609, 5381, 5726, 5635, 5567, 5445, 5541, 5687, 5545, 5643, 5485, 5478, 5255, 5570, 5656, 5625, 5370, 5602, 5723, 5576, 5325, 5250, 5483, 5592, 5554, 5532, 5340, 5596, 5455, 5442, 5678, 5290, 5295, 5530, 5538, 5594, 5496, 5316, 5453, 5633, 5274, 5268, 5689, 5540, 5423, 5413, 5282, 5444, 5461, 5675, 5528, 5331, 5473, 5262, 5288, 5476, 5417, 5608, 5498, 5677, 5714, 5710, 5279, 5526, 5588, 5646, 5322, 5517, 5254, 5465, 5350, 5339, 5547, 5650, 5695, 5713, 5327, 5574 (19 hits)
66	9	1.0	333.0	Yes	5553.0MHz, -64.0dBm	Hop sequence: 5265, 5301, 5545, 5719, 5428, 5255, 5530, 5525, 5628, 5642, 5572, 5514, 5389, 5272, 5531, 5312, 5289, 5253, 5509, 5575, 5496, 5266, 5492, 5456, 5567, 5483, 5686, 5501, 5404, 5284, 5555, 5371, 5337, 5317, 5608, 5481, 5252, 5313, 5296, 5513, 5662, 5448, 5624, 5316, 5534, 5437, 5523, 5609, 5453, 5615, 5618, 5409, 5271, 5593, 5351, 5484, 5302, 5277, 5470, 5711, 5455, 5465, 5710, 5659, 5311, 5661, 5504, 5304, 5562, 5597, 5723, 5678, 5387, 5498, 5689, 5578, 5425, 5606, 5626, 5394, 5655, 5436, 5360, 5502, 5384, 5327, 5462, 5268, 5644, 5561, 5679, 5452, 5264, 5638, 5601, 5376, 5319, 5259, 5282, 5482 (19 hits)
67	9	1.0	333.0	Yes	5554.0MHz, -64.0dBm	Hop sequence: 5588, 5292, 5708, 5278, 5347, 5364, 5470, 5508, 5585, 5589, 5421, 5610, 5297, 5507, 5437, 5382, 5664, 5274, 5469, 5383, 5556, 5632, 5676, 5565, 5579, 5366, 5557, 5343, 5668, 5641, 5648, 5492, 5627, 5527, 5682, 5320, 5591, 5299, 5344, 5306, 5367, 5390, 5304, 5688, 5581, 5545, 5328, 5351, 5378, 5624, 5356, 5451, 5418, 5375, 5571, 5562, 5273, 5342, 5646, 5358, 5687, 5439, 5669, 5386, 5385, 5559, 5463, 5488, 5699, 5478, 5453, 5311, 5371, 5553, 5532, 5380, 5279, 5636, 5598, 5523, 5633, 5349, 5318, 5500, 5599, 5651, 5368, 5411, 5282, 5696, 5405, 5522, 5534, 5611, 5362, 5702, 5671, 5497, 5726, 5419 (17 hits)
68	9	1.0	333.0	Yes	5555.0MHz, -64.0dBm	Hop sequence: 5361, 5413, 5560, 5362, 5460, 5514, 5548, 5387, 5440, 5576, 5469, 5524, 5354, 5607, 5274, 5566, 5311, 5592, 5392, 5504, 5539, 5486, 5478, 5627, 5520, 5661, 5424, 5516, 5429, 5305, 5668, 5451, 5583, 5450, 5422, 5395, 5698, 5272, 5456, 5264, 5258, 5568, 5557, 5562, 5581, 5572, 5660, 5664, 5714, 5441, 5317, 5321, 5700, 5251, 5599, 5715, 5695, 5589, 5480, 5669, 5339, 5447, 5575, 5477, 5608, 5340, 5367, 5419, 5438, 5265, 5500, 5431, 5634, 5663, 5306, 5281, 5396, 5625, 5273, 5479, 5448, 5399, 5694, 5418, 5355, 5400, 5682, 5631, 5296, 5642, 5519, 5351, 5427, 5444, 5275, 5310, 5324, 5470, 5439, 5588 (14 hits)
69	9	1.0	333.0	Yes	5556.0MHz, -64.0dBm	Hop sequence: 5681, 5686, 5412, 5347, 5268, 5682, 5586, 5485, 5344, 5635, 5631, 5333, 5409,

File: R98544 Rev 1 Page 107 of 133

Table 92 - FCC frequency hopping radar (Type 6) Results 802.11ac 80MHz						
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5370, 5556, 5673, 5667, 5475, 5396, 5640, 5645, 5426, 5379, 5646, 5612, 5292, 5668, 5376, 5609, 5663, 5493, 5610, 5388, 5600, 5305, 5596, 5253, 5554, 5488, 5724, 5583, 5282, 5399, 5425, 5263, 5413, 5393, 5570, 5323, 5577, 5519, 5288, 5324, 5450, 5280, 5675, 5674, 5375, 5478, 5641, 5580, 5621, 5625, 5279, 5541, 5304, 5472, 5354, 5338, 5373, 5509, 5435, 5486, 5342, 5303, 5468, 5453, 5480, 5463, 5551, 5294, 5414, 5584, 5416, 5704, 5535, 5381, 5490, 5702, 5585, 5275, 5503, 5692, 5637, 5721, 5526, 5261, 5300, 5623, 5604 (12 hits)
70	9	1.0	333.0	Yes	5557.0MHz, -64.0dBm	Hop sequence: 5319, 5650, 5407, 5590, 5571, 5317, 5509, 5322, 5606, 5662, 5708, 5624, 5490, 5523, 5720, 5414, 5681, 5616, 5291, 5674, 5438, 5646, 5517, 5515, 5637, 5628, 5330, 5306, 5722, 5557, 5670, 5348, 5545, 5287, 5310, 5572, 5698, 5629, 5663, 5508, 5416, 5252, 5498, 5482, 5315, 5657, 5316, 5388, 5362, 5318, 5702, 5559, 5466, 5550, 5683, 5366, 5697, 5595, 5265, 5489, 5332, 5436, 5253, 5406, 5277, 5583, 5385, 5427, 5620, 5459, 5717, 5474, 5273, 5605, 5381, 5458, 5497, 5603, 5593, 5323, 5611, 5269, 5529, 5544, 5553, 5282, 5437, 5643, 5268, 5507, 5548, 5478, 5486, 5526, 5630, 5292, 5694, 5648, 5721, 5433 (18 hits)
71	9	1.0	333.0	Yes	5558.0MHz, -64.0dBm	Hop sequence: 5605, 5350, 5356, 5704, 5689, 5423, 5373, 5724, 5451, 5424, 5532, 5701, 5473, 5416, 5427, 5269, 5349, 5284, 5390, 5381, 5419, 5320, 5621, 5606, 5611, 5619, 5556, 5437, 5268, 5474, 5595, 5441, 5567, 5714, 5628, 5460, 5712, 5479, 5446, 5635, 5344, 5563, 5587, 5327, 5348, 5646, 5334, 5675, 5369, 5347, 5561, 5573, 5586, 5312, 5287, 5346, 5361, 5657, 5465, 5671, 5514, 5364, 5443, 5672, 5413, 5589, 5721, 5633, 5457, 5629, 5410, 5257, 5386, 5483, 5647, 5500, 5636, 5288, 5649, 5597, 5644, 5256, 5484, 5638, 5271, 5456, 5569, 5436, 5495, 5525, 5717, 5670, 5504, 5374, 5428, 5528, 5588, 5697, 5499, 5620 (13 hits)
72	9	1.0	333.0	Yes	5559.0MHz, -64.0dBm	Hop sequence: 5552, 5275, 5661, 5547, 5634, 5325, 5624, 5339, 5454, 5707, 5389, 5501, 5701, 5408, 5475, 5610, 5487, 5516, 5697, 5723, 5555, 5636, 5461, 5491, 5281, 5344, 5324, 5375, 5695, 5708, 5587, 5683, 5471, 5462, 5284, 5669, 5262, 5290, 5540, 5649, 5684, 5720, 5305, 5429, 5422, 5470, 5270, 5456, 5372, 5591, 5483, 5655, 5342, 5504, 5682, 5460, 5318, 5464, 5419, 5709, 5300, 5567, 5390, 5562, 5515, 5492, 5514, 5311, 5267, 5589, 5404, 5287, 5367, 5712, 5573, 5700, 5512, 5398, 5722, 5505, 5295, 5532, 5596, 5291, 5265, 5315, 5425, 5526, 5260, 5618, 5607, 5387, 5394, 5527, 5536, 5510, 5299, 5598, 5468, 5366 (20 hits)
73	9	1.0	333.0	Yes	5560.0MHz, -64.0dBm	Hop sequence: 5397, 5636, 5359, 5365, 5257, 5528, 5668, 5564, 5347, 5642, 5299, 5445, 5622, 5706, 5502, 5310, 5486, 5547, 5373, 5584, 5625, 5370, 5311, 5290, 5421, 5580, 5404, 5284, 5589, 5676, 5276, 5667, 5289, 5609, 5560, 5691, 5342, 5260, 5699, 5558, 5688, 5435, 5537, 5471, 5383, 5411, 5669, 5595, 5426, 5283, 5647, 5351, 5298, 5305, 5417, 5253, 5723, 5509, 5372, 5360, 5532, 5685, 5282, 5263, 5267, 5722, 5479, 5303, 5363, 5629, 5287, 5707, 5518, 5644, 5476, 5683, 5563, 5369, 5540, 5357, 5582, 5628, 5418, 5439, 5440, 5627, 5702, 5380, 5681, 5603, 5478, 5658, 5367, 5344, 5350, 5675, 5496, 5725, 5513, 5376 (14 hits)

File: R98544 Rev 1 Page 108 of 133

		Table 92 - F (CC freque	ency hoppin	g radar (Type 6)	Results 802.11ac 80MHz
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
74	9	1.0	333.0	Yes	5561.0MHz, -64.0dBm	Hop sequence: 5588, 5388, 5601, 5706, 5269, 5714, 5646, 5656, 5380, 5375, 5670, 5643, 5571, 5317, 5573, 5628, 5489, 5325, 5359, 5267, 5610, 5343, 5621, 5485, 5673, 5553, 5647, 5513, 5642, 5350, 5336, 5422, 5460, 5450, 5476, 5434, 5385, 5507, 5373, 5258, 5590, 5414, 5523, 5324, 5440, 5634, 5378, 5444, 5344, 5447, 5289, 5521, 5374, 5487, 5472, 5506, 5277, 5405, 5723, 5563, 5356, 5700, 5639, 5593, 5312, 5479, 5474, 5638, 5340, 5718, 5259, 5542, 5552, 5539, 5668, 5668, 5465, 5281, 5517, 5345, 5606, 5346, 5622, 5364, 5616, 5529, 5278, 5569, 5564, 5653, 5459, 5437, 5629, 5691, 5660, 5636, 5681, 5457, 5320, 5619 (14 hits)
75	9	1.0	333.0	Yes	5562.0MHz, -64.0dBm	Hop sequence: 5512, 5508, 5271, 5475, 5554, 5471, 5467, 5387, 5496, 5674, 5450, 5479, 5430, 5530, 5344, 5317, 5333, 5607, 5544, 5636, 5314, 5359, 5449, 5291, 5565, 5389, 5514, 5303, 5428, 5535, 5370, 5630, 5337, 5634, 5701, 5410, 5724, 5553, 5642, 5711, 5572, 5365, 5539, 5525, 5492, 5255, 5595, 5719, 5690, 5275, 5267, 5403, 5618, 5678, 5379, 5582, 5463, 5495, 5726, 5443, 5391, 5675, 5398, 5382, 5586, 5519, 5536, 5610, 5700, 5646, 5287, 5254, 5330, 5521, 5697, 5281, 5549, 5721, 5348, 5313, 5490, 5304, 5600, 5335, 5558, 5347, 5277, 5647, 5709, 5316, 5573, 5639, 5434, 5715, 5524, 5368, 5571, 5722, 5318, 5687 (21 hits)
76	9	1.0	333.0	Yes	5563.0MHz, -64.0dBm	Hop sequence: 5338, 5298, 5659, 5384, 5328, 5683, 5645, 5256, 5439, 5279, 5603, 5286, 5524, 5377, 5405, 5373, 5380, 5614, 5654, 5616, 5514, 5632, 5481, 5594, 5545, 5655, 5314, 5605, 5479, 5598, 5367, 5565, 5516, 5353, 5476, 5430, 5408, 5483, 5355, 5658, 5259, 5360, 5471, 5724, 5719, 5492, 5255, 5449, 5451, 5285, 5536, 5272, 5354, 5293, 5318, 5549, 5283, 5583, 5503, 5343, 5396, 5634, 5689, 5692, 5428, 5370, 5261, 5465, 5629, 5562, 5440, 5403, 5463, 5563, 5612, 5510, 5698, 5548, 5512, 5667, 5648, 5660, 5543, 5540, 5460, 5682, 5706, 5664, 5276, 5577, 5331, 5639, 5530, 5674, 5642, 5526, 5454, 5693, 5557, 5411 (19 hits)
77	9	1.0	333.0	Yes	5564.0MHz, -64.0dBm	Hop sequence: 5607, 5410, 5310, 5720, 5559, 5268, 5660, 5387, 5258, 5476, 5481, 5626, 5274, 5593, 5330, 5561, 5529, 5286, 5275, 5318, 5358, 5655, 5303, 5482, 5588, 5434, 5704, 5709, 5448, 5612, 5578, 5313, 5375, 5491, 5403, 5454, 5422, 5526, 5502, 5508, 5703, 5503, 5400, 5433, 5640, 5295, 5273, 5340, 5639, 5426, 5266, 5591, 5589, 5638, 5323, 5556, 5715, 5428, 5542, 5298, 5279, 5548, 5420, 5306, 5713, 5568, 5719, 5401, 5651, 5657, 5650, 5309, 5320, 5280, 5492, 5594, 5587, 5477, 5424, 5582, 5421, 5580, 5292, 5659, 5602, 5564, 5264, 5553, 5558, 5494, 5670, 5269, 5686, 5437, 5302, 5633, 5444, 5595, 5445, 5550 (18 hits)
78	9	1.0	333.0	Yes	5565.0MHz, -64.0dBm	Hop sequence: 5521, 5498, 5304, 5686, 5293, 5490, 5482, 5504, 5629, 5478, 5609, 5320, 5407, 5595, 5500, 5376, 5641, 5598, 5532, 5388, 5458, 5696, 5349, 5375, 5572, 5343, 5496, 5353, 5321, 5477, 5413, 5705, 5507, 5460, 5305, 5266, 5551, 5508, 5426, 5398, 5710, 5671, 5437, 5455, 5363, 5664, 5703, 5536, 5655, 5346, 5533, 5453, 5680, 5515, 5281, 5679, 5675, 5392, 5390, 5264, 5702, 5613, 5411, 5720, 5619, 5512, 5583, 5492, 5443, 5693, 5566, 5313, 5272, 5409, 5330, 5493, 5401, 5447, 5557, 5704, 5553, 5473, 5497, 5456, 5396, 5312, 5695, 5554, 5627, 5486, 5406, 5386, 5383,

File: R98544 Rev 1 Page 109 of 133

	Table 92 - FCC frequency hopping radar (Type 6) Results 802.11ac 80MHz									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
						5494, 5577, 5414, 5395, 5400, 5608, 5452 (22 hits)				
79	9	1.0	333.0	Yes	5566.0MHz, -64.0dBm	Hop sequence: 5263, 5406, 5504, 5356, 5472, 5301, 5577, 5386, 5351, 5584, 5578, 5519, 5410, 5638, 5658, 5608, 5661, 5721, 5448, 5533, 5708, 5692, 5254, 5371, 5557, 5431, 5420, 5516, 5659, 5550, 5323, 5353, 5475, 5364, 5677, 5412, 5566, 5411, 5389, 5442, 5696, 5339, 5494, 5425, 5416, 5309, 5334, 5370, 5491, 5639, 5655, 5479, 5585, 5523, 5449, 5269, 5707, 5265, 5277, 5277, 5331, 5453, 5576, 5357, 5258, 5313, 5634, 5388, 5267, 5712, 5312, 5441, 5635, 5468, 5609, 5359, 5362, 5657, 5256, 5598, 5372, 5698, 5652, 5682, 5290, 5382, 5392, 5434, 5548, 5329, 5257, 5288, 5514, 5559, 5556, 5466, 5543, 5722, 5586, 5345 (16 hits)				
80	9	1.0	333.0	Yes	5567.0MHz, -64.0dBm	Hop sequence: 5587, 5494, 5265, 5686, 5401, 5415, 5335, 5565, 5342, 5638, 5331, 5371, 5260, 5637, 5427, 5488, 5256, 5329, 5403, 5724, 5505, 5408, 5414, 5596, 5325, 5607, 5705, 5274, 5695, 5697, 5523, 5473, 5356, 5554, 5615, 5661, 5472, 5452, 5581, 5543, 5337, 5694, 5519, 5650, 5687, 5261, 5480, 5657, 5330, 5316, 5583, 5718, 5651, 5421, 5467, 5410, 5288, 5440, 5634, 5294, 5714, 5271, 5350, 5597, 5575, 5552, 5516, 5444, 5377, 5332, 5654, 5264, 5253, 5468, 5351, 5483, 5314, 5407, 5487, 5704, 5507, 5312, 5693, 5300, 5611, 5579, 5712, 5344, 5639, 5571, 5378, 5515, 5380, 5522, 5462, 5441, 5365, 5692, 5280, 5628 (12 hits)				
81	9	1.0	333.0	Yes	5568.0MHz, -64.0dBm	Hop sequence: 5669, 5548, 5366, 5571, 5468, 5273, 5416, 5564, 5488, 5446, 5486, 5272, 5493, 5697, 5574, 5512, 5682, 5540, 5711, 5379, 5373, 5626, 5550, 5606, 5318, 5476, 5435, 5328, 5304, 5387, 5659, 5317, 5630, 5595, 5306, 5405, 5274, 5472, 5307, 5679, 5662, 5569, 5621, 5615, 5334, 5670, 5721, 5584, 5452, 5668, 5592, 5720, 5336, 5683, 5520, 5370, 5673, 5661, 5692, 5487, 5624, 5258, 5526, 5657, 5419, 5264, 5713, 5280, 5663, 5404, 5628, 5566, 5406, 5530, 5401, 5594, 5580, 5263, 5457, 5372, 5570, 5565, 5688, 5648, 5532, 5403, 5301, 5386, 5252, 5310, 5633, 5308, 5572, 5253, 5579, 5567, 5329, 5455, 5278, 5428 (15 hits)				

Table 93 - Long Sequence Waveform Summary 802.11ac 80MHz							
Long Sequence Trial	Result	Radar Frequency / Amplitude					
Trial #1	Detected	5530.0MHz, -64.0dBm					
Trial #2	Detected	5525.0MHz, -64.0dBm					
Trial #3	Detected	5520.0MHz, -64.0dBm					
Trial #4	Detected	5515.0MHz, -64.0dBm					
Trial #5	Detected	5510.0MHz, -64.0dBm					
Trial #6	Detected	5505.0MHz, -64.0dBm					
Trial #7	Detected	5500.0MHz, -64.0dBm					
Trial #8	Detected	5560.0MHz, -64.0dBm					
Trial #9	Detected	5555.0MHz, -64.0dBm					
Trial #10	NOT Detected	5550.0MHz, -64.0dBm					
Trial #11	Detected	5545.0MHz, -64.0dBm					
Trial #12	Detected	5540.0MHz, -64.0dBm					
Trial #13	Detected	5535.0MHz, -64.0dBm					

File: R98544 Rev 1 Page 110 of 133

Report Date: June 15, 2015

Table 93 - Long Sequence Waveform Summary 802.11ac 80MHz							
Long Sequence Trial	Result	Radar Frequency / Amplitude					
Trial #14	Detected	5530.0MHz, -64.0dBm					
Trial #15	Detected	5525.0MHz, -64.0dBm					
Trial #16	Detected	5520.0MHz, -64.0dBm					
Trial #17	Detected	5515.0MHz, -64.0dBm					
Trial #18	Detected	5510.0MHz, -64.0dBm					
Trial #19	Detected	5505.0MHz, -64.0dBm					
Trial #20	Detected	5500.0MHz, -64.0dBm					
Trial #21	Detected	5560.0MHz, -64.0dBm					
Trial #22	Detected	5555.0MHz, -64.0dBm					
Trial #23	Detected	5550.0MHz, -64.0dBm					
Trial #24	Detected	5545.0MHz, -64.0dBm					
Trial #25	Detected	5540.0MHz, -64.0dBm					
Trial #26	Detected	5535.0MHz, -64.0dBm					
Trial #27	Detected	5530.0MHz, -64.0dBm					
Trial #28	Detected	5525.0MHz, -64.0dBm					
Trial #29	Detected	5520.0MHz, -64.0dBm					
Trial #30	Detected	5515.0MHz, -64.0dBm					

File: R98544 Rev 1 Page 111 of 133

	Table 94 - Long Sequence Waveform Trial#1 (Detected) 802.11ac 80MHz									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	67.4	6	1099.0	-	0.102859				
2	1	82.9	12	-	-	0.872422				
3	3	70.5	16	1112.0	1157.0	1.654218				
4	3	52.2	7	1435.0	1208.0	1.950751				
5	3	93.7	11	1214.0	1453.0	2.511708				
6	3	74.7	7	1972.0	1232.0	3.487190				
7	3	63.9	14	1459.0	1376.0	3.864415				
8	2	50.9	19	1685.0	-	4.336199				
9	2	86.3	18	1312.0	-	5.106726				
10	3	54.0	9	1688.0	1799.0	5.692195				
11	1	51.4	8	-	-	6.046933				
12	1	59.1	8	-	-	6.858974				
13	3	52.9	15	1089.0	1382.0	7.498082				
14	1	73.1	19	-	-	8.151101				
15	2	51.5	14	1190.0	-	8.913934				
16	3	72.7	15	1277.0	1001.0	9.344001				
17	1	81.1	19	-	-	9.602912				
18	3	53.8	11	1291.0	1949.0	10.385383				
19	3	58.7	14	1222.0	1478.0	11.004639				
20	1	85.5	14	-	-	11.587787				

	Table 95 - Long Sequence Waveform Trial#2 (Detected) 802.11ac 80MHz									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	3	89.8	13	1214.0	1127.0	0.517843				
2	3	76.7	6	1555.0	1764.0	2.653265				
3	3	98.0	9	1533.0	1434.0	4.050441				
4	2	61.2	5	1673.0	-	5.432726				
5	2	86.3	13	1581.0	-	6.417199				
6	1	63.4	20	-	-	8.067012				
7	1	88.4	12	-	-	9.687340				
8	1	74.0	18	-	-	11.763703				

	Table 96 - Long Sequence Waveform Trial#3 (Detected) 802.11ac 80MHz										
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)					
1	3	90.8	15	1872.0	1654.0	0.290091					
2	3	78.4	17	1234.0	1759.0	2.313232					
3	1	56.6	18	-	-	3.632491					
4	1	69.5	16	-	-	4.105586					
5	2	56.5	14	1660.0	-	5.556521					
6	2	68.6	8	1596.0	-	7.257812					
7	3	58.4	5	1127.0	1344.0	8.472256					
8	2	98.2	18	1515.0	-	10.479397					
9	3	78.4	8	1829.0	1591.0	11.651185					

File: R98544 Rev 1 Page 112 of 133

	Table 97 - Long Sequence Waveform Trial#4 (Detected) 802.11ac 80MHz										
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)					
1	3	88.9	17	1986.0	1622.0	0.440398					
2	1	64.4	10	-	-	1.963785					
3	2	54.0	15	1178.0	-	3.031295					
4	1	82.4	19	-	-	4.522720					
5	3	75.2	13	1495.0	1988.0	4.976533					
6	1	83.5	8	-	-	7.020322					
7	2	67.4	6	1181.0	-	8.147096					
8	1	83.7	18	-	-	9.081458					
9	2	84.3	8	1176.0	-	9.848865					
10	1	92.2	8	-	-	11.514075					

	Table 98 - Long Sequence Waveform Trial#5 (Detected) 802.11ac 80MHz										
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)					
1	1	53.1	10	-	-	0.546173					
2	2	70.8	11	1803.0	-	1.444067					
3	1	87.8	6	-	-	2.938846					
4	1	99.4	12	-	-	3.493722					
5	2	57.5	10	1733.0	-	4.329419					
6	2	56.4	6	1072.0	-	5.304812					
7	2	53.6	14	1435.0	-	6.987557					
8	1	96.8	16	-	-	7.101506					
9	2	86.6	7	1908.0	-	8.935856					
10	2	81.4	11	1352.0	-	9.846346					
11	3	80.8	16	1058.0	1537.0	10.098541					
12	1	50.7	13	-	-	11.594523					

	Table 99 - Long Sequence Waveform Trial#6 (Detected) 802.11ac 80MHz									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	96.7	12	1974.0	-	0.077831				
2	1	73.1	7	-	-	1.433306				
3	1	83.5	17	-	-	3.237267				
4	1	74.0	19	-	-	3.672295				
5	2	69.6	7	1313.0	-	4.595250				
6	3	65.2	16	1711.0	1841.0	5.499455				
7	1	58.5	8	-	-	7.046073				
8	2	91.2	16	1443.0	-	7.927546				
9	1	80.8	18	-	-	9.673524				
10	3	92.4	9	1555.0	1583.0	9.844013				
11	2	53.6	19	1150.0	-	11.660843				

File: R98544 Rev 1 Page 113 of 133

	Table 100 - Long Sequence Waveform Trial#7 (Detected) 802.11ac 80MHz									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	67.4	16	1468.0	-	0.336161				
2	2	52.3	6	1727.0	-	1.872262				
3	3	54.1	17	1954.0	1596.0	2.042643				
4	3	57.3	18	1730.0	1268.0	3.323916				
5	2	71.0	8	1921.0	-	4.637885				
6	1	74.3	15	-	-	5.453551				
7	2	77.2	9	1480.0	-	6.179214				
8	1	77.0	19	-	-	7.100810				
9	1	80.8	18	-	-	8.509837				
10	2	96.6	7	1181.0	-	9.521301				
11	1	51.5	19	-	-	10.821437				
12	3	92.1	8	1028.0	1232.0	11.588694				

	Table 101 - Long Sequence Waveform Trial#8 (Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	98.1	12	1211.0	-	0.107009			
2	3	89.9	11	1613.0	1729.0	0.821242			
3	2	56.7	15	1382.0	-	1.481387			
4	1	94.0	11	-	-	2.521180			
5	3	61.4	6	1936.0	1607.0	3.068813			
6	2	71.3	10	1410.0	-	4.124040			
7	2	82.6	11	1526.0	-	4.481624			
8	3	84.5	20	1238.0	1244.0	5.584008			
9	2	76.0	16	1385.0	-	6.257641			
10	3	72.9	8	1751.0	1508.0	6.570438			
11	3	56.1	8	1012.0	1692.0	7.369655			
12	3	75.7	14	1712.0	1021.0	7.932872			
13	1	69.4	15	-	-	8.535232			
14	3	82.6	11	1858.0	1303.0	9.546740			
15	1	51.3	16	-	-	9.994615			
16	2	50.3	6	1662.0	-	11.052314			
17	2	78.1	12	1862.0	-	11.361996			

File: R98544 Rev 1 Page 114 of 133

	Table 102 - Long Sequence Waveform Trial#9 (Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	96.6	6	1552.0	-	0.107528			
2	1	67.9	10	-	-	1.057602			
3	2	83.2	14	1113.0	-	1.669643			
4	3	73.7	9	1942.0	1570.0	2.381147			
5	2	73.7	9	1192.0	-	2.731121			
6	3	57.9	6	1763.0	1175.0	3.360106			
7	3	99.5	6	1567.0	1331.0	4.255099			
8	3	79.3	16	1762.0	1852.0	5.023659			
9	1	70.0	15	-	-	5.351405			
10	1	78.5	8	-	-	6.233701			
11	1	94.8	10	-	-	6.936963			
12	2	72.0	9	1279.0	-	7.523984			
13	2	76.2	9	1780.0	-	7.771957			
14	2	58.1	19	1351.0	-	8.705986			
15	3	65.1	15	1862.0	1052.0	9.399659			
16	3	70.3	20	1519.0	1720.0	9.567523			
17	2	88.5	15	1874.0	-	10.158705			
18	2	51.8	20	1395.0	-	11.215959			
19	2	65.4	8	1850.0	-	11.876994			

	Table 103 - Long Sequence Waveform Trial#10 (NOT Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	53.4	15	1787.0	-	0.393738			
2	3	91.6	16	1400.0	1260.0	1.084076			
3	3	74.6	9	1610.0	1912.0	2.065545			
4	1	78.9	11	-	-	2.955725			
5	1	62.4	16	-	-	3.737833			
6	1	58.5	6	-	-	4.899665			
7	3	66.2	13	1991.0	1347.0	5.701427			
8	2	71.8	17	1668.0	-	7.331467			
9	3	70.7	20	1059.0	1523.0	7.936616			
10	1	64.5	13	-	-	8.384113			
11	2	75.2	10	1348.0	-	9.268092			
12	2	63.9	19	1891.0	-	10.424607			
13	2	90.7	11	1892.0	-	11.558415			

File: R98544 Rev 1 Page 115 of 133

Table 104 - Long Sequence Waveform Trial#11 (Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	54.1	10	1300.0	-	0.640663		
2	3	78.6	14	1116.0	1071.0	1.087984		
3	3	96.3	10	1441.0	1681.0	1.628972		
4	3	85.3	7	1065.0	1654.0	2.086874		
5	3	52.5	19	1348.0	1561.0	3.299980		
6	3	99.7	13	1484.0	1363.0	3.690165		
7	1	78.1	7	-	-	4.333030		
8	3	89.7	12	1605.0	1441.0	5.263104		
9	2	72.5	12	1873.0	-	5.792506		
10	2	62.4	6	1741.0	-	6.105781		
11	2	96.4	16	1382.0	-	6.832839		
12	2	96.9	16	1758.0	-	7.717526		
13	1	52.0	5	-	-	8.519044		
14	1	59.9	14	-	-	9.172367		
15	1	83.5	19	-	-	9.981908		
16	1	88.8	6	-	-	10.266768		
17	2	80.5	12	1863.0	-	11.104942		
18	2	63.9	20	1449.0	-	11.914385		

	Table 105 - Long Sequence Waveform Trial#12 (Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	96.5	13	1794.0	-	0.043653			
2	1	54.7	8	-	-	1.493614			
3	2	73.3	18	1372.0	-	2.611693			
4	1	75.2	17	-	-	3.364786			
5	3	75.0	16	1521.0	1492.0	4.243323			
6	2	65.9	16	1092.0	-	5.963272			
7	2	80.6	6	1104.0	-	6.615907			
8	1	68.5	11	-	-	7.865425			
9	1	85.7	5	-	-	8.193604			
10	2	85.5	10	1870.0	-	9.496508			
11	3	97.4	15	1726.0	1640.0	10.880618			
12	3	54.3	14	1063.0	1184.0	11.016632			

File: R98544 Rev 1 Page 116 of 133

	Table 106 - Long Sequence Waveform Trial#13 (Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	97.0	15	1096.0	1759.0	0.079422			
2	1	99.4	11	-	-	1.999833			
3	2	98.4	15	1700.0	-	3.102275			
4	2	96.0	18	1983.0	-	3.951046			
5	2	67.2	14	1506.0	-	5.029834			
6	2	89.0	16	1697.0	-	6.414491			
7	2	77.8	14	1896.0	-	7.305491			
8	1	88.7	20	-	-	8.909516			
9	2	81.3	18	1351.0	-	10.464998			
10	2	62.1	18	1234.0	-	11.722528			

	Table 107 - Long Sequence Waveform Trial#14 (Detected) 802.11ac 80MHz									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	1	91.8	14	-	-	1.079974				
2	2	69.2	8	1520.0	-	1.547536				
3	1	50.1	7	-	-	3.490555				
4	3	70.4	12	1011.0	1735.0	3.831072				
5	1	52.5	8	-	-	5.054961				
6	2	52.1	14	1305.0	-	7.174391				
7	1	73.1	15	-	-	7.300561				
8	3	87.1	19	1572.0	1163.0	8.733213				
9	2	97.8	9	1597.0	-	10.343371				
10	2	67.3	19	1026.0	-	11.920601				

	Table 108 - Long Sequence Waveform Trial#15 (Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	87.8	15	-	-	0.324384			
2	2	70.2	12	1660.0	-	1.254261			
3	2	93.6	10	1087.0	-	1.525164			
4	1	53.7	10	-	-	2.777958			
5	1	73.2	9	-	-	3.380151			
6	2	50.4	12	1271.0	-	3.850670			
7	2	63.3	16	1585.0	-	4.413056			
8	3	95.1	10	1943.0	1743.0	5.470794			
9	2	68.5	16	1017.0	-	5.882782			
10	2	62.5	14	1943.0	-	6.694536			
11	3	55.3	16	1095.0	1442.0	7.313414			
12	2	71.4	10	1011.0	-	8.064751			
13	2	82.4	14	1595.0	-	9.125374			
14	2	83.9	19	1328.0	-	9.675290			
15	2	73.3	17	1303.0	-	10.420606			
16	1	63.4	17	-	-	11.126202			
17	2	63.1	11	1699.0	-	11.576779			

File: R98544 Rev 1 Page 117 of 133

	Table 109 - Long Sequence Waveform Trial#16 (Detected) 802.11ac 80MHz									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	71.1	13	1045.0	-	0.472088				
2	2	85.9	16	1979.0	-	0.879715				
3	3	61.1	14	1472.0	1164.0	1.714672				
4	2	77.6	16	1091.0	-	2.069963				
5	1	78.0	9	-	-	2.520542				
6	2	67.9	9	1874.0	-	3.462794				
7	2	91.3	10	1328.0	-	3.834995				
8	1	88.7	8	-	-	4.794753				
9	1	93.7	14	-	-	5.131000				
10	2	63.8	14	1204.0	-	5.834401				
11	1	74.2	12	-	-	6.129886				
12	1	62.9	17	-	-	7.086911				
13	2	75.0	6	1369.0	-	7.572219				
14	1	98.1	17	-	-	8.337677				
15	2	95.9	11	1562.0	-	8.874212				
16	2	80.2	6	1154.0	-	9.425047				
17	1	83.0	8	-	-	10.008383				
18	1	73.9	12	-	-	10.691184				
19	2	57.1	20	1944.0	-	11.180970				
20	2	71.0	15	1742.0	-	11.876475				

Table 110 - Long Sequence Waveform Trial#17 (Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	75.9	7	1983.0	-	0.111072		
2	2	79.9	7	1062.0	-	0.827929		
3	1	56.6	19	-	-	1.629951		
4	2	91.4	11	1994.0	-	2.720763		
5	3	94.7	20	1230.0	1823.0	2.949792		
6	2	55.6	18	1392.0	-	3.605924		
7	2	80.1	12	1183.0	-	4.390451		
8	3	53.6	8	1473.0	1870.0	5.167253		
9	1	56.2	6	-	-	6.291144		
10	2	57.4	12	1766.0	-	7.000159		
11	2	96.7	7	1912.0	-	7.395768		
12	2	91.9	19	1826.0	-	7.961140		
13	2	91.8	6	1151.0	-	8.850522		
14	3	75.8	18	1405.0	1318.0	9.442248		
15	2	52.9	11	1026.0	-	10.236564		
16	2	93.1	5	1553.0	-	11.240145		
17	1	53.8	9	-	-	11.676114		

File: R98544 Rev 1 Page 118 of 133

	Table 111 - Long Sequence Waveform Trial#18 (Detected) 802.11ac 80MHz									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	67.1	18	1999.0	-	0.547720				
2	3	71.3	18	1689.0	1225.0	0.802364				
3	3	95.9	12	1551.0	1542.0	2.045748				
4	2	77.8	6	1596.0	-	3.195167				
5	2	65.4	7	1193.0	-	3.463150				
6	2	94.9	19	1653.0	-	4.214926				
7	2	72.8	16	1097.0	-	5.434004				
8	3	84.7	11	1932.0	1725.0	6.016729				
9	2	59.5	9	1022.0	-	6.614971				
10	1	53.5	8	-	-	7.738175				
11	2	86.2	6	1567.0	-	8.386146				
12	2	70.0	19	1469.0	-	8.880190				
13	1	82.2	16	-	-	10.389505				
14	2	63.0	13	1973.0	-	11.120881				
15	2	71.7	14	1242.0	-	11.484984				

Table 112 - Long Sequence Waveform Trial#19 (Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	86.6	8	1406.0	-	0.732385		
2	2	71.3	10	1195.0	-	1.136403		
3	2	79.6	5	1511.0	-	2.194099		
4	2	94.7	8	1522.0	-	2.797232		
5	2	57.5	12	1799.0	-	3.618348		
6	1	76.1	8	-	-	4.195402		
7	2	81.5	17	1672.0	-	4.846193		
8	3	59.8	19	1259.0	1066.0	5.686498		
9	2	54.6	18	1020.0	-	6.484991		
10	2	91.5	17	1381.0	-	7.610833		
11	1	70.1	16	-	-	8.023747		
12	2	60.0	13	1316.0	-	9.138995		
13	3	55.1	8	1962.0	1363.0	10.060680		
14	1	95.1	18	-	-	10.720832		
15	2	61.1	13	1968.0	-	11.870603		

File: R98544 Rev 1 Page 119 of 133

	Table 113 - Long Sequence Waveform Trial#20 (Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	86.4	5	1579.0	-	0.038849			
2	2	57.0	17	1142.0	-	1.385421			
3	1	92.4	20	-	-	2.524629			
4	2	99.6	16	1302.0	-	3.997981			
5	3	79.0	19	1624.0	1456.0	4.454242			
6	2	55.6	19	1717.0	-	5.044909			
7	2	77.9	8	1707.0	-	6.724683			
8	2	72.5	20	1394.0	-	7.173687			
9	1	58.5	15	-	-	8.689798			
10	2	75.3	8	1414.0	-	9.843144			
11	2	69.8	19	1105.0	-	10.091612			
12	1	57.3	8	-	-	11.471873			

	Table 114 - Long Sequence Waveform Trial#21 (Detected) 802.11ac 80MHz						
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	3	87.5	18	1809.0	1635.0	0.453618	
2	2	67.5	18	1362.0	-	2.025104	
3	3	65.4	16	1976.0	1058.0	2.393643	
4	1	71.8	18	-	-	4.260840	
5	1	94.4	16	-	-	5.014673	
6	2	93.6	7	1614.0	-	6.169284	
7	2	60.3	13	1213.0	-	7.128558	
8	2	82.8	13	1859.0	-	8.081280	
9	2	87.2	14	1302.0	-	9.059672	
10	3	97.7	17	1384.0	1080.0	9.831619	
11	2	90.0	10	1089.0	-	11.507453	

	Table 115 - Long Sequence Waveform Trial#22 (Detected) 802.11ac 80MHz							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	93.1	6	1022.0	-	0.686137		
2	3	53.0	12	1878.0	1010.0	1.436548		
3	2	83.9	18	1591.0	-	2.207362		
4	3	68.9	15	1255.0	1358.0	2.717527		
5	1	87.9	6	-	-	3.525158		
6	2	79.2	20	1625.0	-	4.941083		
7	3	72.9	12	1328.0	1157.0	5.225522		
8	1	94.5	15	-	-	6.542486		
9	2	57.3	10	1737.0	-	7.641270		
10	3	82.0	6	1839.0	1854.0	8.219071		
11	2	91.4	9	1808.0	-	9.411578		
12	2	55.9	16	1232.0	-	10.188888		
13	1	82.5	18	-	-	10.464658		
14	2	97.3	10	1939.0	-	11.259690		

File: R98544 Rev 1 Page 120 of 133

	Tal	ble 116 - Long S	Sequence W	aveform Trial#23 (D	etected) 802.11ac 80	MHz
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	64.3	14	1345.0	-	0.064871
2	3	96.3	12	1279.0	1736.0	1.280199
3	1	68.1	18	-	-	2.029225
4	2	92.8	15	1877.0	-	3.189751
5	3	98.9	12	1105.0	1566.0	4.583752
6	2	58.9	12	1535.0	-	4.748745
7	2	88.0	17	1596.0	-	6.324895
8	2	72.6	9	1471.0	-	6.881190
9	2	92.5	12	1865.0	-	7.876423
10	2	76.7	14	1401.0	-	8.992796
11	2	88.4	14	1140.0	-	9.598253
12	2	87.4	18	1081.0	-	10.354887
13	3	78.2	8	1674.0	1198.0	11.356818

	Table 117 - Long Sequence Waveform Trial#24 (Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	92.4	7	1159.0	-	0.056804			
2	2	82.0	18	1291.0	-	0.852539			
3	3	90.9	13	1262.0	1166.0	1.338600			
4	1	65.7	14	-	-	2.037162			
5	1	94.3	18	-	-	2.985317			
6	1	62.3	7	-	-	3.166876			
7	2	86.9	19	1844.0	-	4.366291			
8	3	100.0	7	1506.0	1320.0	4.541212			
9	3	78.7	8	1139.0	1863.0	5.429640			
10	1	70.0	20	-	-	5.874198			
11	1	56.4	20	-	-	6.352845			
12	2	80.0	11	1242.0	-	7.134077			
13	2	70.5	13	1977.0	-	7.957537			
14	1	79.2	12	-	-	8.307772			
15	3	77.1	8	1051.0	1524.0	9.131165			
16	2	64.5	11	1205.0	-	10.048203			
17	3	64.7	6	1870.0	1256.0	10.215718			
18	2	99.9	13	1983.0	-	11.128395			
19	1	54.8	11	-	-	11.851808			

File: R98544 Rev 1 Page 121 of 133

	Ta	ble 118 - Long	Sequence V	Vaveform Trial#25 (D	Detected) 802.11ac 80	MHz
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	98.9	16	1013.0	-	0.412382
2	1	88.4	19	-	-	1.509912
3	3	75.6	9	1656.0	1862.0	3.756741
4	2	66.2	14	1835.0	-	4.517898
5	3	75.6	20	1941.0	1190.0	5.473558
6	1	57.0	14	-	-	6.749790
7	3	96.6	9	1988.0	1328.0	8.629074
8	2	60.4	12	1353.0	-	10.216120
9	3	88.9	8	1095.0	1859.0	10.689120

	Table 119 - Long Sequence Waveform Trial#26 (Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	71.8	10	1789.0	-	0.387749			
2	2	71.8	18	1082.0	-	1.127168			
3	2	98.8	6	1124.0	-	1.826015			
4	2	58.0	12	1330.0	-	2.193680			
5	2	71.9	9	1481.0	-	2.544092			
6	2	64.6	17	1932.0	-	3.643557			
7	1	81.7	16	-	-	4.125543			
8	2	54.3	12	1242.0	-	4.971591			
9	2	67.6	8	1483.0	-	5.633136			
10	2	59.0	12	1318.0	-	5.997206			
11	3	50.2	12	1543.0	1427.0	6.428901			
12	2	76.3	18	1428.0	-	7.457097			
13	1	82.3	6	-	-	7.737250			
14	2	89.2	6	1189.0	-	8.819037			
15	3	79.0	18	1946.0	1092.0	9.226136			
16	2	67.7	17	1659.0	-	9.925900			
17	2	70.2	15	1718.0	-	10.616913			
18	3	88.2	13	1684.0	1667.0	11.282673			
19	3	74.6	6	1114.0	1969.0	11.447489			

File: R98544 Rev 1 Page 122 of 133

	Table 120 - Long Sequence Waveform Trial#27 (Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	64.7	6	1688.0	-	0.503156			
2	2	100.0	8	1579.0	-	0.940372			
3	2	63.4	9	1744.0	-	1.579410			
4	3	75.0	16	1025.0	1067.0	2.327426			
5	2	85.5	12	1413.0	-	2.724797			
6	2	67.6	11	1513.0	-	3.019439			
7	1	83.9	18	-	-	3.953306			
8	3	73.4	13	1773.0	1508.0	4.326444			
9	3	53.4	10	1143.0	1240.0	5.012702			
10	2	78.9	14	1754.0	-	5.409304			
11	3	94.3	15	1303.0	1454.0	6.130276			
12	1	85.3	17	=	-	6.978788			
13	1	83.9	16	-	-	7.445573			
14	2	86.2	17	1470.0	-	7.857809			
15	1	94.3	18	-	-	8.850360			
16	3	90.7	13	1676.0	1642.0	9.159425			
17	2	78.2	16	1700.0	-	10.074452			
18	1	51.5	14	-	-	10.614761			
19	2	62.5	13	1771.0	-	10.805108			
20	3	54.6	12	1455.0	1731.0	11.846158			

Table 121 - Long Sequence Waveform Trial#28 (Detected) 802.11ac 80MHz							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	3	60.9	15	1382.0	1197.0	0.057418	
2	2	77.6	16	1961.0	-	1.406745	
3	1	87.6	15	-	-	1.542461	
4	3	90.1	10	1911.0	1893.0	2.600534	
5	2	54.9	6	1829.0	-	3.520561	
6	1	68.1	8	-	-	3.640246	
7	3	83.0	6	1341.0	1330.0	4.752446	
8	2	60.3	10	1381.0	-	5.627865	
9	2	52.3	8	1683.0	-	6.107103	
10	2	59.3	7	1320.0	-	6.421089	
11	3	69.8	6	1468.0	1494.0	7.713293	
12	2	81.6	12	1825.0	-	8.362693	
13	1	96.1	11	-	-	8.920633	
14	2	66.5	9	1821.0	-	9.397973	
15	2	87.7	17	1206.0	-	10.028264	
16	2	51.3	19	1698.0	-	11.004706	
17	2	66.9	14	1265.0	-	11.387480	

File: R98544 Rev 1 Page 123 of 133

	Table 122 - Long Sequence Waveform Trial#29 (Detected) 802.11ac 80MHz						
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz) Interval 1 to 2 (us) In	Interval 2 to 3 (us)	Start time (s)		
1	2	59.1	17	1945.0	-	1.086104	
2	3	64.2	19	1981.0	1341.0	1.999342	
3	2	54.8	18	1866.0	-	3.456089	
4	2	98.4	6	1875.0	-	5.097976	
5	1	65.5	9	-	-	6.652436	
6	1	56.0	14	-	-	7.635998	
7	2	93.8	7	1858.0	-	9.153269	
8	1	58.9	8	-	-	9.392016	
9	2	84.6	6	1951.0	-	10.841719	

	Table 123 - Long Sequence Waveform Trial#30 (Detected) 802.11ac 80MHz								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	85.7	12	1697.0	-	0.050966			
2	3	55.8	13	1178.0	1732.0	0.900838			
3	1	94.8	14	-	-	1.452474			
4	3	64.7	8	1551.0	1241.0	1.908125			
5	3	74.8	18	1638.0	1793.0	2.759009			
6	3	79.0	8	1175.0	1004.0	3.279200			
7	2	51.4	18	1763.0	-	3.796854			
8	3	98.7	15	1601.0	1423.0	4.950147			
9	3	88.2	9	1918.0	1200.0	5.657152			
10	2	51.7	7	1129.0	-	5.898466			
11	2	50.6	13	1381.0	-	6.360718			
12	1	55.6	20	-	-	7.300343			
13	2	99.5	9	1250.0	-	7.982175			
14	3	74.8	5	1787.0	1221.0	8.660291			
15	1	57.8	7	-	-	8.925437			
16	1	89.2	14	-	-	9.649217			
17	2	53.7	5	1468.0	-	10.725059			
18	1	96.3	16	-	-	11.247567			
19	3	58.6	6	1775.0	1979.0	11.870616			

File: R98544 Rev 1 Page 124 of 133

Appendix C Test Data Tables and Plots for Channel Closing

FCC PART 15 SUBPART E Channel Closing Measurements

Table 124 - FC	C Part 15 Subpar	t E Channel (Closing Test Res	ults	
Waveform Type	\mathcal{E} .	Channe Tir		Result	
	Measured	Limit	Measured	Limit	
Radar Type 0	0 ms	60 ms	0.042 s	10 s	Pass




Figure 12 Channel Closing Time and Channel Move Time (80MHz) – 40 second plot

¹ Channel closing time for FCC measurements is the aggregate transmission time starting from 200ms after the end of the radar signal to the completion of the channel move.

File: R98544 Rev 1 Page 125 of 133





Figure 13 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar

File: R98544 Rev 1 Page 126 of 133



5530 MHz monitored immediately before, during and for a minimum of 30 minutes following the channel move. Plot shows channel traffic prior to channel move and no traffic on the vacated channel after the channel move. 802.11ac 80 MHz

Figure 14 Radar Channel Non-Occupancy Plot (80 MHz)

The non-occupancy plot was made over a 30-minute time period following the channel move time with the analyzer IF output connected to the scope and tuned to the vacated channel. No transmissions were observed on the vacated channel after the channel move had been completed.

File: R98544 Rev 1 Page 127 of 133

Appendix D Test Data - Channel Availability Check

5250- 5350 MHz, 5470 - 5725 MHz

The first plot shows the first transmissions on a channel after a channel move command was issued to the master device, with no radar applied during the CAC.




Figure 15 Plot of EUT Start-Up After CAC


The channel availability check (CAC) was made by applying type 0 radar during either the first 6 seconds or last 6 seconds of the CAC period.

The level of the radar signal applied was -64dBm. Measurements were made on channel 106 (5530MHz).

The start time is the same for each of the plots and the green cursor is positioned to coincide with the start of the Channel Availability Check period based on the plot taken with no radar applied during the CAC.

The plots show that there were no transmissions on the channel after the radar burst was applied during the CAC, and confirm that the CAC is at least 60 seconds. The description of "Channel Traffic" in the plot legend indicates the transmissions from both the radar system and the EUT on the start-up channel. In all cases only the radar burst is observed. The resolution of the plot is not fine enough to resolve the individual pulses within the burst.

File: R98544 Rev 1 Page 128 of 133



Time From T1 to Cursor 2 1.80 — Cursor at T0 (start of power on sequence)

— Cursor at T1 (start of CAC)

— Cursor 2

— Channel traffic

Radar details: FCC Short Pulse Radar (Type 0)
Radar burst applied 1.8 seconds after start of CAC.

Cursor 2 is on the radar signal, no transmissions on the channel from the EUT observed. 802.11ac 5530MHz

Figure 16 Radar Applied At Start of CAC

File: R98544 Rev 1 Page 129 of 133




Figure 17 Radar Applied At End of CAC

File: R98544 Rev 1 Page 130 of 133

Appendix E Antenna Specification



KENBOTONG COMMUNICATION LTD.

5GHz Quad Polarization Sector Antenna

Electrical specifications	TDJ-VHX5158BKR6(JM-R3)					
Frequency range (MHz)	5150-5250	5250-5350		5400-5725	5725-5850	
Polarization		Vertical & Hor	izonta	l & Dual Slant ±45°		
Gain (dBi)	3	3		3.5	3.5	
Beam width (°)	Horizon	tal:90±5		Vertical:	20±5	
Front-to-back ratio (dB)			≥2	5		
Cross-polar discrimination		2	15(±6	0°≥10)		
(dB)						
Isolation (dB)			≥2	0		
Impedance (Ω)			50)		
VSWR	≤2.0					
Maximum power (W)			50)		
Lighting protection		0	C Gro	unded		

Mechanical specifications	
Antenna Connector	4 × U.FL
Antenna Connector position	Back of Antenna
Outer Dimension (mm)	260×260×35
Weight (kg)	1.1
Radome material	UV Resistant ABS
Radome color	White
Mechanical tilt (°)	0~30
Operating temperature (°C)	-40~60
Rated wind velocity (m/s)	60
Vibration	IEC 60721-3-4
Salt Spray	IEC 68-2-11
Suitable pole diameter (mm)	30~50
Mounting kit	JM-TA or Optional JM-R3



5.39.6.4095 Kenbolong reserves the right to change specifications without prior notice. Addr. No.2, Chanxiu Road. Foshan , Guangdong, China. 528061 Tel:+86-757-82219788, 82126632 Fax:+86-757-82212072 Email: kbt@kenbotong.comWeb:http://www.kenbotong.com

File: R98544 Rev 1 Page 131 of 133

Appendix F Test Configuration Photograph(s)



File: R98544 Rev 1 Page 132 of 133

End of Report

This page is intentionally blank and marks the last page of this test report.

File: R98544 Rev 1 Page 133 of 133