



Page 61 of 279






Report No. : EED32K00312402 Page 62 of 279






Report No. : EED32K00312402 Page 63 of 279






Report No. : EED32K00312402 Page 64 of 279





Report No. : EED32K00312402 Page 65 of 279







Appendix E): Band Edge Measurements

Result Table

11000111						
Test Mode	Antenna	Channel	Max.Lev	vel [dBm]	Verdict	
11A	Ant1	5180	-36	.839	PASS	
11A	Ant1	5240	-47	7.774	PASS	
11A	Ant1	5260	-45	.993	PASS	
11A	Ant1	5320	-47	7.93	PASS	
11A	Ant1	5500	-47.937		PASS	
11A	Ant1	5700	-46.484		PASS	
			Max.Lev			
Test Mode	Antenna	Channel	Below 5715	5715-5725	Verdict	
11A	Ant1	5745	-47.588	-44.242	PASS	
			Max.Lev	/el [dBm]		
Test Mode	Test Mode Antenna Channel		5850-5860	Above 5860	Verdict	
11A	Ant1	5825	-46.511 -45.954		PASS	

Test Mode	Antenna	Channel	Max.Level [dBm]		Verdict	
11N20SISO	Ant1	5180	-42	.775	PASS	
11N20SISO	Ant1	5240	-47	7.52	PASS	
11N20SISO	Ant1	5260	-45	.707	PASS	
11N20SISO	Ant1	5320	-47	.827	PASS	
11N20SISO	Ant1	5500	-48.753		PASS	
11N20SISO	Ant1	5700	-47.294		PASS	
	• .		Max.Lev	vel [dBm]		
Test Mode	Antenna	Channel	Below 5715	5715-5725	Verdict	
11N20SISO	Ant1	5745	-47.247	-44.258	PASS	
			Max.Level [dBm]			
Test Mode	Antenna	Channel	5850-5860	Above 5860	Verdict	
11N20SISO	Ant1	5825	-46.348 -46.52		PASS	













Report No. : EED32K00312402 Page 67 of 279

1 6 9		1 2 3	1 6 3 1	1.20		
Test Mode	Antenna	Channel	Max.Le	Max.Level [dBm]		
11N40SISO	Ant1	5190	-44	1.396	PASS	
11N40SISO	Ant1	5230	-50	3.616	PASS	
11N40SISO	Ant1	5270	-51	1.867	PASS	
11N40SISO	Ant1	5310	-49	9.444	PASS	
11N40SISO	Ant1	5510	-48.401		PASS	
11N40SISO	Ant1	5670	-5	-51.953		
			Max.Le	evel [dBm]		
Test Mode	Antenna	Channel	Below 5715	5715-5725	Verdict	
11N40SISO	Ant1	5755	-46.002	-39.542	PASS	
			Max.Le	Max.Level [dBm]		
Test Mode	Antenna	Channel	5850-5860	Above 5860	Verdict	
11N40SISO	Ant1	5795	-47.628	-47.561	PASS	

		7 4700	1 40.101	1 40.791		
Test Mode	Antenna	Channel	Max.Lev	vel [dBm]	Verdict	
11AC20SISO	Ant1	5180	-45	5.257	PASS	
11AC20SISO	Ant1	5240	-47	7.503	PASS	
11AC20SISO	Ant1	5260	-45	5.762	PASS	
11AC20SISO	Ant1	5320	-47	7.074	PASS	
11AC20SISO	Ant1	5500	-47.676		PASS	
11AC20SISO	Ant1	5700	-47.376		PASS	
- / -			Max.Lev	Max.Level [dBm]		
Test Mode	Antenna	Channel	Below 5715	5715-5725	Verdict	
11AC20SISO	Ant1	5745	-47.575	-41.985	PASS	
			Max.Lev	Max.Level [dBm]		
Test Mode	Antenna	Channel	5850-5860	Above 5860	Verdict	
11AC20SISO	Ant1	5825	-46.383 -46.309		PASS	






Page 68 of 279

1 4 4		1.63	182	[[2]	
Test Mode	Antenna	Channel	Max.Leve	el [dBm]	Verdict
11AC40SISO	Ant1	5190	-46.3	321	PASS
11AC40SISO	Ant1	5230	-42.0	067	PASS
11AC40SISO	Ant1	5270	-49.3	363	PASS
11AC40SISO	Ant1	5310	-47.4	168	PASS
11AC40SISO	Ant1	5510	-50.4	121	PASS
11AC40SISO	Ant1	5670	-51.7	711	PASS
Test Mode	Antenna	Channel	Max.Level [dBm] Below 5715 5715-5725		Verdict
11AC40SISO	Ant1	5755	-45.246	-36.867	PASS
_ ,	• .		Max.Leve		
Test Mode	Antenna	Channel	5850-5860	Above 5860	Verdict
11AC40SISO	Ant1	5795	-48.614	-47.55	PASS
Test Mode	Antenna	Channel	Max.Leve	el [dBm]	Verdict
11AC80SISO	Ant1	5210	-47.7	797	PASS
11AC80SISO	Ant1	5290	-49.2	293	PASS
11AC80SISO	Ant1	5530	-48.159		PASS
T4 M1	A(Ohamai	Max.Leve	el [dBm]	
Test Mode	Antenna	Channel	5850-5860	Above 5860	Verdict
11AC80SISO	Ant1	5775	-46.73	-47.31	PASS






Page 69 of 279






Page 70 of 279






Report No. : EED32K00312402 Page 71 of 279






Page 72 of 279






Page 73 of 279






Page 74 of 279





Page 75 of 279





Report No. : EED32K00312402 Page 76 of 279







Report No. : EED32K00312402 Page 77 of 279

Appendix F): Frequency Stability

Frequency Error vs. Voltage:

Frequency Error vs. Voltage:		2			(6.)		
Test Mode	Antenna	Channel	Temp.	Volt.	Freq.Error(MHz)	Freq.vs.rated(ppm)	Verdict
	-0.0		TN	VL	5179.94	-11.583012	PASS
11A	Ant1	5180	TN	VN	5179.92	-15.444015	PASS
	(0)	/	TN	VH	5179.9	-19.305019	PASS
			TN	VL	5199.9	-19.230769	PASS
11A	Ant1	5200	TN	VN	5199.94	-11.538462	PASS
)	(6)	TN	VH	5199.98	-3.846154	PASS
			TN	VL	5239.94	-11.450382	PASS
11A	Ant1	5240	TN	VN	5239.92	-15.267176	PASS
	6	9	TN	VH	5239.94	-11.450382	PASS
	6	/	TN	VL	5259.96	-7.604563	PASS
11A	Ant1	5260	TN	VN	5259.96	-7.604563	PASS
			TN	VH	5259.9	-19.011407	PASS
(6)		(6	TN	VL	5279.96	-7.575758	PASS
11A	Ant1	5280	TN	VN	5280.06	11.363636	PASS
			TN	VH	5279.98	-3.787879	PASS
	(2		TN	VL	5319.96	-7.518797	PASS
11A	Ant1	5320	TN	VN	5319.96	-7.518797	PASS
			TN	VH	5319.96	-7.518797	PASS
			TN	VL	5499.96	-7.272727	PASS
11A	Ant1	5500	TN	VN	5499.9	-18.181818	PASS
		100	TN	VH	5499.98	-3.636364	PASS
			TN	VL	5579.9	-17.921147	PASS
11A	Ant1	5580	TN	VN	5579.96	-7.168459	PASS
	(6))	TN	VH	5579.98	-3.584229	PASS
			TN	VL	5699.98	-3.508772	PASS
11A	Ant1	5700	TN	VN	5699.96	-7.017544	PASS
		6	TN	VH	5699.92	-14.035088	PASS
6		16	TN	VL	5744.96	-6.962576	PASS
11A	Ant1	5745	TN	VN	5744.96	-6.962576	PASS
	73		TN	VH	5744.94	-10.443864	PASS



Page	72	Ωf	270
rauc	70	w	213

	(3)		6	TN	VL	5784.96	-6.914434	PASS
	11A	Ant1	5785	TN	VN	5784.94	-10.371651	PASS
			TN	VH	5784.9	-17.286085	PASS	
				TN	VL	5824.96	-6.866953	PASS
1	11A	Ant1	5825	TN	VN	5824.92	-13.733906	PASS
		6		TN	VH	5825.02	3.433476	PASS

Test Mode	Antenna	Channel	Temp.	Volt.	Freq.Error(MHz)	Freq.vs.rated(ppm)	Verdict
(0)	/	6	TN	VL	5180.04	7.722008	PASS
11N20	Ant1	5180	TN	VN	5179.9	-19.305019	PASS
	200		TN	VH	5179.92	-15.444015	PASS
	(6)	•)	TN	VL	5199.94	-11.538462	PASS
11N20	Ant1	5200	TN	VN	5199.92	-15.384615	PASS
			TN	VH	5199.92	-15.384615	PASS
	V	6	TN	VL	5240.08	15.267176	PASS
11N20	Ant1	5240	TN	VN	5239.92	-15.267176	PASS
			TN	VH	5239.92	-15.267176	PASS
			TN	VL	5259.96	-7.604563	PASS
11N20	Ant1	5260	TN	VN	5259.96	-7.604563	PASS
	6	-	TN	VH	5260.08	15.209125	PASS
			TN	VL	5279.94	-11.363636	PASS
11N20	Ant1	5280	TN	VN	5279.94	-11.363636	PASS
(6,2)		(6	TN	VH	5279.9	-18.939394	PASS
			TN	VL	5319.94	-11.278195	PASS
11N20	Ant1	5320	TN	VN	5319.94	-11.278195	PASS
	(3		TN	VH	5319.98	-3.759398	PASS
	6	/	TN	VL	5499.94	-10.909091	PASS
11N20	Ant1	5500	TN	VN	5499.96	-7.272727	PASS
13			TN	VH	5499.98	-3.636364	PASS
(0,1)		(6	TN	VL	5580.06	10.752688	PASS
11N20	Ant1	5580	TN	VN	5580.04	7.168459	PASS
	_		TN	VH	5579.9	-17.921147	PASS
11N20	Ant1	5700	TN	VL	5699.94	-10.526316	PASS



Page 79 of 279

		6	TN	VN	5700.04	7.017544	PASS
6.	l:	16	TN	VH	5700.06	10.526316	PASS
		TN	VL	5745.02	3.481288	PASS	
11N20	Ant1	5745	TN	VN	5744.96	-17.40644	PASS
	(6.5)	TN	VH	5744.94	3.481288	PASS	
	0		TN	VL	5784.98	-3.457217	PASS
11N20	Ant1	5785	TN	VN	5785.02	3.457217	PASS
	(TN	VH	5784.98	-3.457217	PASS
6.	/		TN	VL	5824.94	-10.300429	PASS
11N20	Ant1	5825	TN	VN	5825.02	3.433476	PASS
	200		TN	VH	5825.02	3.433476	PASS

1629.1			Ten Ten			16:31	
Test Mode	Antenna	Channel	Temp.	Volt.	Freq.Error(MHz)	Freq.vs.rated(ppm)	Verdict
			TN	VL	5189.96	-7.707129	PASS
11N40	Ant1	5190	TN	VN	5189.92	-15.414258	PASS
(6,		6	TN	VH	5189.92	-15.414258	PASS
			TN	VL	5229.96	-7.648184	PASS
11N40	Ant1	5230	TN	VN	5229.92	-15.296367	PASS
	(65	9)	TN	VH	5229.92	-15.296367	PASS
	0	/	TN	VL	5269.96	-7.590133	PASS
11N40	Ant1	5270	TN	VN	5269.96	-7.590133	PASS
(3)		TN	VH	5269.92	-15.180266	PASS	
		TN	VL	5309.96	-7.532957	PASS	
11N40	Ant1	5310	TN	VN	5309.96	-7.532957	PASS
			TN	VH	5309.92	-15.065913	PASS
	63	(2)	TN	VL	5509.96	-7.259528	PASS
11N40	Ant1	5510	TN	VN	5509.92	-14.519056	PASS
			TN	VH	5509.96	-7.259528	PASS
	L 1		TN	VL	5549.96	-7.207207	PASS
11N40	Ant1	5550	TN	VN	5549.92	-14.414414	PASS
			TN	VH	5550.04	7.207207	PASS
11N40	A nt1	5670	TN	VL	5669.96	-7.054674	PASS
1 11N4U	Ant1	5070	TN	VN	5669.96	-7.054674	PASS



	\sim			70
שממם	×ιι	\sim t	٠,	<i>7</i> U
Page	oo	OI.	~ 1	כו

		6	TN	VH	5669.96	-7.054674	PASS
0.			TN	VL	5755.04	6.950478	PASS
11N40	Ant1	5755	TN	VN	5755.04	6.950478	PASS
	197		TN	VH	5754.92	-13.900956	PASS
	(3	(*)	TN	VL	5794.92	-13.805004	PASS
11N40	Ant1	5795	TN	VN	5795.04	6.902502	PASS
			TN	VH	5794.96	-6.902502	PASS

Test Mode	Antenna	Channel	Temp.	Volt.	Freq.Error(MHz)	Freq.vs.rated(ppm)	Verdict
	6	9	TN	VL	5180.02	3.861004	PASS
11AC20	Ant1	5180	TN	VN	5180.02	3.861004	PASS
			TN	VH	5179.96	-7.722008	PASS
		_	TN	VL	5199.92	-15.384615	PASS
11AC20	Ant1	5200	TN	VN	5199.96	-7.692308	PASS
			TN	VH	5199.9	-19.230769	PASS
			TN	VL	5239.9	-19.083969	PASS
11AC20	Ant1	5240	TN	VN	5239.9	-19.083969	PASS
	6	\mathcal{I}	TN	VH	5239.9	-19.083969	PASS
			TN	VL	5260.02	3.802281	PASS
11AC20	Ant1	5260	TN	VN	5260.04	7.604563	PASS
(25))	(6	TN	VH	5259.92	-15.209125	PASS
			TN	VL	5279.92	-15.151515	PASS
11AC20	Ant1	5280	TN	VN	5279.9	-18.939394	PASS
	1		TN	VH	5279.98	-3.787879	PASS
	6	フ	TN	VL	5319.92	-15.037594	PASS
11AC20	Ant1	5320	TN	VN	5319.9	-18.796992	PASS
- 0.5%			TN	VH	5319.9	-18.796992	PASS
	•)	(6	TN	VL	5499.94	-10.909091	PASS
11AC20	Ant1	5500	TN	VN	5500.04	7.272727	PASS
			TN	VH	5500.02	3.636364	PASS
	A m41	5500	TN	VL	5579.94	-10.752688	PASS
11AC20	Ant1	5580	TN	VN	5579.94	-10.752688	PASS



Page 81 of 279

	\	(TN	VH	5580.02	3.584229	PASS
0.	/-		TN	VL	5699.92	-14.035088	PASS
11AC20	A = 44	F700	TN	VN	5699.94	-10.526316	PASS
	Ant1	5700	TN	VH	5699.96	-7.017544	PASS
	(3		TN	VL	5744.98	-3.481288	PASS
11AC20	Ant1	5745	TN	VN	5744.94	-10.443864	PASS
			TN	VH	5744.92	-13.925152	PASS
	\		TN	VL	5785.06	10.371651	PASS
11AC20	Ant1	5785	TN	VN	5784.9	-17.286085	PASS
			TN	VH	5784.92	-13.828868	PASS
	-		TN	VL	5824.94	-10.300429	PASS
11AC20	Ant1	5825	TN	VN	5824.92	-13.733906	PASS
	100		TN	VH	5824.94	-10.300429	PASS

			4.70		F 470 1		
Test Mode	Antenna	Channel	Temp.	Volt.	Freq.Error(MHz)	Freq.vs.rated(ppm)	Verdict
			TN	VL	5189.96	-7.707129	PASS
11AC40	Ant1	5190	TN	VN	5189.96	-7.707129	PASS
	(6)	ソ	TN	VH	5190.04	7.707129	PASS
			TN	VL	5229.92	-15.296367	PASS
11AC40	Ant1	5230	TN	VN	5229.92	-15.296367	PASS
(25))	(c	TN	VH	5229.96	-7.648184	PASS
			TN	VL	5269.96	-7.590133	PASS
11AC40	Ant1	5270	TN	VN	5270.04	7.590133	PASS
	6		TN	VH	5269.92	-15.180266	PASS
	(0)	フ	TN	VL	5309.96	-7.532957	PASS
11AC40	Ant1	5310	TN	VN	5309.96	-7.532957	PASS
- 0.00			TN	VH	5309.96	-7.532957	PASS
)	(6	TN	VL	5509.96	-7.259528	PASS
11AC40	Ant1	5510	TN	VN	5509.96	-7.259528	PASS
			TN	VH	5509.92	-14.519056	PASS
	Ant1	5550	TN	VL	5549.96	-7.207207	PASS
11AC40	Anu	5550	TN	VN	5549.92	-14.414414	PASS







			TN	VH	5550.04	7.207207	PASS
6.		16	TN	VL	5669.96	-7.054674	PASS
11AC40	Ant1	5670	TN	VN	5669.92	-14.109347	PASS
	/"		TN	VH	5669.96	-7.054674	PASS
)		P)	TN	VL	5754.96	-6.950478	PASS
11AC40	Ant1	5755	TN	VN	5754.96	-6.950478	PASS
			TN	VH	5754.92	-13.900956	PASS
		(TN	VL	5794.96	-6.902502	PASS
11AC40	Ant1	5795	TN	VN	5795.04	6.902502	PASS
			TN	VH	5794.96	-6.902502	PASS

Test Mode	Antenna	Channel	Temp.	Volt.	Freq.Error(MHz)	Freq.vs.rated(ppm)	Verdict
			TN	VL	5209.92	-15.355086	PASS
11AC8	0 Ant1	5210	TN	VN	5209.92	-15.355086	PASS
(6	57)	(6	TN	VH	5209.92	-15.355086	PASS
			TN	VL	5289.92	-15.122873	PASS
11AC8	0 Ant1	5290	TN	VN	5289.92	-15.122873	PASS
1	Ca		TN	VH	5289.92	-15.122873	PASS
/	0	2	TN	VL	5529.92	-14.466546	PASS
11AC8	0 Ant1	5530	TN	VN	5529.92	-14.466546	PASS
	5		TN	VH	5529.92	-14.466546	PASS
(6	57)	(6	TN	VL	5775.08	13.852814	PASS
11AC8	0 Ant1	5775	TN	VN	5774.92	-13.852814	PASS
			TN	VH	5774.92	-13.852814	PASS














Report No.: EED32K00312402 Page 83 of 279

requen	cy Error v	/s. Tempe	erature:		(21)		
Test Mode	Antenna	Channel	Temp.	Volt.	Freq.Error(MHz)	Freq.vs.rated(ppm)	Verdict
		-0-	40	VN	5179.94	-11.583012	PASS
	((1)	30	VN	5179.94	-11.583012	PASS
11A	Ant1	5180	20	VN	5179.9	-19.305019	PASS
			10	VN	5179.94	-11.583012	PASS
			0	VN	5179.94	-11.583012	PASS
	()		40	VN	5199.94	-11.538462	PASS
			30	VN	5199.9	-19.230769	PASS
11A	Ant1	5200	20	VN	5199.98	-3.846154	PASS
	(10	VN	5199.9	-19.230769	PASS
11	- /	الع	0	VN	5199.92	-15.384615	PASS
			40	VN	5239.94	-11.450382	PASS
			30	VN	5239.92	-15.267176	PASS
11A	Ant1	5240	20	VN	5239.92	-15.267176	PASS
			10	VN	5239.94	-11.450382	PASS
			0	VN	5239.92	-15.267176	PASS
	((1)	40	VN	5260.1	19.011407	PASS
	(4	3	30	VN	5259.98	-3.802281	PASS
11A	Ant1	5260	20	VN	5259.98	-3.802281	PASS
			10	VN	5260.02	3.802281	PASS
(é.	(4)		0	VN	5259.92	-15.209125	PASS
			40	VN	5279.92	-15.151515	PASS
			30	VN	5279.9	-18.939394	PASS
11A	Ant1	5280	20	VN	5279.94	-11.363636	PASS
	(10	VN	5279.94	-11.363636	PASS
			0	VN	5279.98	-3.787879	PASS
			40	VN	5319.92	-15.037594	PASS
	(2)		30	VN	5320.04	7.518797	PASS
11A	Ant1	5320	20	VN	5319.92	-15.037594	PASS
			10	VN	5319.92	-15.037594	PASS
	1		0	VN	5320	0	PASS
11A	Ant1	5500	40	VN	5500.04	7.272727	PASS





0	10		30	VN	5499.94	-10.909091	PASS
6)		20	VN	5499.98	-3.636364	PASS
			10	VN	5500.02	3.636364	PASS
			0	VN	5499.94	-10.909091	PASS
	(40	VN	5579.94	-10.752688	PASS
			30	VN	5580.06	10.752688	PASS
11A	Ant1	5580	20	VN	5580.08	14.336918	PASS
0	0		10	VN	5579.94	-10.752688	PASS
6	9		0	VN	5579.98	-3.584229	PASS
			40	VN	5699.92	-14.035088	PASS
		-	30	VN	5699.94	-10.526316	PASS
11A	Ant1	5700	20	VN	5699.96	-7.017544	PASS
			10	VN	5699.92	-14.035088	PASS
			0	VN	5699.92	-14.035088	PASS
			40	VN	5744.9	-17.40644	PASS
(6)	9		30	VN	5744.98	-3.481288	PASS
11A	Ant1	5745	20	VN	5745.06	10.443864	PASS
			10	VN	5744.94	-10.443864	PASS
			0	VN	5744.9	-17.40644	PASS
			40	VN	5784.94	-10.371651	PASS
			30	VN	5784.92	-13.828868	PASS
11A	Ant1	5785	20	VN	5785.06	10.371651	PASS
(6)	(2)		10	VN	5784.96	-6.914434	PASS
			0	VN	5784.9	-17.286085	PASS
			40	VN	5825.04	6.866953	PASS
			30	VN	5824.94	-10.300429	PASS
11A	Ant1	5825	20	VN	5824.98	-3.433476	PASS
			10	VN	5824.98	-3.433476	PASS
-			0	VN	5824.94	-10.300429	PASS













Page 85 of 279

10	(3)		1821		1821	[[[]	
Test Mode	Antenna	Channel	Temp.	Volt.	Freq.Error(MHz)	Freq.vs.rated(ppm)	Verdict
		-0-	40	VN	5179.9	-19.305019	PASS
	(30	VN	5179.92	-15.444015	PASS
11N20	Ant1	5180	20	VN	5179.92	-15.444015	PASS
			10	VN	5179.94	-11.583012	PASS
	10.		0	VN	5179.94	-11.583012	PASS
(6	N)		40	VN	5199.9	-19.230769	PASS
			30	VN	5199.94	-11.538462	PASS
11N20	Ant1	5200	20	VN	5199.98	-3.846154	PASS
	/		10	VN	5199.9	-19.230769	PASS
		6	0	VN	5199.94	-11.538462	PASS
			40	VN	5239.94	-11.450382	PASS
	-		30	VN	5239.9	-19.083969	PASS
11N20	Ant1	5240	20	VN	5239.9	-19.083969	PASS
			10	VN	5239.94	-11.450382	PASS
			0	VN	5239.9	-19.083969	PASS
	1		40	VN	5259.96	-7.604563	PASS
	((B)	30	VN	5259.92	-15.209125	PASS
11N20	Ant1	5260	20	VN	5259.98	-3.802281	PASS
			10	VN	5259.94	-11.406844	PASS
	(2)		0	VN	5259.92	-15.209125	PASS
1/2			40	VN	5279.92	-15.151515	PASS
			30	VN	5280.04	7.575758	PASS
11N20	Ant1	5280	20	VN	5279.98	-3.787879	PASS
	(10	VN	5279.94	-11.363636	PASS
			0	VN	5279.96	-7.575758	PASS
			40	VN	5319.96	-7.518797	PASS
	(1)		30	VN	5319.94	-11.278195	PASS
11N20	Ant1	5320	20	VN	5320.04	7.518797	PASS
			10	VN	5319.94	-11.278195	PASS
	9		0	VN	5319.9	-18.796992	PASS
11N20	Ant1	5500	40	VN	5499.9	-18.181818	PASS





6	TO'S		30	VN	5499.96	-7.272727	PASS
6			20	VN	5499.96	-7.272727	PASS
			10	VN	5499.96	-7.272727	PASS
		-	0	VN	5499.94	-10.909091	PASS
		(3)	40	VN	5579.94	-10.752688	PASS
			30	VN	5580.08	14.336918	PASS
11N20	Ant1	5580	20	VN	5579.96	-7.168459	PASS
0			10	VN	5580.06	10.752688	PASS
6			0	VN	5579.9	-17.921147	PASS
			40	VN	5699.96	-7.017544	PASS
			30	VN	5699.94	-10.526316	PASS
11N20	Ant1	5700	20	VN	5699.94	-10.526316	PASS
			10	VN	5699.94	-10.526316	PASS
			0	VN	5699.96	-7.017544	PASS
			40	VN	5744.98	-3.481288	PASS
6			30	VN	5744.9	-17.40644	PASS
11N20	Ant1	5745	20	VN	5744.9	-17.40644	PASS
		-0-	10	VN	5745.02	3.481288	PASS
			0	VN	5744.92	-13.925152	PASS
		6	40	VN	5784.96	-6.914434	PASS
			30	VN	5784.9	-17.286085	PASS
11N20	Ant1	5785	20	VN	5784.9	-17.286085	PASS
(6)			10	VN	5784.96	-6.914434	PASS
			0	VN	5784.9	-17.286085	PASS
			40	VN	5824.9	-17.167382	PASS
			30	VN	5824.98	-3.433476	PASS
11N20	Ant1	5825	20	VN	5824.92	-13.733906	PASS
			10	VN	5824.92	-13.733906	PASS
	2		0	VN	5824.94	-10.300429	PASS













Page 87 of 279

- 10	4.9/1		182		182		
Test Mode	Antenna	Channel	Temp.	Volt.	Freq.Error(MHz)	Freq.vs.rated(ppm)	Verdict
		-0-	40	VN	5189.96	-7.707129	PASS
	(30	VN	5189.92	-15.414258	PASS
11N40	Ant1	5190	20	VN	5189.92	-15.414258	PASS
			10	VN	5189.92	-15.414258	PASS
	6		0	VN	5189.92	-15.414258	PASS
(¢	N)		40	VN	5229.96	-7.648184	PASS
			30	VN	5229.92	-15.296367	PASS
11N40	Ant1	5230	20	VN	5229.92	-15.296367	PASS
	/		10	VN	5229.92	-15.296367	PASS
	\	6	0	VN	5229.92	-15.296367	PASS
			40	VN	5269.96	-7.590133	PASS
	-		30	VN	5269.96	-7.590133	PASS
11N40	Ant1	5270	20	VN	5269.96	-7.590133	PASS
			10	VN	5269.92	-15.180266	PASS
			0	VN	5269.92	-15.180266	PASS
	1		40	VN	5310.04	7.532957	PASS
	\	6	30	VN	5309.92	-15.065913	PASS
11N40	Ant1	5310	20	VN	5309.96	-7.532957	PASS
			10	VN	5309.96	-7.532957	PASS
(6			0	VN	5309.92	-15.065913	PASS
1/2			40	VN	5509.96	-7.259528	PASS
			30	VN	5509.92	-14.519056	PASS
11N40	Ant1	5510	20	VN	5509.92	-14.519056	PASS
	(10	VN	5510.04	7.259528	PASS
			0	VN	5509.92	-14.519056	PASS
			40	VN	5549.96	-7.207207	PASS
	(1)		30	VN	5549.96	-7.207207	PASS
11N40	Ant1	5550	20	VN	5550.04	7.207207	PASS
			10	VN	5549.96	-7.207207	PASS
			0	VN	5550.08	14.414414	PASS
11N40	Ant1	5670	40	VN	5670.08	14.109347	PASS



Page 88 of 279

G	(0)		30	VN	5669.96	-7.054674	PASS
6			20	VN	5669.96	-7.054674	PASS
			10	VN	5669.92	-14.109347	PASS
		~	0	VN	5670.04	7.054674	PASS
		(3)	40	VN	5754.96	-6.950478	PASS
			30	VN	5754.96	-6.950478	PASS
11N40	Ant1	5755	20	VN	5754.96	-6.950478	PASS
			10	VN	5755.04	6.950478	PASS
16			0	VN	5754.96	-6.950478	PASS
			40	VN	5794.92	-13.805004	PASS
			30	VN	5794.96	-6.902502	PASS
11N40	Ant1	5795	20	VN	5794.96	-6.902502	PASS
	1		10	VN	5794.92	-13.805004	PASS
			0	VN	5794.96	-6.902502	PASS

7.0	7.67		1.727		1 11	7 4 1	
Test Mode	Antenna	Channel	Temp.	Volt.	Freq.Error(MHz)	Freq.vs.rated(ppm)	Verdict
	Ant1	5180	40	VN	5179.9	-19.305019	PASS
1			30	VN	5179.9	-19.305019	PASS
11AC2			20	VN	5179.9	-19.305019	PASS
0			10	VN	5179.92	-15.444015	PASS
			0	VN	5179.9	-19.305019	PASS
(e	Ant1	5200	40	VN	5199.92	-15.384615	PASS
			30	VN	5199.9	-19.230769	PASS
			20	VN	5199.96	-7.692308	PASS
			10	VN	5199.92	-15.384615	PASS
11AC2			0	VN	5199.92	-15.384615	PASS
	Ant1	5240	40	VN	5239.92	-15.267176	PASS
			30	VN	5239.94	-11.450382	PASS
(6			20	VN	5239.98	-3.816794	PASS
-			10	VN	5239.92	-15.267176	PASS
11AC2			0	VN	5239.96	-7.633588	PASS
λ.	Ant1	5260	40	VN	5259.96	-7.604563	PASS
)			30	VN	5260.02	3.802281	PASS



Page 89 of 279

CE			20	VN	5259.98	-3.802281	PASS
6.			10	VN	5259.98	-3.802281	PASS
			0	VN	5260.02	3.802281	PASS
			40	VN	5279.92	-15.151515	PASS
)		(3)	30	VN	5279.94	-11.363636	PASS
	Ant1	5280	20	VN	5279.94	-11.363636	PASS
			10	VN	5279.9	-18.939394	PASS
18			0	VN	5279.9	-18.939394	PASS
6.			40	VN	5319.94	-11.278195	PASS
			30	VN	5319.94	-11.278195	PASS
	Ant1	5320	20	VN	5319.9	-18.796992	PASS
)		(41)	10	VN	5319.98	-3.759398	PASS
			0	VN	5319.94	-11.278195	PASS
			40	VN	5499.96	-7.272727	PASS
13			30	VN	5500.02	3.636364	PASS
6,	Ant1	5500	20	VN	5499.98	-3.636364	PASS
			10	VN	5499.92	-14.545455	PASS
11AC2			0	VN	5499.98	-3.636364	PASS
			40	VN	5580.02	3.584229	PASS
			30	VN	5579.98	-3.584229	PASS
	Ant1	5580	20	VN	5579.96	-7.168459	PASS
13			10	VN	5579.98	-3.584229	PASS
(6)	"		0	VN	5580.02	3.584229	PASS
			40	VN	5699.94	-10.526316	PASS
			30	VN	5700.02	3.508772	PASS
	Ant1	5700	20	VN	5699.9	-17.54386	PASS
		6	10	VN	5699.98	-3.508772	PASS
11AC2			0	VN	5699.92	-14.035088	PASS
13	_		40	VN	5744.9	-17.40644	PASS
(6)			30	VN	5744.92	-13.925152	PASS
	Ant1	5745	20	VN	5744.94	-10.443864	PASS
			10	VN	5744.92	-13.925152	PASS
11AC2		130	0	VN	5744.92	-13.925152	PASS



Page 90 of 279

6	6		40	VN	5784.96	-6.914434	PASS
6			30	VN	5784.92	-13.828868	PASS
	Ant1	5785	20	VN	5784.92	-13.828868	PASS
			10	VN	5784.9	-17.286085	PASS
11AC2		(3)	0	VN	5784.98	-3.457217	PASS
			40	VN	5824.94	-10.300429	PASS
			30	VN	5824.92	-13.733906	PASS
6	Ant1	5825	20	VN	5824.98	-3.433476	PASS
1			10	VN	5824.92	-13.733906	PASS
11AC2			0	VN	5824.98	-3.433476	PASS

Test Mode	Antenna	Channel	Temp.	Volt.	Freq.Error(MHz)	Freq.vs.rated(ppm)	Verdict
			40	VN	5189.92	-15.414258	PASS
	200		30	VN	5189.96	-7.707129	PASS
11AC40	Ant1	5190	20	VN	5189.92	-15.414258	PASS
			10	VN	5189.92	-15.414258	PASS
			0	VN	5189.96	-7.707129	PASS
9	1		40	VN	5229.92	-15.296367	PASS
/	1	6.	30	VN	5229.92	-15.296367	PASS
11AC40	Ant1	5230	20	VN	5229.92	-15.296367	PASS
	20		10	VN	5229.96	-7.648184	PASS
(8	(5)		0	VN	5229.96	-7.648184	PASS
			40	VN	5269.96	-7.590133	PASS
			30	VN	5270.04	7.590133	PASS
11AC40	Ant1	5270	20	VN	5269.96	-7.590133	PASS
/)	(C)	10	VN	5269.96	-7.590133	PASS
			0	VN	5269.96	-7.590133	PASS
			40	VN	5309.96	-7.532957	PASS
(e	(3)		30	VN	5309.96	-7.532957	PASS
11AC40	Ant1	5310	20	VN	5309.96	-7.532957	PASS
			10	VN	5309.96	-7.532957	PASS
1	9		0	VN	5309.92	-15.065913	PASS
11AC40	Ant1	5510	40	VN	5509.92	-14.519056	PASS