

Page: 1 of 131

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART E REQUIREMENT

OF

Applicant: Barco NV

Barco NV President Kennedypark35, 8500 Kortrijk, Belgium

Product Name: Clickshare CSE-200+

Brand Name: Barco

Model No.: CSE-200+

Model Difference: N/A

FCC ID: 2AAED-R9861521

Report Number: ER/2018/70109

FCC Rule Part: §15.407, Cat: NII

Issue Date: Sep. 03, 2018

Date of Test: Jul. 12, 2018 ~ Aug. 22, 2018

Date of EUT Received: Jul. 12, 2018

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10: 2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Tested By:

Marcus Tseng / Engineer

Marcus Tseng

Approved By:

Jim Chang / Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 2 of 131

Revision History

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
ER/2018/70109	Rev.00	Initial creation of docu- ment	All	Sep. 03, 2018	Yuri Tsai

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 3 of 131

Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULT	9
4	DESCRIPTION OF TEST MODES	10
5	MEASUREMENT UNCERTAINTY	13
6	CONDUCTED EMISSION TEST	14
7	DUTY CYCLE TEST SIGNAL	18
8	26dB & 6dB EMISSION BANDWIDTH MEASUREMENT	21
9	MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	32
10	PEAK POWER SPECTRAL DENSITY	36
11	UNDESIRABLE RADIATED EMISSION MEASUREMENT	43
12	TRANSMISSION IN THE ABSENCE OF DATA	. 116
13	FREQUENCY STABILITY	. 117
1 1	ANTENNA DECLUDEMENT	121

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 4 of 131

GENERAL INFORMATION

Product Description

General:

Product Name:	Clickshare CSE-200+		
Brand Name:	Barco		
Model No.:	CSE-200+		
Model Difference:	N/A		
Product SW/HW version:	N/A / EVT2		
WLAN Module:	Model No.: WCBN807A		
	120Vac input / 12Vdc output from AC/DC adapter		
Power Supply:	Adapter:	Model No.: BA070-120417GXX Supplier: BILLION	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 5 of 131

WLAN 5GHz:

WEAN 5GF Wi-Fi 802.11	Frequency Range	Channels	Rated Power (Avg.) (dBm)	Modulation Technology	
2	5180~5240	4	17.75	OFDM	
а	5745-5825	5	18.40		
n_HT	5180~5240	4	HT: 17.97 (Worst case)	05014	
ac_VHT 20M	5745-5825	5	HT: 18.35 (Worst case)	OFDM	
n_HT	5190~5230	2	HT: 17.76 (Worst case)	0=514	
ac_VHT 40M	5755~5795	2	HT: 16.65 (Worst case)	OFDM	
ac_VHT	5210	1	11.28	OFDM	
80M	80M 5775		11.21	OFDIVI	
Modulation type		64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only			
Antenna Type:		Antenna 1: 0.97dBi (515	a, Peak Gain: 50~5250MHz) 25~5850MHz)		
		Antenna 2: -0.02dBi (5150~5250MHz) 1.2dBi (5725~5850MHz)			
Transition Rate:s 802.11 802.11 802.11 802.11		802.11 a: 6/9 802.11 n_20 802.11 n_40 802.11 ac_2 802.11 ac_4	9/12/18/24/36/48/54 Mbps MHz: 6.5 – 144.4Mbps MHz: 13.5 – 300.0Mbps 0MHz: 6.5 –173.3Mbps 0MHz: 13.5 –400.0Mbps 0MHz: 29.3 – 866.7Mbps		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 6 of 131

Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

FCC KDB 789033 D02 General UNII Test Procedures New Rules V02r01

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

ANSI C63.10:2013

Note:

All test items have been performed and record as per the above standards.

Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333 (TAF code 0513)

FCC Registration Numbers are: 509634 / TW0001

Special Accessories

There are no special accessories used while test was conducted.

Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sgs.com



Page: 7 of 131

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 8 of 131

2.5 Configuration of Tested System

Fig. 2-1 Conducted (Antenna Port) Emission Configuration



Fig. 2-2 Radiated Emission & Conduction (AC Power Line) Radiated Emission




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 9 of 131

SUMMARY OF TEST RESULT

FCC Rules	Description Of Test	Result
§15.207	AC Power Line Conducted Emission	Compliant
§15.403(i) §15.407(e)	26 dB & 6dB & 99% Emission Bandwidth	Compliant
§15.407(a)	Maximum Conducted Output Power	Compliant
§15.407(a)	Power Spectral Density	Compliant
§15.407(b)	Undesirable Radiated Emissions	Compliant
§15.407(c)	Transmission in case of Absence of Information	Compliant
§15.407(g)	Frequency Stability	Compliant
§15.203 §15.407(a)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 10 of 131

DESCRIPTION OF TEST MODES

4.1 Operated in U-NII Bands

Operated band in 5150 MHz ~5250 MHz:

Operated band in 3130 Mil		
802.11a / n HT20 Mode,		
802.11ac VHT20 Mode		
Channel	Frequency	
36	5180	
40	5200	
44	5220	
48	5240	

802.11 n HT40 Mode, 802.11ac VHT40 Mode		
channel	Frequency	
38	5190	
46	5230	

802.11ac VHT80 Mode		
channel	Frequency	
42	5210	

Operated band in 5745 MHz ~5850 MHz:

802.11a / n HT20 Mode, 802.11ac VHT20 Mode		
Channel	Frequency	
149	5745	
153	5765	
157	5785	
161	5805	

802.11 n HT40 Mode, 802.11ac VHT40 Mode		
channel	Frequency	
151	5755	
159	5795	

802.11ac VHT80 Mode		
channel	Frequency	
155	5775	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 11 of 131

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

RADIATED EMISSION TEST:

MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT				
RADIATED EMISSION TEST (BELOW 1 GHz)										
802.11a	5180~5240	36 to 48	36,44,48	OFDM	6	2TX				
802.11ac_VHT80	5210	42	42	OFDM	MCS0	MIMO				
802.11a	5745~5825	149 to 165	149,157,165	OFDM	6	Aux				
802.11ac_VHT80	5775	155	155	OFDM	MCS0	MIMO				
RADIATED EMISSION TEST (ABOVE 1 GHz)										
802.11a	5180~5240	36 to 48	36,44,48	OFDM	6	2TX				
802.11n_HT20	5160~5240			OFDM	MCS8	MIMO				
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS8	MIMO				
802.11ac_VHT80	5210	42	42	OFDM	MCS0	MIMO				
802.11a	5745~5825	149 to 165	149,157,165	OFDM	6	2TX				
802.11n_HT20	5745~5625	149 (0 103	149,157,105	OFDM	MCS8	MIMO				
802.11n_HT40	5755~5795	151 to 159	151,159	OFDM	MCS8	MIMO				
802.11ac_VHT80	5775	155	155	OFDM	MCS0	MIMO				

Note: The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n/ac WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 12 of 131

ANTENNA PORT CONDUCTED MEASUREMENT

ANTENNATORT CONDUCTED MILASOREMENT.										
CONDUCTED TEST										
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT				
802.11a				OFDM	6	2TX				
802.11n_HT20 802.11ac_VHT20	5180~5240	36 to 48	36,44,48	OFDM	MCS8 / MCS0	MIMO				
802.11n_HT40 802.11ac_VHT40	5190~5230	38 to 46	38,46	OFDM	MCS8 / MCS0	MIMO				
802.11ac_VHT80	5210	42	42	OFDM	MCS0	MIMO				
802.11a				OFDM	6	2TX				
802.11n_HT20 802.11ac_VHT20	5745~5825	149 to 165	149,157,165	OFDM	MCS8 / MCS0	MIMO				
802.11n_HT40 802.11ac_VHT40	5755~5795	151 to 159	151,159	OFDM	MCS8 / MCS0	MIMO				
802.11ac_VHT80	5775	155	155	OFDM	MCS0	MIMO				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 13 of 131

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
26dB & 6dB Emission Bandwidth	+/- 123.36 Hz
The Maximum Output Power Measurement	+/- 0.96 dB
Peak Power Spectral Density Measurement	+/- 1.67 dB
Frequency Stability	+/- 123.36 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz-30MHz: +/-2.87dB				
	30MHz - 167MHz: +/- 4.22dB				
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB				
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB				
	1GHz - 18GHz: +/- 4.08dB				
	18GHz - 40GHz: +/- 4.08dB				

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號



Page: 14 of 131

CONDUCTED EMISSION TEST

6.1. Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)				
MHz	Quasi-peak	Average			
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			

Note

6.2. Measurement Equipment Used

Conducted Emission Test Site										
EQUIPMENT MFR MODEL SERIAL LAST (
TYPE		NUMBER	NUMBER	CAL.						
EMI Test Receiver	R&S	ESCI7	100335	02/02/2018	02/01/2019					
LISN	SCHWARZ- BECK	NSLK 8127	8127-649	05/18/2018	05/17/2019					

6.3. EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the table top.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com


^{1.} The lower limit shall apply at the transition frequencies

^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50



Page: 15 of 131

6.4. Test SET-UP



6.5. Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

6.6. Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 16 of 131

AC POWER LINE CONDUCTED EMISSION TEST DATA

Site Conduction Room

Power:


AC 120V/60Hz

Temperature: 25 %

Humidity:

Limit: FCC Class B Conduction(QP) Mode: Operation

Note: Adapter: BA070-120417GXX



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1	*	0.1580	49.80	0.04	49.84	65.57	-15.73	QP	
2		0.1580	34.00	0.04	34.04	55.57	-21.53	AVG	
3		0.1740	46.21	0.04	46.25	64.77	-18.52	peak	
4		0.1820	45.09	0.04	45.13	64.39	-19.26	peak	
5		0.2060	43.80	0.04	43.84	63.37	-19.53	peak	
6	1	14.6060	40.17	0.36	40.53	60.00	-19.47	peak	
7		27.5220	42.33	0.52	42.85	60.00	-17.15	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 17 of 131


Site Conduction Room

Limit: FCC Class B Conduction(QP)

Mode: Operation

Note: Adapter: BA070-120417GXX

Temperature: 25 °C Phase: AC 120V/60Hz Humidity: 85 % Power:



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.1660	47.21	0.04	47.25	65.16	-17.91	peak	
2	*	0.1780	48.72	0.04	48.76	64.58	-15.82	peak	
3		0.1900	45.50	0.04	45.54	64.04	-18.50	peak	
4		0.2140	44.15	0.04	44.19	63.05	-18.86	peak	
5		0.2260	40.01	0.04	40.05	62.60	-22.55	peak	
6		21.8820	42.19	0.44	42.63	60.00	-17,37	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 18 of 131

DUTY CYCLE TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

Duty Cycle:

Mode	Duty Cycle (%)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802.11a	95.26	0.21	0.48	1.00
802.11n_20	91.30	0.40	1.02	2.00
802.11n_40	91.01	0.41	1.05	2.00
802.11ac_80	82.34	0.84	2.16	3.00

Duty Cycle Factor: $10 * \log(1/0.9526) = 0.21$ Duty Cycle Factor: $10 * \log(1/0.913) = 0.4$ Duty Cycle Factor: $10 * \log(1/0.9101) = 0.41$ Duty Cycle Factor: $10 * \log(1/0.8234) = 0.84$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 19 of 131

DUTY CYCLE TEST SIGNAL Measurement Result 802.11a



802.11n HT20



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price of this document is pulsuful and offered except in full, without price views the large. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page: 20 of 131

802.11n HT 40



802.11 ac VHT 80



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price of this document is pulsuful and offered except in full, without price views the large. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 21 of 131

26DB & 6DB EMISSION BANDWIDTH MEASUREMENT

8.1 Standard Applicable

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C. The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3

8.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
 - a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto, Detector = Peak, Trace Mode = Max Hold, Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.
 - b. Mark the peak frequency and –26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- Minimum Emission Bandwidth for the band 5.725-5.850GHz.
 - a. Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=Peak.
 - Sweep=auto
 - b. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:

Set the spectrum analyzer as RBW=1%, VBW = 3*RBW, Span = 30M/50MHz, Detector=Sample, Sweep=auto.

- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未總本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 22 of 131

8.3 Measurement Equipment Used

SGS Conducted Room									
Name of Equip- ment	Manufacturer	lanufacturer Model		Calibration Date	Calibration Due				
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	2018/05/03	2019/05/02				
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/02	2019/01/01				
Coaxial Cables	N/A	WK CE Cable	N/A	2018/01/02	2019/01/01				

8.4 Test Set-up



8.5 Measurement Result

26dB Bandwidth

802.11a_Ch0

802.11a_Ch1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	20.10	13.032	5180	19.98	13.006
5220	28.14	14.492	5220	28.89	14.608
5240	29.95	14.763	5240	29.95	14.764

802.11n_HT20_Ch0

802.11n HT20 Ch1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	19.04	12.797	5180	19.29	12.853
5220	20.06	13.023	5220	20.43	13.103
5240	28.25	14.510	5240	29.74	14.733

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 23 of 131

802.11n HT40 Ch0

802.11n _HT40_Ch1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	38.09	15.808
5230	49.31	16.929

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	38.08	15.807
5230	49.81	16.973

802.11ac _VHT80_Ch0

802.11ac _VHT80_Ch1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	81.45	19.109

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	80.15	19.039

6dB Bandwidth (5725 MHz~ 5850 MHz) measure with Peak detector for FCC

802.11a_Ch0

802.11a Ch1	1	Ch	а	1	.1	2	0	8
-------------	---	----	---	---	----	---	---	---

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	15.33	11.855
5785	14.50	11.614
5825	15.13	11.798

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.07	12.061
5785	14.53	11.622
5825	15.13	11.797

802.11n HT20 Ch0

802.11n HT20 Ch1

00211111_11120_0110			00211111_1112	.0_0	
Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	15.06	11.779	5745	15.68	11.952
5785	15.71	11.961	5785	15.70	11.958
5825	15.15	11.803	5825	15.07	11.781

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior withen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlawful and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 24 of 131

802.11n_HT40_Ch0

802.11n_HT40_Ch1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	35.11	15.455
5795	35.06	15.448

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	35.08	15.451
5795	32.57	15.129

802.11ac _VHT80_Ch0

802.11ac _VHT80_Ch1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5775	75.04	18.753

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5775	75.16	18.760

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sgs.com



Page: 25 of 131

99% BW Verification of DFS Function

802.11a Ch0

802.11a_Ch1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5240	5248.61	< 5250	5240	5248.37	< 5250
5745	5736.75	> 5725	5745	5736.78	> 5725

802.11n HT20 Ch0

802	11n	HT2	0 Ch1
UUZ.		1112	U 0111

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5240	5248.76	< 5250	5240	5248.73	< 5250
5745	5736.21	> 5725	5745	5736.21	> 5725

802.11n _HT40_Ch0

802.11n _HT40_Ch1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5230	5247.85	< 5250	5230	5247.90	< 5250
5755	5736.90	> 5725	5755	5736.95	> 5725

802.11ac _VHT80_Ch0

802.11n _HT80_Ch1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5210	5247.30	< 5250	5210	5247.30	< 5250
5775	5737.20	> 5725	5775	5737.20	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 t (886-2) 2299-3279


f (886-2) 2298-0488




Page: 26 of 131

802.11a (Main) 5180MHz


802.11a (Aux1) 5180MHz



5220MHz 5220MHz



5240MHz 5240MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488


SGS Taiwan Ltd.




Page: 27 of 131

802.11n HT20 (Main) 5180 MHz


802.11n HT20 (Aux1) 5180 MHz



5220 MHz 5220 MHz



5240 MHz 5240 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of


SGS Taiwan Ltd.



Page: 28 of 131


802.11n HT40 (Main) 5190 MHz

5230 MHz




5230 MHz

802.11ac VHT80 (Main) 5210 MHz



802.11n HT40 (Aux1) 5190 MHz

802.11ac VHT80 (Aux1) 5210 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488


SGS Taiwan Ltd.




Page: 29 of 131

6dB Band Width measure with Peak detector for FCC 802.11a,(Main) 6dB BW (5745 MHz)


802.11a,(Aux1) 6dB BW (5745 MHz)



6dB BW (5785 MHz)



6dB BW (5785 MHz)



6dB BW (5825 MHz)





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 現明・近報告題未往野湖県之様命員實 「同時起楼命性体質別大。各職者未整本公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of


SGS Taiwan Ltd.



Page: 30 of 131

802.11n_HT20,(Main) 6dB BW (5745 MHz)

802.11n_HT20,(Aux1) 6dB BW (5745 MHz)




6dB BW (5785 MHz)

6dB BW (5785 MHz)



6dB BW (5825 MHz)

6dB BW (5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.s sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of


SGS Taiwan Ltd.



Page: 31 of 131


802.11n_HT40,(Main) 6dB BW (5755 MHz)

6dB BW (5795 MHz)




6dB BW (5795 MHz)

802.11ac VHT80,(Main) 6dB BW (5775 MHz)



802.11n_HT40,(Aux1) 6dB BW (5755 MHz)

802.11ac VHT80,(Aux1) 6dB BW (5775 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.s sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

SGS Taiwan Ltd.



Page: 32 of 131

MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

Standard Applicable 9.1

OPERZTION Band		EUT CATEGORY	LIMIT
U-NII-1	√	Access Point (Mater device)	1 Watt(30dBm)
		Fixed point-to-point Acess Ponit	1 Watt(30dBm)
		Mobile and portable clinet device	250mW(23.98dBm)
U-NII-2A			250mW(23.98dBm) or 11dBm+10 log B
U-NII-2C			250mW(23.98dBm) or 11dBm+10 log B
U-NII-3	V		1 Watt(30dBm)

If transmitting antennas of directional gain greater than 6 dBi are used, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi.

Note:

As per FCC KDB 662911 D01

Unequal antenna gains, with equal transmit powers. For antenna gains given by G1, G2, ..., GN dBi.

(i) If transmit signals are correlated, then Directional gain

= $10 \log[(10^{G1/20} + 10^{G2/20} + ... + 10^{GN/20})^2/N_{ANT}] dBi$

[Note the "20"s in the denominator of each exponent and the square of the sum of terms; the object is to combine the signal levels coherently.]

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 33 of 131


9.2 **Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules . 2.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the 3.
- 4. Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
- 5. Record the max. reading and add 10 log(1/duty cycle).
- Repeat above procedures until all frequency (low, middle, and high channel) measured were complete. 6.

9.3 Measurement Equipment Used

SGS Conducted Room											
Name of Equip- ment	Manufacturer	Model	Serial Num- ber	Calibration Date	Calibration Due						
Power Meter	Anritsu	ML2496A	1804001	2018/02/01	2019/01/31						
Power Sensor	Anritsu	MA2411B	1726104	2018/02/01	2019/01/31						
Power Sensor	Anritsu	MA2411B	1726107	2018/02/01	2019/01/31						
Coaxial Cables	N/A	WK CE Cable	N/A	2018/01/02	2019/01/01						

9.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 34 of 131

Measurement Result 9.5 Conducted output power (FCC)

802.11a_2Tx

CH Frequency (MHz)	Frequency	cy Data		/ER (dB	TOTAL	TOTAL	REQUIRED	DE0111 T
	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)	LIMIT (dBm)	RESULT
36	5180	6	13.7	13.3	16.70	44.979	30	PASS
44	5220	6	14.4	14.4	17.58	55.022	30	PASS
48	5240	6	14.6	14.5	17.75	57.221	30	PASS
149	5745	6	14.4	13	16.93	47.460	30	PASS
157	5785	6	16.2	14	18.40	66.503	30	PASS
165	5825	6	15.7	14.1	18.19	63.439	30	PASS

802.11n_HT20_MIMO

CII	Frequency Data		Data 'g. POWER (dB		TOTAL	TOTAL	REQUIRED	DECI T
CH (MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)	LIMIT (dBm)	RESULT	
36	5180	MCS8	14	12.6	16.51	43.050	30	PASS
44	5220	MCS8	14.8	14.7	17.93	59.653	30	PASS
48	5240	MCS8	15	14.6	17.97	60.251	30	PASS
149	5745	MCS8	13.9	13	16.63	44.260	30	PASS
157	5785	MCS8	16	14.2	18.35	65.809	30	PASS
165	5825	MCS8	15.6	14.3	18.18	63.285	30	PASS

802 11n HT40 MIMO

002.1111_11140_MINNO										
СН	Frequency (MHz)	Data Rate	rg. POW		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT		
38	5190	MCS8	9.23	8.59	12.30	15.603	30	PASS		
46	5230	MCS8	14.6	14.2	17.76	54.818	30	PASS		
151	5755	MCS8	10.1	8.72	12.85	17.704	30	PASS		
159	5795	MCS8	14.1	12.2	16.65	42.457	30	PASS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號



Page: 35 of 131

802.11ac VHT20 MIMO

	Frequency	Data	g. POWER (dB		TOTAL	TOTAL	REQUIRED	
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)	LIMIT (dBm)	RESULT
36	5180	MCS0	13.5	13	16.41	42.084	30	PASS
44	5220	MCS0	15.2	14.9	18.20	63.575	30	PASS
48	5240	MCS0	15.1	14.8	18.14	62.628	30	PASS
149	5745	MCS0	13.8	12.9	16.54	43.332	30	PASS
157	5785	MCS0	16	14.2	18.33	65.507	30	PASS
165	5825	MCS0	15.5	14.3	18.15	62.728	30	PASS

802.11ac VHT40 MIMO

СН	Frequency (MHz)	Data Rate	g. POW		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	8.88	8.45	12.05	14.725	30	PASS
46	5230	MCS0	14.5	14.2	17.74	54.547	30	PASS
151	5755	MCS0	10.1	8.68	12.80	17.495	30	PASS
159	5795	MCS0	14	12.2	16.59	41.833	30	PASS

802.11ac VHT80 MIMO

СН	Frequency (MHz)	Data Rate	rg. POW	_	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
42	5210	MCS0	7.76	7.23	11.28	11.255	30	PASS
155	5775	MCS0	7.92	6.88	11.21	11.070	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 36 of 131

10 PEAK POWER SPECTRAL DENSITY

10.1 Standard Applicable

OPERZTION Band		EUT CATEGORY	LIMIT
U-NII-1	√	Access Point (Mater device)	17dBm/ MHz
		Fixed point-to-point Acess Ponit	
		Mobile and portable clinet device	11dBm/ MHz
U-NII-2A			11dBm/ MHz
U-NII-2C			11dBm/ MHz
U-NII-3	V		30dBm/ 500kHz

If transmitting antennas of directional gain greater than 6 dBi are used, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Note:

As per FCC KDB 662911 D01

Unequal antenna gains, with equal transmit powers. For antenna gains given by G1, G2, ...,

(i) If transmit signals are correlated, then Directional gain

= $10 \log[(10^{G1/20} + 10^{G2/20} + ... + 10^{GN/20})^2/N_{ANT}] dBi$

[Note the "20"s in the denominator of each exponent and the square of the sum of terms; the object is to combine the signal levels coherently.]

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the test of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

f (886-2) 2298-0488



Page: 37 of 131

10.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.

4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:


Set RBW=500 kHz, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

- 5. User the cursor on spectrum to peak search the highest level of trace
- **6.** Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

10.3 Measurement Equipment Used

	•							
	SGS Conducted Room							
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due			
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	2018/05/03	2019/05/02			
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/02	2019/01/01			
Coaxial Cables	N/A	WK CE Cable	N/A	2018/01/02	2019/01/01			

10.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未總本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 38 of 131

10.5 Measurement Result

POWER DENSITY 802.11a MODE									
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)			
5180	5.27	11.80	0.21	5.48	17	-11.52			
5220	4.37	11.80	0.21	4.58	17	-12.42			
5240	4.79	11.80	0.21	5.00	17	-12.00			
5745	12.42	11.70	-	12.42	30	-17.58			
5785	13.55	11.70	-	13.55	30	-16.45			
5825	13.54	11.70	-	13.54	30	-16.46			

POWER DENSITY 802.11n HT20 MODE									
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)			
5180	5.02	11.80	0.40	5.42	17	-11.58			
5220	4.58	11.80	0.40	4.98	17	-12.02			
5240	3.37	11.80	0.40	3.77	17	-13.23			
5745	12.12	11.70	-	12.12	30	-17.88			
5785	14.10	11.70	-	14.10	30	-15.90			
5825	13.10	11.70	-	13.10	30	-16.90			

POWER DENSITY 802.11n HT40 MODE								
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)		
5190	-2.17	11.80	0.41	-1.76	17	-18.76		
5230	0.73	11.80	0.41	1.14	17	-15.86		
5755	4.41	11.70	-	4.41	30	-25.59		
5795	8.74	11.70	-	8.74	30	-21.26		

POWER DENSITY 802.11ac VHT80 MODE								
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)		
5210	-9.71	11.80	0.84	-8.87	17	-25.87		
5775	-0.36	11.70	-	-0.36	30	-30.36		

Note: MIMO offset=

14.8



Page: 39 of 131


802.11a 5150~5250 MHz

Peak Power Spectral Density Data Plot (CH Low 5180 MHz)



802.11a 5725~5850 MHz

Peak Power Spectral Density Data Plot (CH Low 5745 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5220 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5785 MHz)



Peak Power Spectral Density Data Plot (CH High 5240 MHz)



Peak Power Spectral Density Data Plot (CH High 5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 現明・近報告題未往野湖県之様命員實 「同時起楼命性体質別大。各職者未整本公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is comments. This document is provided to the fullest extent of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of


SGS Taiwan Ltd.



Report No.: ER/2018/70109 Page: 40 of 131


802.11n HT20, 5150~5250 MHz

Peak Power Spectral Density Data Plot (CH Low 5180 MHz)



802.11n HT20, 5725~5850 MHz

Peak Power Spectral Density Data Plot (CH Low 5745 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5220 MHz)




Peak Power Spectral Density Data Plot (CH Mid 5785 MHz)



Peak Power Spectral Density Data Plot (CH High 5240 MHz)



Peak Power Spectral Density Data Plot (CH High 5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 現明・近報告題未往野湖県之様命員實 「同時起楼命性体質別大。各職者未整本公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is comments. This document is provided to the fullest extent of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488

SGS Taiwan Ltd.



802.11n HT40, 5150~5250 MHz

Peak Power Spectral Density Data Plot (CH Low 5190 MHz)



Peak Power Spectral Density Data Plot (CH High 5230 MHz)




802.11n HT40, 5725~5850 MHz Peak Power Spectral Density Data Plot (CH Low 5755 MHz)

Page: 41 of 131

Report No.: ER/2018/70109



Peak Power Spectral Density Data Plot (CH High 5795 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 42 of 131

Report No.: ER/2018/70109

802.11ac VHT80, 5150~5250 MHz Peak Power Spectral Density Data Plot (CH Mid 5210 MHz)



802.11ac VHT80, 5725~5850 MHz

Peak Power Spectral Density Data Plot (CH Mid 5775 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated time results strown in this less report reter only to the sample(s) tested and such a sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的人。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms e-document.thm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 43 of 131

11 UNDESIRABLE RADIATED EMISSION MEASUREMENT

Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LI	MIT	
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRE	ENGTH AT 3m	
	PK: 74 (dBμV/m)	AV 54 (dBµV/m)	
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m	
15.407(b)(1)			
15.407(b)(2)	PK: -27 (dBm/MHz)	PK: 68.3 (dBµV/m)	
15.407(b)(3)			
15.407(b)(4)(i)	PK:-27 (dBm/MHz) *1 PK:10 (dBm/MHz) *2 PK:15.6 (dBm/MHz) *3 PK:27 (dBm/MHz) *4	PK: 68.2(dBµV/m) *1 PK:105.2 (dBµV/m) *2 PK: 110.8(dBµV/m) *3 PK:122.2 (dBµV/m) *4	

^{*1} beyond 75 MHz or more above of the bandedge.

EIRP = $((E*d)^2) / 30$, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未總本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 44 of 131

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(KHz)	300
0.490-1.705	24000/F(KHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 45 of 131

11.2 Measurement Equipment Used

SGS SAC-III								
Name of Equip- ment	Manufacturer	Model	Serial Num- ber	Calibration Date	Calibration Due			
Bi-log Antenna	SCHWAZBECK	VULB9168	378	2017/12/29	2018/12/28			
Horn Antenna	Schwarzbeck	BBHA9120D	1441	2017/08/04	2018/08/03			
Horn Antenna	Schwarzbeck	BBHA9120D	1441	2018/08/04	2019/08/03			
Horn Antenna	Schwarzbeck	BBHA9170	184	2017/12/12	2018/12/11			
Loop Antenna	ETS.LINDGREN	6502	148045	2017/09/26	2018/09/25			
3m Site NSA	SGS	966 chamber	N/A	2018/01/02	2019/01/01			
Spectrum Ana- lyzer	Agilent	E4446A	MY51100003	2018/05/15	2019/05/14			
EMI Test Receiv- er	R&S	ESCI7	100335	2018/02/02	2019/02/01			
Pre-Amplifier	HP	8449B	3008A00578	2018/01/02	2019/01/01			
Pre-Amplifier	HP	8447D	2944A07676	2018/01/02	2019/01/01			
Pre-Amplifier	EMC Instruments	EMC184045B	980135	2017/10/27	2018/10/26			
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01			
Filter 5150-5350 MHz	Micro-Tronics	BRM50703	1	2018/01/02	2019/01/01			
Low Loss Cable	Huber Suhner	966_RX	9	2018/01/02	2019/01/01			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 46 of 131


11.3 Test SET-UP

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 47 of 131

11.4 Measurement Procedure

- The EUT was placed on a turn table which is 0.8m above ground plane.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules. 2.
- 3. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission 4.
- EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) 6. and Quasi-peak (QP) at frequency below 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequen-7. cy above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- Maximum procedure was performed on the six highest emissions to ensure EUT com-9. pliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS :	= RA	_ A	FΤ	CI	- A	G
	- 117	·		\sim	_ ^	u

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual $FS(dB\mu V/m) = SPA$. Reading level(dB μV) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

11.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未總本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 48 of 131

11.7 Measurement Result


Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data:

802.11a

:802.11aB1 **Test Date** :2018-08-06 **Operation Band**

Fundamental Frequency :5220 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
39.70	Peak	41.53	-8.28	33.25	40.00	-6.75
63.95	Peak	46.12	-8.75	37.37	40.00	-2.63
158.04	Peak	28.77	-7.17	21.60	43.50	-21.90
209.45	Peak	31.53	-9.24	22.29	43.50	-21.21
335.55	Peak	33.48	-4.89	28.59	46.00	-17.41
483.96	Peak	31.93	-2.70	29.23	46.00	-16.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

SGS Taiwan Ltd.




Page: 49 of 131

Operation Band :802.11aB1 **Test Date** :2018-08-06 Fundamental Frequency :5220 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
63.95	Peak	32.76	-8.75	24.01	40.00	-15.99
167.74	Peak	28.19	-7.31	20.88	43.50	-22.62
191.99	Peak	30.59	-9.03	21.56	43.50	-21.94
279.29	Peak	33.57	-6.17	27.40	46.00	-18.60
337.49	Peak	48.03	-4.85	43.18	46.00	-2.82
425.76	Peak	35.03	-3.07	31.96	46.00	-14.04
	MHz 63.95 167.74 191.99 279.29 337.49	Mode PK/QP/AV 63.95 Peak 167.74 Peak 191.99 Peak 279.29 Peak 337.49 Peak	MHzMode PK/QP/AVReading Level dBμV63.95Peak32.76167.74Peak28.19191.99Peak30.59279.29Peak33.57337.49Peak48.03	MHzMode PK/QP/AVReading Level dBμVdB63.95Peak32.76-8.75167.74Peak28.19-7.31191.99Peak30.59-9.03279.29Peak33.57-6.17337.49Peak48.03-4.85	MHzMode PK/QP/AVReading Level dBμVFS dBμV/m63.95Peak32.76-8.7524.01167.74Peak28.19-7.3120.88191.99Peak30.59-9.0321.56279.29Peak33.57-6.1727.40337.49Peak48.03-4.8543.18	MHzMode PK/QP/AVReading Level dBμVFS dBμV/m@3m dBμV/m63.95Peak32.76-8.7524.0140.00167.74Peak28.19-7.3120.8843.50191.99Peak30.59-9.0321.5643.50279.29Peak33.57-6.1727.4046.00337.49Peak48.03-4.8543.1846.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 50 of 131

Operation Band Test Date :802.11aB4 :2018-08-21

Fundamental Frequency :5785 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
62.01	Peak	44.85	-8.28	36.57	40.00	-3.43
222.06	Peak	34.21	-8.97	25.24	46.00	-20.76
299.66	Peak	40.09	-5.52	34.57	46.00	-11.43
347.19	Peak	41.10	-4.61	36.49	46.00	-9.51
401.51	Peak	39.04	-3.27	35.77	46.00	-10.23
600.36	Peak	35.92	0.12	36.04	46.00	-9.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 51 of 131

Operation Band Test Date :802.11aB4 :2018-08-21 :5785 MHz

Fundamental Frequency Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
219.15	Peak	40.30	-9.08	31.22	46.00	-14.78
299.66	Peak	43.49	-5.52	37.97	46.00	-8.03
345.25	Peak	47.50	-4.57	42.93	46.00	-3.07
429.64	Peak	36.36	-2.70	33.66	46.00	-12.34
600.36	Peak	42.66	0.12	42.78	46.00	-3.22
741.01	Peak	36.43	3.35	39.78	46.00	-6.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 52 of 131

802.11ac VHT80,

Operation Band :802.11ac80B1 **Test Date** :2018-08-06 **Fundamental Frequency** Temp./Humi. :5210 MHz :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
37.76	Peak	41.81	-8.46	33.35	40.00	-6.65
66.86	Peak	46.51	-9.42	37.09	40.00	-2.91
109.54	Peak	33.86	-11.05	22.81	43.50	-20.69
337.49	Peak	36.16	-4.85	31.31	46.00	-14.69
401.51	Peak	30.20	-3.27	26.93	46.00	-19.07
490.75	Peak	31.86	-2.32	29.54	46.00	-16.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 53 of 131

Operation Band Test Date :802.11ac80B1 :2018-08-06 Fundamental Frequency :5210 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
63.95	Peak	34.22	-8.75	25.47	40.00	-14.53
191.99	Peak	30.96	-9.03	21.93	43.50	-21.57
257.95	Peak	34.11	-7.08	27.03	46.00	-18.97
340.40	Peak	48.65	-4.77	43.88	46.00	-2.12
396.66	Peak	33.92	-3.36	30.56	46.00	-15.44
425.76	Peak	34.72	-3.07	31.65	46.00	-14.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 54 of 131

:2018-08-21 **Operation Band** :802.11ac80B4 **Test Date**

Fundamental Frequency Temp./Humi. :5775 MHz :23 deg_C / 62 RH Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
62.01	Peak	44.82	-8.28	36.54	40.00	-3.46
216.24	Peak	36.94	-9.14	27.80	46.00	-18.20
299.66	Peak	39.22	-5.52	33.70	46.00	-12.30
352.04	Peak	36.52	-4.48	32.04	46.00	-13.96
395.69	Peak	39.69	-3.34	36.35	46.00	-9.65
600.36	Peak	36.26	0.12	36.38	46.00	-9.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 55 of 131

Operation Band Test Date :802.11ac80B4 :2018-08-21 Fundamental Frequency :5775 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
221.09	Peak	40.44	-9.01	31.43	46.00	-14.57
299.66	Peak	45.08	-5.52	39.56	46.00	-6.44
347.19	Peak	48.25	-4.61	43.64	46.00	-2.36
393.75	Peak	35.50	-3.42	32.08	46.00	-13.92
576.11	Peak	36.63	-0.11	36.52	46.00	-9.48
600.36	Peak	42.66	0.12	42.78	46.00	-3.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 56 of 131


Above 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result 802.11a, 5150~5250 MHz

Operation Band :802.11aB1 **Test Date** :2018-08-03

Fundamental Frequency :5180 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
10360.00	Peak	38.14	19.71	57.85	68.20	-10.35	_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 57 of 131

Operation Band Test Date :802.11aB1 :2018-08-03 Fundamental Frequency :5180 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Peak	37.12	19.71	56.83	68.20	-11.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 58 of 131

Operation Band Test Date :802.11aB1 :2018-08-03

Fundamental Frequency :5220 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode**

:Tx CH MID Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
10440.00	Peak	38.40	20.05	58.45	68.20	-9.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 59 of 131

Operation Band Test Date :802.11aB1 :2018-08-03

Fundamental Frequency :5220 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	-
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10440.00	Peak	35.52	20.05	55.57	68.20	-12.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 60 of 131

Operation Band Test Date :802.11aB1 :2018-08-03

Fundamental Frequency :5240 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode**

:Tx CH HIGH Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	Peak	38.15	20.07	58.22	68.20	-9.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 61 of 131

Operation Band Test Date :802.11aB1 :2018-08-03 Fundamental Frequency :5240 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	Peak	34.68	20.07	54.75	68.20	-13.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 62 of 131

Radiated Spurious Emission Measurement Result 802.11a, 5725~5850 MHz

:2018-08-21 **Operation Band** :802.11aB4 Test Date

Fundamental Frequency :5745 MHz Temp./Humi. :23 deg C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11490.00	Average	24.72	21.61	46.33	54.00	-7.67
11490.00	Peak	34.89	21.61	56.50	74.00	-17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 63 of 131

Operation Band :802.11aB4 **Test Date** :2018-08-21

Fundamental Frequency Temp./Humi. :5745 MHz :23 deg_C / 62 RH Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Average	24.69	21.61	46.30	54.00	-7.70
11490.00	Peak	34.01	21.61	55.62	74.00	-18.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 64 of 131

Operation Band Test Date :802.11aB4 :2018-08-21

Fundamental Frequency :5785 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	$dB\mu V$	dB	dBμV/m	dBµV/m	dB
11570.00	Average	24.98	21.66	46.64	54.00	-7.36
11570.00	Peak	34.25	21.66	55.91	74.00	-18.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 65 of 131

Operation Band Test Date :802.11aB4 :2018-08-21

Fundamental Frequency :5785 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11570.00	Average	24.58	21.66	46.24	54.00	-7.76
11570.00	Peak	34.44	21.66	56.10	74.00	-17.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 66 of 131

Operation Band Test Date :802.11aB4 :2018-08-21

Fundamental Frequency :5825 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11650.00	Average	23.77	21.60	45.37	54.00	-8.63
11650.00	Peak	33.92	21.60	55.52	74.00	-18.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 67 of 131

Operation Band Test Date :802.11aB4 :2018-08-21

Fundamental Frequency :5825 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11650.00	Average	22.76	21.60	44.36	54.00	-9.64
11650.00	Peak	32.61	21.60	54.21	74.00	-19.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 68 of 131

Radiated Spurious Emission Measurement Result 802.11n HT20, 5150~5250 MHz

:2018-08-03 **Operation Band** :802.11n20B1 **Test Date Fundamental Frequency** :5180 MHz Temp./Humi. :23 deg C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

:E2 Plane EUT Pol. Measurement Antenna Pol. :VERTICAL



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m	-	
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
•	10360.00	Peak	37.39	19.71	57.10	68.20	-11.10	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 69 of 131

Operation Band :802.11n20B1 **Test Date** :2018-08-03 Fundamental Frequency :5180 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Peak	35.54	19.71	55.25	68.20	-12.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 70 of 131

Operation Band :802.11n20B1 **Test Date** :2018-08-03

Fundamental Frequency :5220 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode**

:Tx CH MID Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10440.00	Peak	38.83	20.05	58.88	68.20	-9.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

翻 is document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for 關I is document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or accessible at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law https://www.sgs.com/terms education is drawn to the limitation of liability, indemnification and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions.

1. **The Company Subject to Terms and Conditions at the time of its intervention only and within the limits of Client's instruct

t (886-2) 2299-3279 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 www.tw.sgs.com




Page: 71 of 131

Operation Band :802.11n20B1 **Test Date** :2018-08-03 Fundamental Frequency :5220 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane

EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	_
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10440.00	Peak	36.68	20.05	56.73	68.20	-11.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 72 of 131

Operation Band Test Date :802.11n20B1 :2018-08-03

Fundamental Frequency :5240 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH HIGH Engineer

:Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	Peak	39.01	20.07	59.08	68.20	-9.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 73 of 131

Operation Band Test Date :802.11n20B1 :2018-08-03 Fundamental Frequency :5240 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10480.00	Peak	35.33	20.07	55.40	68.20	-12.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 74 of 131

Radiated Spurious Emission Measurement Result 802.11n HT20, 5725~5850 MHz

Operation Band :802.11n20B4 **Test Date** :2018-08-21

Fundamental Frequency :5745 MHz Temp./Humi. :23 deg C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	-
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11490.00	Peak	33.84	21.61	55.45	74.00	-18.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 75 of 131

Operation Band Test Date :802.11n20B4 :2018-08-21

Fundamental Frequency :5745 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	11490 00	Peak	33 78	21 61	55 39	74 00	-18 61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 76 of 131

Operation Band Test Date :802.11n20B4 :2018-08-21

Fundamental Frequency :5785 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Average	24.68	21.66	46.34	54.00	-7.66
11570.00	Peak	34.47	21.66	56.13	74.00	-17.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 77 of 131

Operation Band Test Date :802.11n20B4 :2018-08-21

Fundamental Frequency :5785 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Average	24.20	21.66	45.86	54.00	-8.14
11570.00	Peak	34.03	21.66	55.69	74.00	-18.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 78 of 131

Operation Band Test Date :802.11n20B4 :2018-08-21

Fundamental Frequency :5825 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	$dB\mu V$	dB	dBμV/m	dBµV/m	dB
11650.00	Average	24.57	21.60	46.17	54.00	-7.83
11650.00	Peak	34.22	21.60	55.82	74.00	-18.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 79 of 131

Operation Band Test Date :802.11n20B4 :2018-08-21

Fundamental Frequency :5825 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11650.00	Average	23.56	21.60	45.16	54.00	-8.84
11650.00	Peak	33.45	21.60	55.05	74.00	-18.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 80 of 131

Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz

:2018-08-03 **Operation Band** :802.11n40B1 **Test Date Fundamental Frequency** :5190 MHz Temp./Humi. :23 deg C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane :E2 Plane EUT Pol. Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10380.00	Peak	36.02	19.78	55.80	68.20	-12.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 81 of 131

Operation Band Test Date :802.11n40B1 :2018-08-03 Fundamental Frequency :5190 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
10380.00	Peak	33.78	19.78	53.56	68.20	-14.64	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 82 of 131

Operation Band Test Date :802.11n40B1 :2018-08-03

Fundamental Frequency :23 deg_C / 62 RH :5230 MHz Temp./Humi. **Operation Mode** :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10460.00	Peak	37.78	20.07	57.85	68.20	-10.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 83 of 131

Operation Band Test Date :802.11n40B1 :2018-08-03 Fundamental Frequency :5230 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10460.00	Peak	35.41	20.07	55.48	68.20	-12.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 84 of 131

Radiated Spurious Emission Measurement Result 802.11n HT40, 5725~5850 MHz

Operation Band :802.11n40B4 Test Date :2018-08-21

Fundamental Frequency :5755 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
•	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11510.00	Average	23.37	21.66	45.03	54.00	-8.97
11510.00	Peak	33.03	21.66	54.69	74.00	-19.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 85 of 131

Operation Band Test Date :802.11n40B4 :2018-08-21

Fundamental Frequency :5755 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11510.00	Average	23.02	21.66	44.68	54.00	-9.32
11510.00	Peak	33.33	21.66	54.99	74.00	-19.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 86 of 131

Operation Band Test Date :802.11n40B4 :2018-08-21

Fundamental Frequency :5795 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11590.00	Average	23.62	21.66	45.28	54.00	-8.72
11590.00	Peak	33.73	21.66	55.39	74.00	-18.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 87 of 131

Operation Band Test Date :802.11n40B4 :2018-08-21 Fundamental Frequency :5795 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11590.00	Average	23.27	21.66	44.93	54.00	-9.07
11590.00	Peak	33.50	21.66	55.16	74.00	-18.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 88 of 131

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz

:2018-08-03 **Operation Band** :802.11ac80B1 Test Date

Fundamental Frequency :5210 MHz Temp./Humi. :23 deg C / 62 RH **Operation Mode** :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10420.00	Peak	35.29	19.99	55.28	68.20	-12.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 89 of 131

Operation Band Test Date :802.11ac80B1 :2018-08-03 Fundamental Frequency :5210 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10420.00	Peak	34.43	19.99	54.42	68.20	-13.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 90 of 131

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5725~5850 MHz

Operation Band :802.11ac80B4 Test Date :2018-08-21

Fundamental Frequency :5775 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11550.00	Average	23.67	21.66	45.33	54.00	-8.67
11550.00	Peak	33.56	21.66	55.22	74.00	-18.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 91 of 131

Operation Band Test Date :802.11ac80B4 :2018-08-21 Fundamental Frequency :5775 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11550.00	Average	23.27	21.66	44.93	54.00	-9.07
11550.00	Peak	33.00	21.66	54.66	74.00	-19.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 92 of 131

Band edge falling to restricted band 802.11a mode


Operation Band :802.11aB1 **Fundamental Frequency** :5180 MHz

Operation Mode :Bandedge CH LOW EUT Pol. :E2 Plane

Test Date :2018-08-03

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5150.00	Average	43.46	8.32	51.78	54.00	-2.22
5150.00	Peak	62.86	8.32	71.18	74.00	-2.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 93 of 131

Operation Band Fundamental Frequency **Operation Mode**

:802.11aB1 :5180 MHz

:Bandedge CH LOW

EUT Pol.


:E2 Plane

Test Date :2018-08-03

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	5150.00	Average	42.14	8.32	50.46	54.00	-3.54
	5150.00	Peak	60.70	8.32	69.02	74.00	-4.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 94 of 131

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11aB4 :5745 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-08-21

Temp./Humi. :23 deg_C / 62 RH Engineer

:Kane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	49.88	9.20	59.08	68.23	-9.15
5700.00	Peak	55.99	9.35	65.34	105.23	-39.89
5720.00	Peak	60.35	9.43	69.78	110.83	-41.05
5725.00	Peak	67.38	9.44	76.82	122.23	-45.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 95 of 131

Operation Band Fundamental Frequency **Operation Mode**

:802.11aB4 :5745 MHz

:Bandedge CH LOW

EUT Pol.


:E2 Plane

Test Date :2018-08-21

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	48.57	9.20	57.77	68.23	-10.46
5700.00	Peak	52.19	9.35	61.54	105.23	-43.69
5720.00	Peak	60.98	9.43	70.41	110.83	-40.42
5725.00	Peak	61.48	9.44	70.92	122.23	-51.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 96 of 131

Operation Band Fundamental Frequency

Operation Mode

EUT Pol.

:802.11aB4 :5825 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-08-21

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	69.28	9.77	79.05	122.23	-43.18
5855.00	Peak	67.87	9.78	77.65	110.83	-33.18
5875.00	Peak	54.83	9.82	64.65	105.23	-40.58
5925.00	Peak	49.49	9.98	59.47	68.23	-8.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 97 of 131

Operation Band Fundamental Frequency

Operation Mode

EUT Pol.

:802.11aB4 :5825 MHz

:Bandedge CH HIGH


:E2 Plane

Test Date :2018-08-21

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	60.64	9.77	70.41	122.23	-51.82
5855.00	Peak	58.43	9.78	68.21	110.83	-42.62
5875.00	Peak	49.39	9.82	59.21	105.23	-46.02
5925.00	Peak	49.49	9.98	59.47	68.23	-8.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 98 of 131

802.11n20 HT mode

Operation Band Fundamental Frequency Operation Mode

EUT Pol.

:802.11n20B1 :5180 MHz

:Bandedge CH LOW


:E2 Plane

Test Date :2018-08-03

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	Average	42.76	8.32	51.08	54.00	-2.92
5150.00	Peak	64.33	8.32	72.65	74.00	-1.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page: 99 of 131

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20B1 :5180 MHz


:Bandedge CH LOW

EUT Pol. :E2 Plane **Test Date** :2018-08-03

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
Ī	5150.00	Average	40.43	8.32	48.75	54.00	-5.25
	5150.00	Peak	60.98	8.32	69.30	74.00	-4.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 100 of 131

Operation Band Fundamental Frequency

Operation Mode EUT Pol.

:802.11n20B4 :5745 MHz

:Bandedge CH LOW


:E2 Plane

Test Date :2018-08-21

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	49.49	9.20	58.69	68.23	-9.54
5700.00	Peak	52.75	9.35	62.10	105.23	-43.13
5720.00	Peak	64.41	9.43	73.84	110.83	-36.99
5725.00	Peak	66.68	9.44	76.12	122.23	-46.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page: 101 of 131

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20B4 :5745 MHz


:Bandedge CH LOW

EUT Pol. :E2 Plane **Test Date** :2018-08-21

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	49.69	9.20	58.89	68.23	-9.34
5700.00	Peak	49.04	9.35	58.39	105.23	-46.84
5720.00	Peak	57.92	9.43	67.35	110.83	-43.48
5725.00	Peak	62.83	9.44	72.27	122.23	-49.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 102 of 131

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20B4 :5825 MHz


:Bandedge CH HIGH

EUT Pol. :E2 Plane **Test Date** :2018-08-21

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	66.41	9.77	76.18	122.23	-46.05
5855.00	Peak	61.50	9.78	71.28	110.83	-39.55
5875.00	Peak	52.72	9.82	62.54	105.23	-42.69
5925.00	Peak	49.94	9.98	59.92	68.23	-8.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 103 of 131

Operation Band Fundamental Frequency

Operation Mode EUT Pol.

:802.11n20B4 :5825 MHz

:Bandedge CH HIGH


:E2 Plane

Test Date :2018-08-21

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	63.67	9.77	73.44	122.23	-48.79
5855.00	Peak	58.81	9.78	68.59	110.83	-42.24
5875.00	Peak	50.70	9.82	60.52	105.23	-44.71
5925.00	Peak	50.11	9.98	60.09	68.23	-8.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 104 of 131

802.11n40 HT mode

Operation Band Fundamental Frequency Operation Mode

EUT Pol.

:802.11n40B1 :5190 MHz

:Bandedge CH LOW


:E2 Plane

Test Date :2018-08-03

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	Average	43.69	8.32	52.01	54.00	-1.99
5150.00	Peak	59.90	8.32	68.22	74.00	-5.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 105 of 131

Operation Band Fundamental Frequency **Operation Mode**

:802.11n40B1 :5190 MHz


:Bandedge CH LOW

EUT Pol. :E2 Plane **Test Date** :2018-08-03

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	Average	43.15	8.32	51.47	54.00	-2.53
5150.00	Peak	61.02	8.32	69.34	74.00	-4.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 106 of 131

Operation Band Fundamental Frequency **Operation Mode**


:802.11n40B4 :5755 MHz

:Bandedge CH LOW

EUT Pol. :E2 Plane **Test Date** :2018-08-21

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	51.31	9.20	60.51	68.23	-7.72
5700.00	Peak	53.93	9.35	63.28	105.23	-41.95
5720.00	Peak	60.70	9.43	70.13	110.83	-40.70
5725.00	Peak	65.54	9.44	74.98	122.23	-47.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 107 of 131

Operation Band Fundamental Frequency

Operation Mode

EUT Pol.

:802.11n40B4 :5755 MHz

:Bandedge CH LOW


:E2 Plane

Test Date :2018-08-21

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	48.90	9.20	58.10	68.23	-10.13
5700.00	Peak	50.30	9.35	59.65	105.23	-45.58
5720.00	Peak	54.47	9.43	63.90	110.83	-46.93
5725.00	Peak	60.55	9.44	69.99	122.23	-52.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 108 of 131

Operation Band Fundamental Frequency **Operation Mode**


:802.11n40B4 :5795 MHz

:Bandedge CH HIGH

EUT Pol. :E2 Plane **Test Date** :2018-08-21

Temp./Humi. :23 deg_C / 62 RH Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	56.97	9.77	66.74	122.23	-55.49
5855.00	Peak	54.44	9.78	64.22	110.83	-46.61
5875.00	Peak	54.92	9.82	64.74	105.23	-40.49
5925.00	Peak	52.34	9.98	62.32	68.23	-5.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the private verset of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 109 of 131

Operation Band Fundamental Frequency

Operation Mode EUT Pol.

:802.11n40B4 :5795 MHz

:Bandedge CH HIGH


:E2 Plane

Test Date :2018-08-21

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	53.37	9.77	63.14	122.23	-59.09
5855.00	Peak	52.17	9.78	61.95	110.83	-48.88
5875.00	Peak	49.68	9.82	59.50	105.23	-45.73
5925.00	Peak	48.98	9.98	58.96	68.23	-9.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 110 of 131

802.11ac80 VHT mode

Operation Band :802.11ac80B1 **Fundamental Frequency** :5210 MHz


Operation Mode :Bandedge CH LOW

EUT Pol. :E2 Plane **Test Date** :2018-08-03

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	Average	43.50	8.32	51.82	54.00	-2.18
5150.00	Peak	56.86	8.32	65.18	74.00	-8.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 111 of 131

Operation Band Fundamental Frequency **Operation Mode**

:802.11ac80B1 :5210 MHz


:Bandedge CH LOW

EUT Pol. :E2 Plane **Test Date** :2018-08-03

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB	
Ī	5150.00	Average	42.76	8.32	51.08	54.00	-2.92	
	5150.00	Peak	53.17	8.32	61.49	74.00	-12.51	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 112 of 131

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11ac80B4 :5775 MHz

:Bandedge CH LOW


:E2 Plane

Test Date :2018-08-21

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Peak	50.33	9.20	59.53	68.23	-8.70
5700.00	Peak	55.26	9.35	64.61	105.23	-40.62
5720.00	Peak	57.19	9.43	66.62	110.83	-44.21
5725.00	Peak	57.72	9.44	67.16	122.23	-55.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 113 of 131

Operation Band Fundamental Frequency **Operation Mode**

:802.11ac80B4 :5775 MHz


:Bandedge CH LOW

EUT Pol. :E2 Plane **Test Date** :2018-08-21

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	50.08	9.20	59.28	68.23	-8.95
5700.00	Peak	51.46	9.35	60.81	105.23	-44.42
5720.00	Peak	52.17	9.43	61.60	110.83	-49.23
5725.00	Peak	51.31	9.44	60.75	122.23	-61.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 114 of 131

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11ac80B4 :5775 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-08-21

Temp./Humi. :23 deg_C / 62 RH Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	52.18	9.77	61.95	122.23	-60.28
5855.00	Peak	50.53	9.78	60.31	110.83	-50.52
5875.00	Peak	50.89	9.82	60.71	105.23	-44.52
5925.00	Peak	49.64	9.98	59.62	68.23	-8.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 115 of 131

Operation Band Fundamental Frequency

Operation Mode EUT Pol.

:802.11ac80B4 :5775 MHz

:Bandedge CH HIGH


:E2 Plane

Test Date :2018-08-21

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	49.98	9.77	59.75	122.23	-62.48
5855.00	Peak	48.75	9.78	58.53	110.83	-52.30
5875.00	Peak	48.81	9.82	58.63	105.23	-46.60
5925.00	Peak	48.49	9.98	58.47	68.23	-9.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 116 of 131

12 TRANSMISSION IN THE ABSENCE OF DATA

12.1 Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 117 of 131

13 FREQUENCY STABILITY

Standard Applicable 13.1


Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

13.2 Measurement Procedure

- 1. The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
- 2. Set EUT as normal operation.
- 3. Turn the EUT on and couple its output to spectrum.
- 4. Turn the EUT off and set the chamber to the highest temperature specified.
- 5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
- 6. Repeat step with the temperature chamber set to the lowest temperature.

13.3 Test SET-UP

Temperature Chamber



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 118 of 131

13.4 Measurement Equipment Used:

	SGS Conducted Room							
Name of Equipment Manufacturer Model Serial Number Calibration Date Due								
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	2018/05/03	2019/05/02			
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/02	2019/01/01			
Coaxial Cables	N/A	WK CE Cable	N/A	2018/01/02	2019/01/01			

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 119 of 131

13.5 Measurement Result

Startup

Operation Mode	802.11 a	Test Date	2018.08.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,179.99499	0.00000097
		44	5220	5,219.99060	0.00000180
	133.2V	48	5240	5,239.99412	0.00000112
		149	5745	5,744.98878	0.00000195
		157	5785	5,784.98873	0.00000195
		165	5825	5,824.99608	0.00000067
-10 °C		36	5180	5,179.99229	0.00000149
		44	5220	5,219.99969	0.00000006
	120V	48	5240	5,239.99159	0.00000161
		149	5745	5,744.99011	0.00000172
		157	5785	5,784.98783	0.00000210
		165	5825	5,824.99120	0.00000151
		36	5180	5,180.00793	-0.00000153
		44	5220	5,220.00854	-0.00000164
25 ℃	106.8V	48	5240	5,240.00387	-0.0000074
		149	5745	5,744.98478	0.00000265
		157	5785	5,784.98571	0.00000247
		165	5825	5,824.98157	0.00000316
		36	5180	5,180.00674	-0.00000130
		44	5220	5,219.99851	0.00000029
	133.2V	48	5240	5,239.99874	0.00000024
		149	5745	5,744.97627	0.00000413
		157	5785	5,784.99307	0.00000120
		165	5825	5,824.99587	0.00000071
55 °C		36	5180	5,179.99995	0.00000001
	[44	5220	5,220.00038	-0.00000007
	120V	48	5240	5,240.00274	-0.00000052
	[149	5745	5,744.98795	0.00000210
	[157	5785	5,784.99644	0.00000062
		165	5825	5,824.99370	0.00000108

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 120 of 131

Operation Mode	802.11 n_HT40	Test Date	2018.08.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.99443	0.00000107
	133.2V	46	5230	5,230.00313	-0.00000060
		151	5755	5,754.97636	0.00000411
-10 °C		159	5795	5,794.98528	0.00000254
		38	5190	5,190.00599	-0.00000115
	120V	46	5230	5,229.99626	0.00000072
		151	5755	5,754.98511	0.00000259
		159	5795	5,794.98241	0.00000304
		38	5190	5,190.00417	-0.00000080
		46	5230	5,230.00157	-0.0000030
25 °C	106.8V	151	5755	5,754.98828	0.00000204
		159	5795	5,794.97903	0.00000362
		38	5190	5,189.99325	0.00000130
	133.2V	46	5230	5,230.00906	-0.00000173
		151	5755	5,754.98207	0.00000312
		159	5795	5,794.98948	0.00000182
55 ° C		38	5190	5,189.99350	0.00000125
	120V	46	5230	5,230.00609	-0.00000117
		151	5755	5,754.97299	0.00000469
		159	5795	5,794.97821	0.00000376

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 121 of 131

Operation Mode	802.11 ac_VHT80	Test Date	2018.08.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
	133.2V	42	5210	5,210.00963	-0.00000185
-10 °C	133.21	155	5775	5,774.99145	0.00000148
	120V	42	5210	5,209.99615	0.00000074
		155	5775	5,774.99941	0.00000010
25 °C	106.8V	42	5210	5,209.99578	0.00000081
		155	5775	5,775.00234	-0.00000041
	133.2V	42	5210	5,210.00978	-0.00000188
55 ℃	133.27	155	5775	5,775.00329	-0.00000057
	120V	42	5210	5,209.99670	0.00000063
	1200	155	5775	5,774.99869	0.00000023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 122 of 131

2 Minutes:

Operation Mode	802.11 a	Test Date	2018.08.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		36	5180	5,180.00274	-0.0000053
		44	5220	5,219.99745	0.00000049
	133.2V	48	5240	5,239.99682	0.00000061
		149	5745	5,744.99383	0.00000107
		157	5785	5,784.98366	0.00000282
		165	5825	5,824.97980	0.00000347
-10 °C		36	5180	5,179.99176	0.00000159
		44	5220	5,220.00016	-0.00000003
	120V	48	5240	5,240.00691	-0.00000132
		149	5745	5,744.99171	0.00000144
		157	5785	5,784.99219	0.00000135
		165	5825	5,824.99447	0.00000095
		36	5180	5,179.99397	0.00000116
		44	5220	5,220.00445	-0.00000085
25 ℃	106.8V	48	5240	5,239.99199	0.00000153
		149	5745	5,744.98166	0.00000319
		157	5785	5,784.97816	0.00000377
		165	5825	5,824.98709	0.00000222
		36	5180	5,180.00787	-0.00000152
		44	5220	5,220.00675	-0.00000129
	133.2V	48	5240	5,240.00485	-0.00000093
		149	5745	5,744.98553	0.00000252
		157	5785	5,784.98871	0.00000195
		165	5825	5,824.98864	0.00000195
55 ℃		36	5180	5,180.00003	-0.00000001
		44	5220	5,220.00007	-0.00000001
	120V	48	5240	5,240.00181	-0.00000035
		149	5745	5,744.99072	0.00000162
		157	5785	5,784.98215	0.00000309
		165	5825	5,824.98725	0.00000219

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 123 of 131

Operation Mode	802.11 n_HT40	Test Date	2018.08.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,190.00643	-0.00000124
		46	5230	5,229.99966	0.0000007
	133.2V	151	5755	5,754.98930	0.00000186
-10 °C		159	5795	5,794.97493	0.00000433
		38	5190	5,190.00562	-0.00000108
	120V	46	5230	5,229.99507	0.00000094
		151	5755	5,754.97803	0.00000382
		159	5795	5,794.97865	0.00000368
		38	5190	5,190.00265	-0.00000051
25 °C	106.8V	46	5230	5,230.00651	-0.00000124
	[151	5755	5,754.97756	0.00000390
	[159	5795	5,794.98544	0.00000251
		38	5190	5,190.00466	-0.00000090
	[46	5230	5,229.99661	0.00000065
	133.2V	151	5755	5,754.97516	0.00000432
		159	5795	5,794.98024	0.00000341
55 ℃		38	5190	5,190.00972	-0.00000187
	120V	46	5230	5,229.99318	0.00000130
		151	5755	5,754.97424	0.00000448
		159	5795	5,794.99200	0.00000138

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 124 of 131

Operation Mode	802.11 ac_VHT80	Test Date	2018.08.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
	133.2V	42	5210	5,209.99012	0.00000190
-10 °C	133.24	155	5775	5,774.99120	0.00000152
	120V	42	5210	5,210.00982	-0.0000188
	1200	155	5775	5,775.00500	-0.00000087
25 ℃	106.8V	42	5210	5,209.99947	0.00000010
		155	5775	5,774.99284	0.00000124
	133.2V	42	5210	5,209.99136	0.00000166
55 ℃	133.27	155	5775	5,774.99066	0.00000162
	120V	42	5210	5,209.99271	0.00000140
	1200	155	5775	5,774.99724	0.00000048

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 125 of 131

5 Minutes:

Operation Mode	802.11 a	Test Date	2018.08.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		36	5180	5,180.00349	-0.00000067
		44	5220	5,219.99293	0.00000135
	133.2V	48	5240	5,240.00754	-0.00000144
		149	5745	5,744.97560	0.00000425
		157	5785	5,784.98493	0.00000261
		165	5825	5,824.98177	0.00000313
-10 °C		36	5180	5,179.99641	0.00000069
		44	5220	5,220.00330	-0.0000063
	120V	48	5240	5,239.99728	0.00000052
		149	5745	5,744.97834	0.00000377
		157	5785	5,784.98884	0.00000193
		165	5825	5,824.98310	0.00000290
		36	5180	5,179.99331	0.00000129
		44	5220	5,219.99022	0.00000187
25 °C	106.8V	48	5240	5,239.99794	0.00000039
		149	5745	5,744.97774	0.00000388
		157	5785	5,784.98374	0.00000281
		165	5825	5,824.98981	0.00000175
		36	5180	5,179.99532	0.00000090
		44	5220	5,220.00500	-0.00000096
	133.2V	48	5240	5,240.00060	-0.00000011
		149	5745	5,744.98442	0.00000271
		157	5785	5,784.97679	0.00000401
		165	5825	5,824.98812	0.00000204
55 ℃		36	5180	5,179.99545	0.00000088
		44	5220	5,220.00106	-0.00000020
	120V	48	5240	5,240.00763	-0.00000146
		149	5745	5,744.99397	0.00000105
		157	5785	5,784.99404	0.00000103
		165	5825	5,824.98552	0.00000249

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 126 of 131

Operation Mode	802.11 n_HT40	Test Date	2018.08.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		38	5190	5,189.99569	0.00000083
	133.2V	46	5230	5,229.99780	0.00000042
		151	5755	5,754.98284	0.00000298
-10 °C		159	5795	5,794.98690	0.00000226
		38	5190	5,190.00625	-0.00000120
	120V	46	5230	5,230.00040	-0.00000008
		151	5755	5,754.98988	0.00000176
		159	5795	5,794.99185	0.00000141
		38	5190	5,190.00347	-0.00000067
		46	5230	5,230.00159	-0.00000030
25 °C	106.8V	151	5755	5,754.98174	0.00000317
		159	5795	5,794.97284	0.00000469
		38	5190	5,190.00038	-0.00000007
	133.2V	46	5230	5,229.99367	0.00000121
		151	5755	5,754.97921	0.00000361
		159	5795	5,794.97745	0.00000389
55 ℃		38	5190	5,189.99647	0.00000068
	120V	46	5230	5,229.99511	0.00000094
	[151	5755	5,754.97339	0.00000462
		159	5795	5,794.98946	0.00000182

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 127 of 131

Operation Mode	802.11 ac_VHT80	Test Date	2018.08.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
	133.2V	42	5210	5,209.99565	0.00000084
-10 °C	133.24	155	5775	5,774.99246	0.00000130
	120V	42	5210	5,209.99782	0.00000042
		155	5775	5,775.00886	-0.00000153
25 °C	106.8V	42	5210	5,210.00957	-0.00000184
		155	5775	5,775.00322	-0.0000056
	133.2V	42	5210	5,210.00336	-0.00000065
55 ℃	133.24	155	5775	5,775.00572	-0.00000099
	120V	42	5210	5,210.00014	-0.00000003
	1200	155	5775	5,774.99299	0.00000121

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 128 of 131

10 Minutes:

Operation Mode	802.11 a	Test Date	2018.08.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		36	5180	5,180.00383	-0.00000074
		44	5220	5,220.00297	-0.00000057
	133.2V	48	5240	5,239.99265	0.00000140
		149	5745	5,744.98815	0.00000206
		157	5785	5,784.98983	0.00000176
		165	5825	5,824.99022	0.00000168
-10 °C		36	5180	5,180.00865	-0.00000167
		44	5220	5,219.99824	0.0000034
	120V	48	5240	5,240.00042	-0.00000008
		149	5745	5,744.99213	0.00000137
		157	5785	5,784.98335	0.00000288
		165	5825	5,824.98944	0.00000181
	106.8V	36	5180	5,179.99335	0.00000128
		44	5220	5,219.99752	0.00000048
25 ℃		48	5240	5,240.00613	-0.00000117
		149	5745	5,744.97580	0.00000421
		157	5785	5,784.97705	0.00000397
		165	5825	5,824.97801	0.00000377
		36	5180	5,179.99374	0.00000121
		44	5220	5,219.99190	0.00000155
	133.2V	48	5240	5,239.99881	0.00000023
		149	5745	5,744.99007	0.00000173
		157	5785	5,784.99274	0.00000125
		165	5825	5,824.99129	0.00000150
55 °C		36	5180	5,180.00187	-0.00000036
	[44	5220	5,219.99445	0.00000106
	120V	48	5240	5,239.99862	0.00000026
	[149	5745	5,744.98703	0.00000226
	[157	5785	5,784.98259	0.00000301
	<u> </u>	165	5825	5,824.98843	0.00000199

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 129 of 131

Operation Mode	802.11 n_HT40	Test Date	2018.08.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,190.00046	-0.00000009
	133.2V	46	5230	5,230.00803	-0.00000154
		151	5755	5,754.97730	0.00000394
-10 °C		159	5795	5,794.98794	0.00000208
		38	5190	5,189.99367	0.00000122
	120V	46	5230	5,230.00904	-0.00000173
		151	5755	5,754.98590	0.00000245
		159	5795	5,794.97607	0.00000413
		38	5190	5,190.00581	-0.00000112
25 ℃	106.8V	46	5230	5,229.99465	0.00000102
		151	5755	5,754.97368	0.00000457
		159	5795	5,794.98687	0.00000227
		38	5190	5,190.00378	-0.00000073
	133.2V	46	5230	5,230.00532	-0.00000102
		151	5755	5,754.97207	0.00000485
		159	5795	5,794.98147	0.00000320
55 ° C		38	5190	5,190.00721	-0.00000139
	120V	46	5230	5,230.00743	-0.00000142
		151	5755	5,754.98151	0.00000321
		159	5795	5,794.98089	0.00000330

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 130 of 131

Operation Mode	802.11 ac_VHT80	Test Date	2018.08.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
	133.2V	42	5210	5,209.99663	0.00000065
-10 °C	133.24	155	5775	5,775.00221	-0.0000038
	120V	42	5210	5,210.00315	-0.00000060
		155	5775	5,774.99559	0.00000076
25 °C	106.8V	42	5210	5,210.00262	-0.00000050
		155	5775	5,774.99747	0.00000044
55 °C 1	133.2V	42	5210	5,209.99422	0.00000111
	133.24	155	5775	5,775.00407	-0.00000070
	120V	42	5210	5,209.99490	0.00000098
		155	5775	5,774.99481	0.00000090

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand.NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 131 of 131

14 ANTENNA REQUIREMENT

Standard Applicable

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Antenna Connected Construction

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) lested and such sample(s) leste Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279