







## ISO/IEC17025 Accredited Lab.

Report No: FCC1305123-1 File reference No: 2013-07-18

Applicant: ACOUSTMAX INTERNATIONAL CO., LTD

Product: Wireless Speaker System

Model No: BTW248, A3, ET268

Brand Name: MODENA

Test Standards: FCC Part 15 Subpart C, Paragraph 15.249

Test result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.4&FCC Part 15 Subpart C, Paragraph 15.249 regulations for the evaluation of

electromagnetic compatibility

Approved By

# Jack Chung

Jack Chung

Manager

Dated: July 18, 2013

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

# SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO., LTD

East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. CheGongMiao, FuTian District, Shenzhen, CHINA.

Tel (755) 83448688 Fax (755) 83442996

Report No: 1305123-1 Page 2 of 37

Date: 2013-07-18



# **Special Statement:**

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

## **CNAS-LAB Code: L2292**

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

# FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

# IC- Registration No.: IC5205A-02

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-02.



Report No: 1305123-1

Date: 2013-07-18



# Test Report Conclusion Content

	• • • • • • • • • • • • • • • • • • • •	
1.0	General Details	4
1.1	Test Lab Details.	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Submitted Sample	4
1.5	Test Duration.	4
1.6	Test Uncertainty.	5
1.7	Test By	5
2.0	List of Measurement Equipment	5
3.0	Technical Details	6
3.1	Summary of Test Results	6
3.2	Test Standards.	6
4.0	EUT Modification.	6
5.0	Power Line Conducted Emission Test.	7
5.1	Schematics of the Test.	7
5.2	Test Method and Test Procedure.	7
5.3	Configuration of the EUT	7
5.4	EUT Operating Condition.	8
5.5	Conducted Emission Limit.	8
5.6	Test Result.	8
6.0	Radiated Emission test.	11
6.1	Test Method and Test Procedure.	11
6.2	Configuration of the EUT	11
6.3	EUT Operation Condition.	11
6.4	Radiated Emission Limit.	12
6.5	Test Result.	13
7.0	Band Edge	2
7.1	Test Method and Test Procedure.	2
7.2	Radiated Test Setup.	2
7.3	Configuration of the EUT.	2
7.4	EUT Operating Condition.	2
7.5	Band Edge Limit.	2
7.6	Band Edge Test Result.	22
8.0	Antenna Requirement.	23
9.0	20dB bandwidth measurement.	24
10.0	FCC ID Label	27
11.0	Photo of Test Setup and EUT View.	28

Date: 2013-07-18



#### 1.0 General Details

#### 1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO., LTD

Address: 5/F,Block 4, Anhua Industrial Zone.,No.8 TaiRan Rd.CheGongMiao,FuTian District,

Shenzhen, CHINA.

Telephone: (755) 83448688 Fax: (755) 83442996

Site on File with the Federal Communications Commission – United Sates

Registration Number: 899988

For 3m & 10 m OATS

Site Listed with Industry Canada of Ottawa, Canada

Registration Number: IC: 5205A-02

For 3m & 10 m OATS

## 1.2 Applicant Details

Applicant: ACOUSTMAX INTERNATIONAL CO., LTD

Address: Unit D16/F Cheuk Nang Plaza 250 Hennessy Road WanchaiHongKong

Telephone: 86-13510365603 Fax: 852-25301919

## 1.3 Description of EUT

Product: Wireless Speaker System

Manufacturer: ACOUSTMAX INTERNATIONAL CO., LTD

Address: Unit D16/F Cheuk Nang Plaza 250 Hennessy Road, Wanchai, HongKong

Brand Name: MODENA
Model Number: BTW248
Additional Model Name A3, ET268

Additional Trade Name N/A

Rating: 120V~, 60Hz

Number of Channels: 3 Modulation Type: FM

Operation Frequency 5736MHz, 5763MHz, 5814MHz Antenna Designation PCB Antenna with gain 3.2dBi

## 1.4 Submitted Sample

1 Samples

# 1.5 Test Duration

2013-05-28 to 2013-07-17

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 5 of 37

Report No: 1305123-1 Date: 2013-07-18

1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB Radiated Emissions Uncertainty =4.7dB

1.7 Test Engineer

The sample tested by

Print Name: Terry Tang

2.0	.0 Test Equipments						
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date		
ESPI Test Receiver	ROHDE&SCHWARZ	ESPI 3	100379	2012-08-21	2013-08-20		
TWO Line-V-NETW	ROHDE&SCHWARZ	EZH3-Z5	100294	2012-08-21	2013-08-20		
TWO Line-V-NETW	ROHDE&SCHWARZ	EZH3-Z5	100253	2012-08-21	2013-08-20		
Ultra Broadband ANT	Schwarebeck	VULB9163	9163/340	2012-08-21	2013-08-20		
ESDV Test Receiver	ROHDE&SCHWARZ	ESDV	100008	2012-08-21	2013-08-20		
Impuls-Begrenzer	ROHDE&SCHWARZ	ESH3-Z2	100281	2012-08-21	2013-08-20		
Power meter	Anritsu	ML2487A	6K00003613	2012-08-21	2013-08-20		
Power sensor	Anritsu	MA2491A	32263	2012-08-21	2013-08-20		
ESPI Test Receiver	ROHDE&SCHWARZ	ESI26	838786/013	2012-08-21	2013-08-20		
Spectrum	ROHDE&SCHWARZ	FSP40	1164.4391.26	2012-08-21	2013-08-20		
Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA9170265	2012-08-21	2013-08-20		
Horn Antenna	SCHWARZBECK	BBHA 9120D	9120D-631	2012-08-21	2013-08-20		

Page 6 of 37

Report No: 1305123-1 Date: 2013-07-18



## 3.0 Technical Details

## 3.1 Summary of test results

The EUT has been tested according to the following specifications:

Standard	Test Type	Result	Notes
FCC Part 15, Paragraph 15.207	Conducted Emission Test	PASS	Complies
FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit	Field Strength of Fundamental	PASS	Complies
FCC Part 15, Paragraph 15.209	Radiated Emission Test	PASS	Complies
FCC Part 15 Subpart C Paragraph 15.249(d) Limit	Band Edge Test	PASS	Complies

## 3.2 Test Standards

FCC Part 15 Subpart C, Paragraph 15.249

## 4.0 EUT Modification

No modification by Shenzhen Timeway Technology Consulting Co., Ltd


Page 7 of 37

Report No: 1305123-1 Date: 2013-07-18



## 5. Power Line Conducted Emission Test

#### 5.1 Schematics of the test




**EUT: Equipment Under Test** 

## 5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2003. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2003.

## Block diagram of Test setup



# 5.3 Configuration of The EUT

The EUT was configured according to ANSI C63.4-2003. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

One channels are provided to the EUT

### A. EUT

Device	Manufacturer	Model	FCC ID
Wireless Speaker	ACOUSTMAX	DTW249 A2 ET269	2AAIN-BTW248
System	INTERNATIONAL CO., LTD	BTW248, A3, ET268	

#### B. Internal Device

Device	Manufacturer	Model	FCC ID/DOC
N/A			

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 8 of 37

Report No: 1305123-1

Date: 2013-07-18



## C. Peripherals

Device	Manufacturer	Model	FCC ID/DOC	Cable
			FCC ID	

## 5.4 EUT Operating Condition

Operating condition is according to ANSI C63.4 -2003

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207

Engage av (MHz)	Class A Li	mits (dBµV)	Class B Limits (dBµV)		
Frequency(MHz)	Quasi-peak Level	Average Level	Quasi-peak Level	Average Level	
$0.15 \sim 0.50$	79.0	66.0	66.0~56.0*	56.0~46.0*	
$0.50 \sim 5.00$	73.0	60.0	56.0	46.0	
$5.00 \sim 30.00$	73.0	60.0	60.0	50.0	

Notes:

- 1. \*Decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

### 5.6 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

Note: Alternative switch power supply board provided to the EUT. After pre-scan, the worse case was recorded. The two boards are identical in layout, schematics and Components. Only the manufacturer is the different.

Date: 2013-07-18



# A: Conducted Emission on Live Terminal (150kHz to 30MHz)

# **EUT Operating Environment**


Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

**EUT set Condition: Charging and Keep Transmitting** 

**Equipment Level: Class B** 

**Results: Pass** 

Please refer to following diagram for individual



Frequency	Line	Reading(dBµV)		Limit(dBµV)	
(MHz)	Line	Quasi-peak	Average	Quasi-peak	Average
0.152	Live	59.70	31.70	65.89	55.89
0.175	Live	57.04	33.37	64.71	54.71
12.750	Live	53.37	32.05	60.00	50.00
13.937	Live	54.23	31.89	60.00	50.00
18.187	Live	51.10	29.55	60.00	50.00
0.237	Live	52.62	44.62	62.19	52.19

Report No: 1305123-1 Page 10 of 37

Date: 2013-07-18



# B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)

# **EUT Operating Environment**


Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

**EUT set Condition: Charging and Keep Transmitting** 

**Equipment Level: Class B** 

**Results: Pass** 

Please refer to following diagram for individual



Frequency	Line	Reading(dBμV)		Limit(dBµV)	
(MHz)	Line	Quasi-peak	Average	Quasi-peak	Average
0.152	Neutral	61.90	36.20	65.88	55.88
0.188	Neutral	55.27	33.04	64.11	54.11
0.251	Neutral	52.65	28.68	61.71	51.71
12.250	Neutral	52.64	29.75	60.00	50.00
13.937	Neutral	52.52	34.80	60.00	50.00
19.125	Neutral	50.07	30.75	60.00	50.00

Report No: 1305123-1 Page 11 of 37


Date: 2013-07-18



#### **6** Radiated Emission Test

- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.4 –2003. The radiated test was performed at Timeway Laboratory. This site is on file with the FCC laboratory division, Registration No.899988
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.4-2003.
- (3) The frequency spectrum from 30 MHz to 1 GHz was investigated. All readings from 30 MHz to 1 GHz are quasi-peak values with a resolution bandwidth of 120 kHz. All readings are above 1 GHz, peak values with a resolution bandwidth of 1 MHz. Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) The antenna polarization: Vertical polarization and Horizontal polarization.

# **Block diagram of Test setup**



- 6.2 Configuration of The EUT

  Same as section 5.3 of this report
- 6.3 EUT Operating Condition
  Same as section 5.4 of this report.

Page 12 of 37

Date: 2013-07-18

Report No: 1305123-1



## 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

## A FCC Part 15 Subpart C Paragraph 15.249(a) Limit

Fundamental Frequency	Field Stre	Field Strength of Fundamental (3m)			trength of Harmo	onics (3m)
(MHz)	mV/m	dBuV/m		uV/m	dBu	V/m
5725-5875	50	94 (Average)	114 (Peak)	500	54 (Average)	74 (Peak)

Note:

- 1. RF Field Strength  $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.
- 3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

## B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

Frequency Range (MHz)	Distance (m)	Field strength (dB µ V/m)
30-88	3	40.0
88-216	3	43.5
216-960	3	46.0
Above 960	3	54.0

Note:

- 1. RF Voltage  $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2. In the Above Table, the tighter limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-40G, the final emission level got using PK and AV detector.
- 5. Alternative switch power supply board provided to the EUT. After pre-scan, the worse case was recorded.

Report No: 1305123-1 Page 13 of 37

Date: 2013-07-18



## 6.5 Test result

# A Fundamental & Harmonics Radiated Emission Data

Product:	Wireless Speaker System	Test Mode:	MIMO mode with max power output, keeping TX mode
Test Item:	Fundamental Radiated Emission Data	Temperature:	25℃
Test Voltage:	120V~	Humidity:	56%
Test Result:	Pass		

Frequency	Emission PK/AV	Horiz /	Limits PK/AV	Margin
(GHz)	(dBuV/m)	Vert	(dBuV/m)	(dB)
5.814	111.16(PK)/ 85.02(AV)	Н	114/94	-2.84/-8.98
5.814	106.39(PK)/ 80.11(AV)	V	114/94	-7.61/-13.89
11.628		H/V	74/54	
17.442		H/V	74/54	
23.256		H/V	74/54	
29.07		H/V	74/54	
34.884		H/V	74/54	

Report No: 1305123-1 Page 14 of 37

Report No: 1305123-1 Date: 2013-07-18

Product:	Wireless Speaker System	Test Mode:	MIMO mode with max power output, keeping TX mode
Test Item:	Fundamental Radiated Emission Data	Temperature:	25℃
Test Voltage:	120V~	Humidity:	56%
Test Result:	Pass		

Frequency	Emission PK/AV	Horiz /	Limits PK/AV	Margin
(GHz)	(dBuV/m)	Vert	(dBuV/m)	(dB)
5.763	109.78(PK)/ 84.51(AV)	Н	114/94	-4.22/-9.49
5.763	106.72 (PK)/ 80.36(AV)	V	114/94	-7.28/-13.64
11.526		Н	74/54	
17.289		V	74/54	
23.052		H/V	74/54	
28.815		H/V	74/54	
34.578		H/V	74/54	

Page 15 of 37

Report No: 1305123-1

Date: 2013-07-18



Product:	Wireless Speaker System	Test Mode:	MIMO mode with max power output, keeping TX mode
Test Item:	Fundamental Radiated Emission Data	Temperature:	25℃
Test Voltage:	120V~	Humidity:	56%
Test Result:	Pass		

Frequency	Emission PK/AV	Horiz /	Limits PK/AV
(GHz)	(dBuV/m)	Vert	(dBuV/m)
5.736	111.09(PK)/ 85.33(AV)	Н	114/94
5.736	108.30(PK)/ 79.86(AV)	V	114/94
11.472		H/V	74/54
17.208		H/V	74/54
22.944		H/V	74/54
28.68		H/V	74/54
34.416		H/V	74/54

Note:

- (1) PK= Peak, AV= Average
- (2) Emission Level = Reading Level + Antenna Factor + Cable Loss.
- (3)Margin=Emission-Limits
- (4)According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (5) For fundamental field measurement, using channel power measurement functions. RBW=1MHz,
- VBW=3MHz, Bandwidth=16MHz Pk detector is used for PK value, RMS detector is used for AV value.


Report No: 1305123-1

Date: 2013-07-18




Please refer to the following test plots for details:

## Channel 5736MHz: Horizontal



### Channel 5736MHz: Vertical



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 17 of 37


Report No: 1305123-1

Date: 2013-07-18




## Channel 5763MHz: Horizontal





#### Channel 5763MHz: Vertical




Page 18 of 37

Report No: 1305123-1 Date: 2013-07-18




#### Channel 5814MHz: Horizontal

#### 117.0 dBuV/m



#### Channel 5814MHz: Vertical



Note: for the radiated emissions from 18-40GHz, it was the floor noise.




# B. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)

**EUT set Condition:** Charging and Keep Transmitting

Results: Pass

Please refer to following diagram for individual



Date: 11.JUL.2013 13:14:07

Frequency (MHz)	Level@3m (dB \u03b4 V/m)	Antenna Polarity	Limit@3m (dB \( \mu \)V/m)
958.200	35.66	Н	46.00
102.480	29.97	Н	43.50
208.640	28.37	Н	43.50
168.400	28.41	Н	43.50

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



# Radiated Emission In Horizontal (30MHz----1000MHz) EUT set Condition: Charging and Keep Transmitting

# Results: Pass

Please refer to following diagram for individual



Date: 11.JUL.2013 13:12:56

Frequency (MHz)	Level@3m (dB \u03b4 V/m)	Antenna Polarity	Limit@3m (dB \( \mu \)V/m)
84.360	34.60	V	40.00
102.480	38.20	V	43.50
115.200	32.75	V	43.50
42.640	28.64	V	40.00




# 7. Band Edge

#### 7.1 Test Method and test Procedure:

- (1) The EUT was tested according to ANSI C63.4 –2003. The radiated test was performed at Timeway Laboratory. This site is on file with the FCC laboratory division, Registration No.899988
- (2) Set Spectrum as RBW=VBW=1MHz and Peak detector used
- (3) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (4) The antenna polarization: Vertical polarization and Horizontal polarization.

## 7. 2 Radiated Test Setup



For the actual test configuration, please refer to the related items – Photos of Testing

# 7.3 Configuration of The EUT

Same as section 5.3 of this report

## 7.4 EUT Operating Condition

Same as section 5.4 of this report.

## 7.5 Band Edge Limit

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

Report No: 1305123-1 Page 22 of 37

Date: 2013-07-18



## 7.6 Test Result

Product:	Wireless Speaker System		Test Mode:	MIMO mode with max power output, keeping TX mode
Mode	Keeping Transmitting		Test Voltage	120V~
Temperature	24 deg. C,		Humidity	56% RH
Test Result:	Pass		Detector	PK
5875.000MHz	PK (dBμV/m)	43.9	Limit	$74(dB\mu V/m)$
	AV(dBμV/m)			54(dBµV/m)

Product:	Wireless Speaker System		Test Mode:	MIMO mode with max power output, keeping TX mode
Mode	Keeping Transmitting		Test Voltage	120V~
Temperature	24 deg. C,		Humidity	56% RH
Test Result:	Pass		Detector	PK
5725.000MHz	PK (dBμV/m)	42.6	Limit	74(dBμV/m)
	AV(dBμV/m)			54(dBμV/m)

Remark: H and V Polarity all have been tested, only list the worse case as above

Report No: 1305123-1 Page 23 of 37

Date: 2013-07-18



# 8.0 Antenna Requirement

## **Applicable Standard**

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has two PCB antennas. The Gain of each PCB antenna is 3.2dBi. They can transmit at the same time. The antennas fulfill the requirement of this section.


Test Result: Pass

Page 24 of 37

Report No: 1305123-1 Date: 2013-07-18



9.0 20dB Bandwidth Measurement					
Product:	Wireless Speaker System	Test Mode:	Keep transmitting-5814MHz		
Mode	Keeping Transmitting	Test Voltage	120V~		
Temperature	24 deg. C,	Humidity	56% RH		
Test Result:	Pass	Detector	PK		
20dB Bandwidth	15.625MHz				




Page 25 of 37

Report No: 1305123-1 Date: 2013-07-18



9.1 20dB Bandwidth Measurement					
Product:	Wireless Speaker System	Test Mode:	Keep transmitting-5763MHz		
Mode	Keeping Transmitting	Test Voltage	120V~		
Temperature	24 deg. C,	Humidity	56% RH		
Test Result:	Pass	Detector	PK		
20dB Bandwidth	15.625MHz				




The report refers only to the sample tested and does not apply to the bulk.

Page 26 of 37

Report No: 1305123-1 Date: 2013-07-18



9.2 20dB Bandwidth Measurement					
Product:	Wireless Speaker System	Test Mode:	Keep transmitting-5736MHz		
Mode	Keeping Transmitting	Test Voltage	120V~		
Temperature	24 deg. C,	Humidity	56% RH		
Test Result:	Pass	Detector	PK		
20dB Bandwidth	15.705MHz				



Page 27 of 37

Date: 2013-07-18

Report No: 1305123-1



#### 10.0 FCC ID Label

## FCC ID: 2AAIN-BTW248

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

#### **Mark Location:**



FCC ID Label Location


Report No: 1305123-1 Page 28 of 37

Date: 2013-07-18




## 11.0 Photo of testing

Conducted Emission Test Setup:





# Radiated Emission Test Setup:





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



## Photo for the EUT

## Front View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 31 of 37

Report No: 1305123-1 Date: 2013-07-18



Back View







The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



## Interior View






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



## Interior View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co .,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



## Interior View





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co .,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co .,Ltd reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.



## Interior View





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co .,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co .,Ltd will not, without the consent of the client enter into any discussion


of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co .,Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



# Interior View (Switch Power supply board)






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Interior View
(Alternative Switch Power supply board)





-- End of Report--

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.