

Test Report No.: FS160705N025

RF EXPOSURE REPORT

Applicant	Acctron Company Limited
Address	Workshop 11 , 6/F , Block C , Delya Industrial Centre No.7 Shek Pai Tau Road , Tuen Mew Territories , H.K.

Manufacturer or Supplier	Acctron Company Limited
Address	Workshop 11 ,6/F,Block C ,Delya Industrial Centre No.7 Shek Pai Tau Road , Tuen Mew Territories , H.K.
Product	Rover Land & Sea
Brand Name	Brookstone
Model	EK101A4WHA
Additional Model & Model Difference	N/A
Date of tests	Jul. 26, 2016 ~ Aug. 15, 2016

- **⊠ KDB 447498 D01**
- **⊠** IEEE C95.1

CONCLUSION: The submitted sample was found to **COMPLY** with the test requirement

Tested by Breeze Jiang	Approved by Glyn He
Project Engineer / EMC Department	Supervisor / EMC Department
pooler	

Date: Aug. 19, 2016

This report is for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. Unless specific mention, the uncertainty of measurement has been explicitly taken into account to declare the compliance or non-compliance to the specification



Table of Contents

RELI	EASE CONTROL RECORD	3
1.	CERTIFICATION	4
2.	RF EXPOSURE LIMIT	5
3.	MPE CALCULATION FORMULA	5
4.	CLASSIFICATION	5
5.	ANTENNA GAIN	6
6.	CALCULATION RESULT OF MAXIMUM CONDUCTED POWER	6

Tel: +86 769 8593 5656 Fax: +86 769 8593 1080



RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
FS160705N025	Original release	Aug. 19, 2016

Tel: +86 769 8593 5656 Fax: +86 769 8593 1080



1. CERTIFICATION

FCC ID:	2AAJZ-314686		
PRODUCT:	Rover Land & Sea		
BRAND NAME:	Brookstone		
MODEL NO.:	EK101A4WHA		
ADDITIONAL NO.:	N/A		
TEST SAMPLE: Engineering Sample			
APPLICANT:	LICANT: Acctron Company Limited		
STANDARDS:	FCC Part 2 (Section 2.1091)		
	KDB 447498 D01		
	IEEE C95.1		

Tel: +86 769 8593 5656 Fax: +86 769 8593 1080

2. RF EXPOSURE LIMIT

LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

FREQUENCY RANGE (MHz)	ELECTRIC FIELD STRENGTH (V/m)	MAGNETIC FIELD STRENGTH (A/m)	POWER DENSITY (mW/cm²)	AVERAGE TIME (minutes)		
LIMITS FOR GENERAL POPULATION / UNCONTROLLED EXPOSURE						
300-1500		F/1500	30			
1500-100,000			1.0	30		

F = Frequency in MHz

3. MPE CALCULATION FORMULA

 $Pd = (Pout*G) / (4*pi*r^2)$

where

Pd = power density in mW/cm²

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

4. CLASSIFICATION

The antenna of this product, under normal use condition, is at least 20cm away from the body of the user. So, this device is classified as **Mobile Device**.

Tel: +86 769 8593 5656 Fax: +86 769 8593 1080



Test Report No.: FS160705N025

5. ANTENNA GAIN

The antennas provided to the EUT, please refer to the following table:

Transmitter	Max.Peak Gain	ANT Number	Total Gain	Antenna
Circuit	(dBi)		(dBi)	Type
2.4G WIFI	2	1	2	Dipole Antenna

6. CALCULATION RESULT OF MAXIMUM CONDUCTED POWER

FREQUENCY BAND (MHz)	MAX POWER (mW)	ANTENNA GAIN (dBi)	DISTANCE (cm)	POWER DENSITY (mW/cm²)	LIMIT (mW/cm²)
2412-2462MHz	82.03515	2	20	0.01632	1.0

--- END ---

Tel: +86 769 8593 5656 Fax: +86 769 8593 1080