DWG NUMBER	DATE	PAGES	MODIFICATION DESCRIPTION
BM0650-GRT-2019-V1	TBA 19	P 1-2 (all)	First Issue

# **GLOBAL ARTWORK: COLOUR KEY TO SECTIONS**

MAGENTA: ARTWORK

GK

GREEN: POSITIONAL

RED: STICKER

# ALTHOUGH ALL CARE IS TAKEN IN THE PREPARATION OF THIS ARTWORK, FINAL RESPONSIBILITY RESTS WITH YOU THE CLIENT.

# **CHECKING NOTE FOR BREVILLE GROUP**

Please be sure to check the entire artwork carefully, including:

- Graphics that relate to engineering issues, such as calibration and functionality of (but not limited to) switches, LED lights, dials, jugs and vessels, etc.
- Naming and descriptor text, such as wattage graphics, appropriate description, etc.
- Colour specification that relate to engineering issues, such as identifying materials to confirm if parts can be sprayed or moulded to match our swatch, and whether shared tooling will restrict individual parts being moulded to match our swatch, etc.

### **GRAPHICS NOTE FOR FACTORY**

Factory must use our film, and must not recreate artwork. Factory samples will not be approved if graphics do not match our artwork. Fonts must be the same as our artwork, and can not be substituted for other fonts. We will supply film page in digital copy, in EPS and PDF format. If factory requires film in another format, please advise. If factory can not use digital film, please advise and we will forward hard copy via courier.

### SIGNED OFF BY MARKETING

SIGNED OFF BY ENGINEERING

All graphics specified in this artwork must pass the following adhesion tests:

- 1. With the graphics in place on the product, scratch firmly with a finger nail with an inward action. There should be no sign of damage to the markings.
- 2. After test 1, a length of scotch brand tape is to be firmly stuck over the graphics, and rubbed down to ensure maximum adhesion of the tape. Pull away from the surface at 90° at a constant rate. There should not be any evidence of the graphic stuck to the tape.
- 3. After test 2, rub for 15 seconds by hand with a piece of cloth soaked in water, and again for 15 seconds with a piece of cloth soaked in petroleum spirit (hexane). After this test, check that markings are easily legible, and that the graphics cannot be easily removed and show no signs of becoming detached from the surface to which they are applied.
- 4. If used for frying/cooking, ink used on this product must be able to withstand the operating temperature and not dissolved by oil.

## **RESTRICTED & CONFIDENTIAL**

This drawing and all information shown hereon are the exclusive property of HWI Electrical, and are submitted only on a confidential basis. The recipient agrees not to reproduce the drawing, to return it upon request, and that no disclosure of the drawing or the information shown hereon will be made to a third party without prior written consent from HWI Electrical.

# PRODUCT GRAPHICS ARTWORK

**ISSUE** BM0650-GRT-2019-V1

JOB 115-01-0195

DATE TBA 19

### RETURN TO BREVILLE PTY LTD HEAD OFFICE Breville Building, Sydney Corporate F

NOT TO SCALE

Breville Building, Sydney Corporate Park
Suite 2, 170-180 Bourke Road
NSW, 2016
SYDNEY, AUSTRALIA





CAUTION MICROWAVES. ATTENTION MICRO-ONDES.

PN: 26XXXXXXXXXX



### REFERENCE LINE ONLY

Graphic is actual size when this line measures 120 mm

USC - BSS
Print to Match PMS485 - Print First

**RESTRICTED & CONFIDENTIAL** NOTE: These graphics must pass all the adhesion tests outlined on Sheet 1 of this artwork.

PRODUCT GRAPHICS ARTWORK

BM0650-GRT-2019-V1

RETURN TO BREVILLE PTY LTD

HEAD OFFICE
Breville Building, Sydney Corporate Park
Suite 2, 170-180 Bourke Road
NSW, 2016
SYDNEY, AUSTRALIA

This drawin exclusive put a confident drawing, to drawing or third party v

**TBA 19** 

NOT TO SCALE

115-01-0195

NOTE:

This drawing and all information shown hereon are the exclusive property of HWI Electrical, and are submitted only on a confidential basis. The recipient agrees not to reproduce the drawing, to return it upon request, and that no disclosure of the drawing or the information shown hereon will be made to a third party without prior written consent from HWI Electrical. RESTRICTED 20 CONFIDENTIAL

graphics must pass all the

adhesion tests outlined on Sheet 1

of this artwork

PRODUCT

**GRAPHICS** 

ARTWORK

**HEAD OFFICE RETURN TO** 

Sydney Corporate Park Road

BREVILLE

PTY

a

Print to Match Black - Print Second

### Breville

Microwave Oven (Household) Model BM0650 SIL

Power Input 120V 60Hz 1350W Single phase with grounding Output Frequency 2450MHz This device complies with DHHS Radiation Performance Standards 21 CFR Subchapter J.

Designed and Engineered in Australia by Breville Made in China. Fabriqué en Chine. For assistance, visit www.Breville.com. Pour toute assistance, visitez www.Breville.com Customer Service USA 1-866-273-8455 CAN 1-855-683-3535

www.Breville.com



LISTED EXXXXXX

Manufactured Date/Date de Fabrication: July 2019 Made in Shunde, China. Fabriqué in Shunde, China, FCC ID: 2AAXXXXXXXX

**Energy Verified** Rendement Énergétique Vérifié THIS ISM APPARATUS MEETS ALL REQUIREMENTS OF THE CANADIAN INTERFERENCE CAUSING EQUIPMENT REGULATIONS. CE GÈNÈRATEUR DE FRÈQUENCE RADIO ISM RÈSPECTE TOUTES LES EXIGENCES DU RÈGLEMENT SUR LE MATERIEL BROUILLEUR CANADA.

CAN ICES-1 NMB-1

BREVILLE CANADA L.P. 3595 Boulevard Côte-Vertu, Saint-Laurent, QC H4R 1R2. Canada. BREVILLE USA INC. 19400 S. Western Ave, Torrance, CA 90501-1119. United States of America.

### **CAUTION:**

. This device is to be serviced only by properly qualified service personnel. Consult the service manual for proper service procedures to assure continued compliance with the federal performance standard for microwave ovens and for precautions to be taken to avoid possible exposure to excessive microwave energy.

### WARNING:

- Disconnect appliance before servicing. Removal of enclosure with product energized may expose serviceman to hazardous high-voltage potentials.
- . To ensure continued protection against shock hazard, connect to properly grounded outlets only.
- · Certain internal parts are intentionally not grounded and may present a risk of electrical shock only during service, service personnel. Do not contact the internal electrical parts while the appliance is energized: Fan Motor and Turntable Motor.
- · Not for build-in installation.
- Risk of electric shock. Non-removable fasteners are provided because of internal high voltages.
- Do not remove fasteners.
- Not for commercial use.
- DO NOT ATTEMPT TO OPERATE THIS MICROWAVE OVEN WITH:
- (A) OBJECT CAUGHT IN DOOR
- (B) DOOR THAT DOES NOT CLOSE PROPERLY
- (C) DAMAGED DOOR HINGE, LATCH OR SEALING SURFACE

### ATTENTION:

 Les réparations de cet appareil doivent être effectuées exclusivement par un technicien dûment qualifié. Consultez le livret d'instructions pour connaître les procédures d'entretien adéquates, vous assurer qu'elles sont conformes aux normes fédérales de performance pour les fours à micro-ondes et prendre les précautions contre le risque d'exposition à l'énergie excessive des micro-ondes.

### **AVERTISSEMENT:**

- Débrancher l'appareil avant de le faire réparer. Le retrait du boîtier d'un appareil sous tension peut exposer le réparateur à un danger potentiel de haute tension.
- Pour assurer une protection continue contre les chocs électriques, brancher l'appareil uniquement dans une prise de courant correctement reliée à la terre.
- Certaines pièces internes sont délibérément non reliées à la terre et peuvent présenter un risque de chocs électriques durant les réparations qui doivent être effecctuées par un technicien qualifié seulement. Ne pas toucher les pièces suivantes pendant que l'appareil est sous tension : le moteur du ventilateur et le moteur du plateau tournant.
- · Cet appareil ne doit pas être encastré.
- · Risque de chocs électriques. Les attaches fixes sont fournies en raison de la tension interne élevée. Ne pas
- . Non destine a l'usage commercial.
- NE PAS UTILISER CE FOUR SI:
- (A) UN OBJECT BLOQUE L'OUVERTURE DE LA PORTE
- (B) LA PORTE NE FERME PAS BIEN
- (C) LES CHARNIERS, LE VERROUILLAGE OU LE JOINT D'ETANCHEITE SONT ENDOMMAGES.



### REFERENCE LINE ONLY



### **REFERENCE LINE ONLY**

Graphic is actual size when this line measures 120 mm

## **RESTRICTED & CONFIDENTIAL**

NOTE: These graphics must pass all the adhesion tests outlined on Sheet 1 of this artwork.

This draw exclusive a confide drawing, t drawing c third part

PROD	<b>UCT GRAPHICS</b>	ARTWORK	PRODUCT GRAPHICS ARTWORK RETURN TO BREVILLE PTY LTD
ISSUE	ISSUE BM0650-GRT-2019-V1	1	Breville Building, Sydney Corporate Park
JOB	115-01-0195	Α4	<b>A4</b> NSW, 2016
DATE TBA 19		NOT TO SCALE	NOT TO SCALE SYDNEY, AUSTRALIA

Manufactured Date/Date de

Fabriqué in Shunde, China.

Fabrication: July 2019

Made in Shunde, China

FCC ID: 2AAXXXXXXXX

LISTED

Single phase with grounding Output Frequency 2450MHz This device complies with DHHS Radiation Performance

**CAUTION MICROWAVES.** ATTENTION MICRO-ONDES.

> **Energy Verified** Rendement Énergétique Vérifié

THIS ISM APPARATUS MEETS ALL REQUIREMENTS OF THE CANADIAN INTERFERENCE CAUSING EQUIPMENT REGULATIONS. CE GÈNÈRATEUR DE FRÈQUENCE RADIO ISM RÈSPECTE TOUTES LES EXIGENCES DU RÈGLEMENT SUR LE MATERIEL BROUILLEUR CANADA.

**CAN ICES-1** NMB-1

PN: 26XXXXXXXXXXX

BREVILLE CANADA L.P. 3595 Boulevard Côte-Vertu, Saint-Laurent, QC H4R 1R2. Canada. BREVILLE USA INC. 19400 S. Western Ave, Torrance, CA 90501-1119. United States of America

### **ATTENTION:**

• Les réparations de cet appareil doivent être effectuées exclusivement par un technicien dûment qualifié. Consultez le livret d'instructions pour connaître les procédures d'entretien adéquates, vous assurer qu'elles sont conformes aux normes fédérales de performance pour les fours à micro-ondes et prendre les précautions contre le risque d'exposition à l'énergie excessive des micro-ondes.

### **AVERTISSEMENT:**

- Débrancher l'appareil avant de le faire réparer. Le retrait du boîtier d'un appareil sous tension peut exposer le réparateur à un danger potentiel de haute tension.
- · Pour assurer une protection continue contre les chocs électriques, brancher l'appareil uniquement dans une prise de courant correctement reliée à la terre.
- Certaines pièces internes sont délibérément non reliées à la terre et peuvent présenter un risque de chocs électriques durant les réparations qui doivent être effecctuées par un technicien qualifié seulement. Ne pas toucher les pièces suivantes pendant que l'appareil est sous tension : le moteur du ventilateur et le moteur du plateau tournant.
- · Cet appareil ne doit pas être encastré.
- · Risque de chocs électriques. Les attaches fixes sont fournies en raison de la tension interne élevée. Ne pas retirer ces attaches.
- Non destine a l'usage commercial.
- . NE PAS UTILISER CE FOUR SI:
- (A) UN OBJECT BLOQUE L'OUVERTURE DE LA PORTE
- (B) LA PORTE NE FERME PAS BIEN
- (C) LES CHARNIERS, LE VERROUILLAGE OU LE JOINT D'ETANCHEITE SONT ENDOMMAGES.

Breville

Microwave Oven (Household) Model BM0650 SIL Power Input 120V~60Hz 1350W

Standards 21 CFR Subchapter J.

Designed and Engineered in Australia by Breville. Made in China. Fabriqué en Chine. For assistance, visit www.Breville.com. Pour toute assistance, visitez www.Breville.com

Customer Service USA 1-866-273-8455 CAN 1-855-683-3535 www.Breville.com

**CAUTION:** 

. This device is to be serviced only by properly qualified service personnel. Consult the service manual for proper service procedures to assure continued compliance with the federal performance standard for microwave ovens and for precautions to be taken to avoid possible exposure to excessive microwave energy.

### **WARNING:**

- Disconnect appliance before servicing. Removal of enclosure with product energized may expose serviceman to hazardous high-voltage potentials.
- . To ensure continued protection against shock hazard, connect to properly grounded outlets only.
- · Certain internal parts are intentionally not grounded and may present a risk of electrical shock only during service, service personnel. Do not contact the internal electrical parts while the appliance is energized: Fan Motor and Turntable Motor.
- . Not for build-in installation.
- · Risk of electric shock. Non-removable fasteners are provided because of internal high voltages.
- . Do not remove fasteners.
- · Not for commercial use.
- DO NOT ATTEMPT TO OPERATE THIS MICROWAVE OVEN WITH:
- (A) OBJECT CAUGHT IN DOOR
- (B) DOOR THAT DOES NOT CLOSE PROPERLY
- (C) DAMAGED DOOR HINGE. LATCH OR SEALING SURFACE

**YYWW** 

YY: Denotes last two digits

WW: Denotes week number (eq, 25 = week 25)

MAKE SURE "YYWW" IS DELETED FROM ACTUAL FILM ABOVE

### of the year (eq. 10 = 2010)



### STICKER RATING: REFERENCE ONLY

- Sticker base to be matt silver foil (not plasticized paper)
- Sticker to be permanent self-adhesive
- Sticker to be heat resistant
- Light grey background represents foil showing through (DO NOT PRINT GREY BACKGROUND)

### This drawing and all information shown hereon are the exclusive property of HWI Electrical, and are submitted only on a confidential basis. The recipient agrees not to reproduce the drawing, to return it upon request, and that no disclosure of the drawing or the information shown hereon will be made to a third party without prior written consent from HWI Electrical. П П Ш RENC SSUE **PRODUCT** Ì 115-01-0195 BM0650-GRT-2019-V1 **TBA 19** ONLY: **GRAPHICS ARTWORK** NOT TO 0 SC

RES

TRICTE

20

C

ONFIDENTIAL

J


Ш

115mm

RETURN TO BREVILLE PTY LTD

HEAD OFFICE
Breville Building, Sydney Corporate Park
Suite 2, 170-180 Bourke Road
NSW, 2016
SYDNEY, AUSTRALIA

## All regions - Rear



### RES TRICTED Qo CONFIDENTIAL

This drawing and all information shown hereon are the exclusive property of HWI Electrical, and are submitted only on a confidential basis. The recipient agrees not to reproduce the drawing, to return it upon request, and that no disclosure of the drawing or the information shown hereon will be made to a third party without prior written consent from HWI Electrical.

PROD	PRODUCT GRAPHICS ARTWORK	
ISSUE	BM0650-GRT-2019-V1	
JOB	115-01-0195 A	4

**TBA 19** 

RETURN TO BREVILLE PTY LTD

NOT TO SCALE HEAD OFFICE
Breville Building, Sydney Corporate Park
Suite 2, 170-180 Bourke Road
NSW, 2016
SYDNEY, AUSTRALIA