



### Warning:


- Disconnect power before installation
- Unlock/disengage winch clutch before installation & testing
- This winch wireless remote is designed for recovery winch only, not for lifting hoist, industrial application or other applications
- Transmitter and receiver is signal matched set (replacement not available)
- Power off the transmitter when not use

### Features

- Wireless remote works within 100 ft (open area)
- Fits Traveller electric winch 8000 LBs up (Please check plug setup on the winch cover box)
- Easy plug and play installation
- Fully power in/out functional
- 9V battery Included

### Installation:

(See diagram)



- Disconnect power before installation
- Unlock/disengage winch clutch before installation & testing

### Operation:

- Unlock/disengage winch clutch
- Pull out winch wire/rope about 5 ft
- Lock/engage winch clutch
- Press the button, now you may operate winch (Power In or Out)
- Turn off power when not use

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.