7. How to use A-ONE TAB

(3) SD Skin Diagnosis

◆ <Sebum> Diagnosis result ◆


Back
Sebum
Result
Shot

1150, Much(L)

3) Click 'Result' button.


Back
Sebum
Result
Caution
Yes
No
Shot
1150,

Do you want to save the test result?

<Do you want to save the test result?>

4) Select 'Yes' or 'No'


Back
Result(1/1)
Cart
5000
3000
1200
1000
830
650
530
300
0 10 20 30 40 50 60
Stratum corneum
Sebum
Stratum corneum

Sebum : 1150, Much(L)

The secretion of sebum is a little high. It is desirable to use fresh base cosmetics with little oily element and sebum-controlling products in order to prevent sebum from being secreted more. It is necessary to use pore-care products which can treat enlarged pores.

5) Move to result page.

7. How to use A-ONE TAB

(3) SD Skin Diagnosis

◈ <Moisture/Elasticity> Diagnosis ◈


Individual Diagnosis
Integrated Diagnosis
Record by Date
Pore
Wrinkle
Pigment
Sebum
Moisture/ Elasticity

1) Click 'Moisture/Elasticity' .

Moisture and elasticity are measured by sensor.

2) put the sensor on skin and click 'sensor Test'

* Put the sensor below your cheekbone to measure Moisture/Elasticity test.

** Do not put it on your cheekbone.




Back
Moisture / Elasticity
Result
Moisture
Elasticity
Customer
Standard
Low
High
Customer
Standard
Low
High
Sensor Test


Back
Moisture / Elasticity
Result
Moisture
Elasticity
Customer
Standard
Low
High
Customer
Standard
Low
High
Sensor Test

Moisture	Elasticity
70, Very much	28, Normal

the test value will be shown automatically at the bottom of left.

7. How to use A-ONE TAB

(3) SD Skin Diagnosis

◈ <Moisture/Elasticity> Diagnosis result ◈


Back
Moisture / Elasticity
Result
Moisture
Elasticity
Customer
Standard
Low
High
Customer
Standard
Low
High
Sensor Test
70, Very much
28, Normal

3) Click 'Result' button.


Back
Moisture / Elasticity
Result
Caution
Yes
No
Sensor Test

Do you want to save the test result?

<Do you want to save the test result?>

4) Select 'Yes' or 'No'


Back
Result(1/2)
Cart
50
40
30
20
0 10 20 30 40 50 60
Epidermis
Dermis

Moisture : 70, Very much

The moisture content in skin surface is very high. There is no need to supplement moisture and it is okay to keep the current degree of moisture. In cold weather, skin is likely to be much drier, so you had better supplement moisture from time to time after washing more than once a day. It is essential to prevent thin wrinkles from forming around eyes, which are particularly dry, through use of specialized products like highly moisturizing serum.

5) Move to result page.

7. How to use A-ONE TAB

(3) SD Skin Diagnosis


Individual Diagnosis
Integrated Diagnosis
Record by Date
Sensor
Sensor
Shot
Sebum
Start
Shot
Pore
Shot
Wrinkle


Individual Diagnosis
Integrated Diagnosis
Record by Date
Sensor
Sensor
Shot
Sebum
Start
Shot
Pore
Shot
Wrinkle

◆ Integrated Diagnosis◆

Diagnose Moisture/Elasticity/Pore/Sebum/Pigment/Wrinkle.

1) Click 'Integrated Diagnosis' .

2) Click 'Start' or select one of test item on the left.


Individual Diagnosis
Integrated Diagnosis
Record by Date
Sensor
Sebum
Start
Pore
Wrinkle
Result



* Tip

*** If user did all tests on the first page by clicking each test item, no need to diagnose each test item again after pressing Start button.

*** if you want to re-take a photo, click the test item or 'shot' button at camera screen.

7. How to use A-ONE TAB

(3) SD Skin Diagnosis


Back
Moisture / Elasticity
Next
Moisture
Elasticity
Customer
Standard
Low
High
Customer
Standard
Low
High
Sensor Test


Back
Moisture / Elasticity
Next
Moisture
Elasticity
Customer
Standard
Low
High
Customer
Standard
Low
High
Sensor Test
45, Much
27, Normal




Back
Sebum
Result
Shot
1059, Normal(H)

◈ Integrated Diagnosis◈

Moisture and elasticity are measured by sensor.

1) put the sensor on skin and click 'sensor Test'

* Put the sensor below your cheekbone to measure Moisture/Elasticity test.

** Do not put it on your cheekbone.

the test value will be shown automatically at the bottom of left.

2) Click 'Next' .

3) put camera on skin and click 'shot' to measure sebum condition .

NEVER aim the beam in or near anyone's eyes.

The test value will be shown automatically at the bottom of left.

4) Click 'Next' .

7. How to use A-ONE TAB

(3) SD Skin Diagnosis

◆ Integrated Diagnosis◆



1) put camera on skin and click 'shot' to measure pore condition .

the test value will be shown automatically at the bottom of left.


Prev.
Pore
Next
Shot
5, A little large

2) Click 'Next' .


Wrinkle
Shot

3) put camera on skin and click 'shot' to measure wrinkle condition .

the test value will be shown automatically at the bottom of left.


Prev.
Wrinkle
Next
Shot
Auto Off
26, Thick(H)

4) Click 'Next' .

.

7. How to use A-ONE TAB

(3) SD Skin Diagnosis

◈ Integrated Diagnosis◈


Pigmentation
Shot

1) put camera on skin and click 'shot' to measure pigment condition .


Prev.
Pigmentation
Result
Shot
4, Normal

the test value will be shown automatically at the bottom of left.


Prev.
Pigmentation
Result
Shot
4, Normal

*** In case select each test item and take a photo, the photo of pore is used for pigment.

You can re-take photo of pigment when you check the edit page, by double-clicking 'shot' .


Prev.
Pigmentation
Result
Caution
Yes
No
Shot

Do you want to save the test result?

2) Click 'Result' button

<Do you want to save the test result?>

Select 'Yes' or 'No' .

7. How to use A-ONE TAB

(3) SD Skin Diagnosis

◈ Result page ◈


Back
Result(1/9)
Cart
Sebum
Wrinkle
Moisture
Pore
Elasticity
Pigment
Result Graph

Skin Age : 40

Intensive SkinCare
Wrinkle, Sebum

- ■ require intensive skincare
- ▨ require continuous skincare
- □ require skincare for maintenance and protection

Result 1

-Skin age(Optional)

-Result graph

- intensive skincare zone,

** Touch the screen with a finger and drag upward to move to the next page
Drag downward to Move back to the preceding page.




Back
Result(2/9)
Cart
Moisture
Much
Little
Much
Sebum
Neutral
Dry
(Lack of sebum)
Oily
Dry
(Lack of sebum & moisture)
Dry
(Lack of moisture)
Oily
(Lack of moisture)

Description

Your skin type is ideal, as it contains adequate sebum and moisture. Keratinization is normal, skin texture is fine and pores are small. Due to good elasticity, few wrinkles are visible. Status of each test factor:

Sebum : Much(L), Moisture : Much, Pore : A little large, Wrinkle : Thick(H), Pigmentation : Normal.

Skintype : Neutral

Result 2 :

- Skin type and description


Back
Result(3/9)
Cart
Skin changes
Current status
Without treatment
Standard Skin
Customer Skin

Result 3

-Compare the customer' s skin with standard (ideal) skin image.

- Skin status simulation

Current status: current skin condition.

Without treatment: If the skin is left untreated,

the skin condition may worsen than its current

state.

7. How to use A-ONE TAB

(3) SD Skin Diagnosis


Back
Result(4/9)
Cart
5000
3000
1200
1000
830
650
530
300
0 10 20 30 40 50 60
Stratum corneum
Sebum
Stratum corneum

Sebum : 1132, Much(L)

The secretion of sebum is a little high. It is desirable to use fresh base cosmetics with little oily element and sebum-controlling products in order to prevent sebum from being secreted more. It is necessary to use pore-care products which can treat enlarged pores.


Back
Result(5/9)
Cart
50
40
30
20
0 10 20 30 40 50 60
Epidermis
Dermis

Moisture : 45, Much

The moisture content in skin surface is high. There is no need to supplement moisture and it is okay to keep the current degree of moisture. In cold weather, skin is likely to be much drier, so you had better supplement moisture from time to time after washing more than once a day. It is essential to prevent thin wrinkles from forming around eyes, which are particularly dry, through use of specialized products like highly moisturizing serum.


Back
Result(6/9)
Cart
75
55
35
25
0 10 20 30 40 50 60
Epidermis
Dermis

Elasticity : 27, Normal

Skin elasticity is normal and skin is a little languid. In the areas around eyes and mouth where it easily becomes languid, a few thick wrinkles have started to become visible, as well as thin wrinkles. Skin surface is a little rough and corneum layer increases due to expansion of blood vessels in skin and resistibility to UV-rays is a little weak due to reduction of melanin cells. If moisture is not supplemented enough, skin can get very tight and very inelastic. It is necessary to boost up ability of skin to take in nutrition and to stimulate blood circulation.


Back
Result(7/9)
Cart
8
6
4
2
0 10 20 30 40 50 60
Stratum corneum

Pore : 5, A little large

Pores are a little large or large. It is essential to use pore-care products and astringents to treat enlarged pores properly. It is desirable to use a cleansing pack once or twice a week.


Back
Result(8/9)
Cart
6
5
3
2
1
0 10 20 30 40 50 60
Epidermis
Dermis

Wrinkle : 26, Thick(H)

The decrease of skin elasticity started so long ago that almost all wrinkles are thick. It is very essential to protect skin from UV-rays, which are a cause to languidness and to stimulate activation of epidermis cells, and to use functional cosmetics to increase elasticity of dermis. A facial massage and nutrition pack are also beneficial. It is essential to usually take in protein, vitamin C and vitamin E to stimulate blood circulation.


Back
Result(9/9)
Cart
6
4
2
0 10 20 30 40 50 60
Stratum corneum
Stratum corneum

Pigmentation : 4, Normal

Skin color is dark generally and discoloration and freckles are very visible, and the degree is severe. It is essential to do deep cleansing or peeling for skin revival and activation and to use UV-ray blocking products and to do base make-up properly. It is also essential to do a regular massage and use a nutrition pack 2~3 times a week. It is also important to use specialized functional whitening cosmetics and to stimulate skin metabolism by high nutrition supplement.

◆ Result page ◆

Result 4,5,6,7,8,9 :
-Specific description of each test

Sebum/moisture/elasticity/pore/wrinkle/pigment

7. How to use A-ONE TAB

(3) SD Skin Diagnosis

◈ Cart function ◈


Back
Result(1/9)
Cart
Intensive SkinCare
Wrinkle, Sebum
Skin Age : 40
require intensive skincare
require continuous skincare
require skincare for maintenance and protection
Sebum
Wrinkle
Moisture
Result Graph
Pore
Elasticity
Pigment

1) Click 'Cart' button to go to the product recommendation page.


Back
Product recommendation
Skin type
Product
qty
Ideal skin
Large pore
Wrinkle
Toner
1
no image
Toner
no image
Essence
❯
Product update
Purchase
Delete
Purchase List

2) Select Skin type.
Recommendable product is displayed according to each skin type.

** in case of guest, you can't use cart function.

3) Select the product and click ❯ .
the selected product moves to the cart list.


Back
12
1
2
3
4
5
–
←
6
7
8
9
0
·
OK

4) Double-click the product name on the cart to change the quantity.

5) Enter the quantity and click 'OK' .

7. How to use A-ONE TAB

(3) SD Skin Diagnosis

◈ Cart function ◈


Back
Product recommendation
Skin type
Ideal skin
Large pore
Wrinkle
Product
qty
Toner
12
Product update
Purchase
Delete
Purchase List

1) Click the product to purchase.
in case select all items in the list,
mark the black box.


Back
Product recommendation
Skin type
Ideal skin
Large pore
Wrinkle
☑ Product
qty
Toner
12
Product update
Purchase
Delete
Purchase List

2)Click 'Purchase' .


Purchase
Cancel

product	qty	price
Toner	12	960.00
Total price		960

3) Click 'Purchase' after check the product ,
quantity and price.
Purchasing is done.

7. How to use A-ONE TAB

(3) SD Skin Diagnosis

◆ Cart function ◆


Back
Product recommendation
Skin type
Ideal skin
Large pore
Wrinkle
Product
qty
❯
Product update
Purchase
Delete
Purchase List

1) You can see previous purchase list.

Click 'Purchase list' .



Purchase list

Product	Price	qty	Date	Type
Toner	960.00	12	2013-05-24	Skin

2) The purchased products is displayed with name, quantity, price, the purchase date and type(for skin or hair).

Click OK button to close the Purchase list

7. How to use A-ONE TAB

(3) SD Skin Diagnosis

◈ Record by date ◈


Individual Diagnosis
Integrated Diagnosis
Record by Date
2013-05-24 PM. 2. 36
2013-05-24 PM. 2. 34
2013-05-24 PM. 2. 2
2013-05-24 PM. 1. 51
Delete
thumbnail image
thumbnail image
Pore
Wrinkle
Pigment
Sebum
Sensor


Individual Diagnosis
Integrated Diagnosis
Record by Date
2013-05-24 PM. 2. 36
2013-05-24 PM. 2. 34
2013-05-24 PM. 2. 2
2013-05-24 PM. 1. 51
Delete
Pore
2013-05-24
thumbnail image
Pore
Wrinkle
Pigment
Sebum
Sensor


Back
Compare

You can see the previous records of each client by date.

1) Click 'Record by Date'
2) Select a date to see photo and record.

3) Drag a below image to above screen.
4) Click top-right icon to see the image with full screen.

5) Drag Before & After image to left & right screen and click full screen icon to compare both.

7. How to use A-ONE TAB

(3) SD Skin Diagnosis

◈ Record by date ◈


Individual Diagnosis
Integrated Diagnosis
Record by Date
2013-09-03
PM. 5. 34
2013-09-03
PM. 5. 33
Wrinkle
Sebum
2013-09-03
2013-09-03
Delete
Pore
Wrinkle
Pigment
Sebum
Sensor

6) Click the icon.


Individual Diagnosis
Integrated Diagnosis
Record by Date
2013-09-03
PM. 5. 34
2013-09-03
PM. 5. 33
Edit
Result
2013-09-03
2013-09-03
Delete
Pore
Wrinkle
Pigment
Sebum
Sensor
Back
Moisture / Elasticity
Next
Moisture
Elasticity
Customer
Standard
Low
High
45, Much
27, Normal
Sensor Test

7) Click 'Edit' or 'Result'

-Edit : see the taken photo or retake a photo


Individual Diagnosis
Integrated Diagnosis
Record by Date
2013-09-03
PM. 5. 34
2013-09-03
PM. 5. 33
Edit
Result
2013-09-03
2013-09-03
Delete
Pore
Wrinkle
Pigment
Sebum
Sensor
Back
Result(1/9)
Cart
Sebum
Wrinkle
Moisture
Pore
Elasticity
Pigment
Result Graph

- Result : go to the result page of the date.

7. How to use A-ONE TAB

(4) HD Hair Diagnosis

◈ HD Diagnosis ◈



Diagnose Scalp Type / Hair Density /
Sebum / Hair Loss /
Hair Damage / Hair Thickness



Put the camera on your scalp and take a photo
to measure.

7. How to use A-ONE TAB

(4) HD Hair Diagnosis

◈ Individual Diagnosis ◈

Select certain test item and diagnose separately.


Individual Diagnosis
Integrated Diagnosis
Record by Date
Scalp Type
Sebum
Hair Density
Hair Loss
Hair Pore
Damage
Thickness

◈ <Scalp> Diagnosis ◈

1) Click 'Scalp type' to diagnose scalp type.


Individual Diagnosis
Integrated Diagnosis
Record by Date
Scalp Type
Sebum
Hair Density
Hair Loss
Hair Pore
Damage
Thickness

2) Put camera on scalp and take a photo by clicking 'shot' .

** ** Click <Shot> to re-take a photo.


Back
Scalp Type
Result
Shot
compare

3) Click 'compare' and select similar sample.


Back
Compare
OK
14.Oily Scalp1
1.Diseased Scalp1
2.Diseased scalp2
3.Diseased scalp3
15.Oily Scalp2
16.Oily Scalp3
17.Dry Scalp1

4) Click 'OK' and 'Result' to go to result page.


Back
Result(1/1)
Cart

Scalp Type : Oily Scalp1

[Oily Scalp 1] Too much secretion of sebum is the main reason to be oily scalp.There are accumulated horny keratines and the scalp is uneven.

7. How to use A-ONE TAB

(4) HD Hair Diagnosis

◆ <Sebum> Diagnosis ◆


Individual Diagnosis
Integrated Diagnosis
Record by Date
Scalp Type
Sebum
Hair Density
Hair Loss
Hair Pore
Damage
Thickness

1) Click 'Sebum,' to diagnose Sebum.


Sebum
Shot
SEBUM TAPE

2) Put camera on scalp and take a photo by clicking 'shot' .

** Click <Shot> to re-take a photo.

NEVER aim the beam in or near anyone's eyes.


Back
Sebum
Result
Shot
28 , Severely Dry

the test value will be shown automatically at the bottom of left.


Back
Result(1/1)
Cart

Sebum : 28, Severely Dry

This scalp has almost no sebum that may cause hair loss by serious contraction of scalp and hair root. It needs re-diagnose later after shampoo. If the scalp remains still severe dry 6 hours later after shampoo, your sebum quantity is extremely insufficient. The male hormone promotes sebum secretion so that the scalp is likely to be seborrheic(of syptom of obnormally excessive sebum from sebaceous glands), but your scalp is obviously lack of sebum. After shampoo, supply fats to the hair with a hair cream or a cream rinse, and also give nutrition to the scalp with a hair tonic.

3) Click 'Result' to go to result page.

7. How to use A-ONE TAB

(4) HD Hair Diagnosis

◈ <Sebum> Diagnosis ◈

Option: <Sebum> Diagnosis with Sebum Tape



1) Click 'Sebum Tape' on the bottom right.



2) Put the sebum tape to the scalp and slightly press the sebum tape for 1~2 seconds.

Put the sebum tape to the camera and take a photo by clicking 'shot' .

** Click <Shot> to re-take a photo.



the test value will be shown automatically at the bottom of left.



Sebum : 2444, Medium Oily

Since the hair is heavy due to the sebum soaked into the hair, a hair setting doesn't last long. It's because of the overactive sebaceous glands that can be easily activated by a slight stimulus as scalp massage. The overactive sebaceous glands result from various factors such as stimulus by massage, inheritance, constitution, malfunctioning internal secretion, unbalanced nutrition(insufficient Vitamin B6), etc. Use treatment products containing the ingredients suppressing the activity of sebaceous glands and apply acid tonics regularly after using sterilization-functioning shampoos. The medical ingredients that suppress the activity of sebaceous glands are Sulfur, Salicylic Acid, Resorcin, Vitamin B6, etc. that are usually included in hair tonics for seborrheic(of syptom of obnormally excessive sebum from sebaceous glands) scalp. The meals also affect to the activity of sebaceous glands, so we recommend you to avoid animal fat, sweets and spicy food such as chocolate, butter, soda drink, coffee, cocoa, alcohol, cheese, ham, bacon, pork, etc. and have more vegetables.

3) Click 'Result' to go to result page.

7. How to use A-ONE TAB

(4) HD Hair Diagnosis

◆ <Hair Density> Diagnosis ◆


Individual Diagnosis
Integrated Diagnosis
Record by Date
Scalp Type
Sebum
Hair Density
Hair Loss
Hair Pore
Damage
Thickness

1) Click 'Hair Density' .


Hair Density
Shot

2) Put camera on scalp and take a photo by clicking 'shot' .

** Click <Shot> to re-take a photo.


Back
Hair Density
Result
Shot
Navigate

3) Drag the red box at the left-top and select the most empty part.
click each hair to mark.
If you want to change the part to measure the hair density, click Nevigate button.


Back
Hair Density
Result
Shot
Navigate

118, Normal(L)-Early Stage of Hair loss

4) Click 'Result' to go to result page


Back
Result(1/1)
Cart

Hair Density : 118, Normal(L)-Early Stage of Hair loss

The hair condition is normal. You can preserve the current good condition of your healthy scalp and hair if you keep up doing proper treatments and there happens no big change in your physical health. Frequent chemical treatments such as perm, coloring and bleaching affect the scalp and hair and may cause shortened hair and hair loss. Occasionally chemical fluids even penetrate into the pores and cause a decrease of hairs by acute folliculitis(Inflammation of hair follicles). Keep away from the chemical treatments for the healthier hair, if possible. And try to keep your condition stable mentally and physically because excessive stress cause hair loss.

7. How to use A-ONE TAB

(4) HD Hair Diagnosis

◈ <Hair Loss> Diagnosis ◈


Individual Diagnosis
Integrated Diagnosis
Record by Date
Scalp Type
Sebum
Hair Density
Hair Loss
Hair Pore
Damage
Thickness

1) Click 'Hair Loss' .


Back
Hair Loss
Result
M
O
U
COMPLEX
FEMALE
ALOPECIA ARETA (CIRCULAR)

2) Select the most similar type of when you see the scalp at top position.

3) Click 'Result' to go to result page


Back
Result(1/1)
Cart

Hair Loss : FEMALE, NORMAL

According to Ludwig classification for women, there is mild to moderate frontal accentuation loss at this stage.

7. How to use A-ONE TAB

(4) HD Hair Diagnosis


Individual Diagnosis
Integrated Diagnosis
Record by Date
Scalp Type
Sebum
Hair Density
Hair Loss
Hair Pore
Damage
Thickness


Hair Pore
Shot


Back
Hair Pore
Result
Shot
compare


Back
Compare
OK
02.Clogged Pore1
01.Healthy Pore
02.Clogged Pore1
03.Clogged Pore2
04.Clogged Pore3
05.Dry Clogged Pore1
06.Dry Clogged Pore2
07.Dry Clogged Pore3

◆ <Hair Pore> Diagnosis◆

1) Click 'Hair Pore' .

2) Put camera on scalp and take a photo by clicking 'shot' .

** ** Click <Shot> to re-take a photo.

3) Click 'compare' and select similar sample.

4) Click 'OK' and 'Result' to go to result page.


Back
Result(1/1)
Cart

Hair Pore : Clogged Pore

When the sebum is clotted, it clogs the pores and hinders hair growth and without proper management, it could cause thinning on the hair and hair loss over time