







Photograph for illustration only
 Factual products may vary assording to availability

Feature

- · Digital RF modulation with frequency hopping
- Dynamically select clean channels to avoid interference from other 2.4GHz devices
- Baby camera with temperature detection function and real-time display in the LCD Monitor
- Support music player, eg, play sleeping music to help baby go to sleep
- Data privacy protect(support user ID recognition)
- · With high resolution 3.5" LCD display screen
- · Bidirectional transmission and support data encrypt
- · Night Vision (Effective range:5m)
- · Built-in microphone in camera & speaker in receiver
- Up to 300m (990ft.) transmission range in open space

1



Operation

- · press the power button for 3 seconds, power on
- · the camera and monitor can not have metal shielding
- · monitor will display the picture from the camera
- · adjust volume and brightness
- other features of the device operation method, please refer to the user manual

Energy saving mode





- I. Press menu button (₹), then press (• +) button to select the project
- 2. press OK key to enter the project settings
- 3.(\star) button to select the item, press the OK button to complete the set 4. press the menu button exit

Camera selection









- 1. Press menu button (=), then press (- +) button to select the project
- $2.\,\mathrm{press}$ \mathbf{OK} key to enter the project settings
- (-+) button to select the item, press the OK button to complete the set
 press the menu button exit

Brightness setting











- I. Press menu button (=), then press (- +) button to select the project
- 2. press OK key to enter the project settings
- (-+) button to select the item, press the OK button to complete the set
 press the menu button exit

The code method











- 2. press OK key to enter the project settings
- 3. (+) button to select the item, press the OK button to complete the set 4. press the menu button exit

music player



- 1. Press menu button (₹), then press (• +) button to select the project
- 2. press **OK** key to enter the project settings
- 3. (\bullet \bullet) button to select the item, press the OK button to complete the set 4. press the menu button exit

A/V out









- 1. Press menu button (■), then press (- +) button to select the project
- 2. press **OK** key to enter the project settings
- 3.(ullet) button to select the item, press the OK button to complete the set 4. press the menu button exit

Intercom

- I.press the intercom button(Ψ), you can talk with the camera
- 2. loosen the intercom button(Ψ), can hear sound from the camera

4

Packing List

Nuber	Name	Quantity	Unit
1	Receiver	1	Piece
2	Camera	1	Piece
3	Adapter	2	Piece
4	Manual	1	Piece
5	A/V Line	1	Piece
6	Antenna	1	Piece
7	Bracket	1	Piece

FCC Information and Copyright

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates,

uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference

to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does

cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is

encouraged to try to correct the interference by one or more of the following measures:

- —Reorient or relocate the receiving antenna.
- —Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- —Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.