## **Instructions for usage of Wireless Charger:**

O Use a micro USB data cable or standard USB cable to charge the wireless charger

O System is applied with 5V input, which is through adapter or computer USB port. But due to the limit of input current in USB port, there may be occasions that chargers restart repeatedly. It's recommended to use an adapter of 5V/2A.

O Wireless charger has two lights, red light means standby mode or fault mode, the blue flashing light indicates normal charging mode

O Wireless charger with buzzer: It will beep once when the phone is placed in the correct position and ready to be charged.

#### Parameters:

rarameters.		
Input voltage and current:	5V 2A	
RF output power:	< 5W	
The working frequency range of wireless charger:	110KHZ-205KHZ	
The Standby power consumption of wireless charger:	less than 10mA	
The range:	5~8mm	
Conversion efficiency:	75% (MAX)	
Surface temperature:	55℃ (MAX)	
Charging and discharging cue:	LED, Buzzer	
Working TEMP:	0°C (32) F-40°C (104)	
Storage TEMP:	-20°C (-4) F-60°C (140)	
Defencive function: Over voltage protection, overload proteciton, short circuit		
proteciton, over temperature protecito, Foreign body det	ection.	

## Indications:

# Wireless charging indication:

Mode	LED1 (blue)	LED2 (red)	buzzer
standby	off	on	silent
charging	flashing (0.5HZ)	off	Buzz 0.2 secs
charged	on	off	silent
error	off	flashing (1HZ)	silent

### Note:

- ★ do not tear if unauthorized
- ★ use indoors and on the desk
- ★ Placing a metal object on surface is prohibited
- ★ Keep it 20CM away from human body when working
- ★ Away from fire or shock
- ★ Away from moisture or water

#### **Accessories:**

- **★**Wirelesscharger
- **★**Micro USB cable
- **★**Power adapter
- ★Manual and warranty card

## Warranty:

Dear customers:

Thanks for choosing the products of Yupin technology.

Quality products, reasonable price and attentive serviceare our company spirit. We strictly follow national "Three Guarantees Policy" (Refund, Replacement and Repair). Guarantee becomes valid since the date of invoice.

- 1. Within 7 days from date of sale, customer can choose to return, replace or repair the product if any functional failure occurs. A valid invoice and warranty card is needed.
- 2. Within 15 days from date of sale, customer can choose to replace or repair the product if any functional failure occurs. A valid invoice and warranty card is needed.
- 3. One year warranty on all products under normal conditions

## The following conditions are not within the scope of warranty service:

- ① Products without warranty card and purchasing invoice. No user info archived either.
- ② The warranty card or purchase info does not match return product model. Or there are traces of altered data on card and invoice.
- 3 Damage caused by man-made error, including operating the products under prohibited environment or against operation instructions.
- ④ Disassemble the products without permission.
- ⑤ If any damage is made to product appearance, we can only accept repairing.
- ⑥ Improper use under certain conditions, such as power input, working temperature, humidity etc.
- ② Damage caused by force majeure, such as fire, flood, lightning, traffic accidents etc.
- ${\small \textbf{\$}} \quad \text{Special offers with non-return notes. We only offer repair service.}$

### **Warranty Card**

Product Info		
Model No. :	Series No. :	
User Info		
Name :	Phone :	
A al alice are a		

### **Purchase info**

Seller :	Phone :	
Address :		
Purchase date :		
Valid No. :	Stamn	

## **VI. Contact Us:**

Manufacturer : Shenzhen Yupin Technology Co.,LTD

Address : 4th floor, 2nd building, Dongpeng Industrial Zone, Shi' yan District,

Bao' an District, Shenzhen

P.O.: 518100

Number: +86755-61821296

Fax: +86755-61821292

Website: http://www.yupin.com

# **Certificate of conformity:**

