CERTIFICATION TEST REPORT

Manufacturer: Innovative Developments LLC

8437 Mayfield Road, Suite 101-2

Chesterland, Ohio 44026 United States of America

Applicant: Same As Above

Product: 3D Human/Computer Input Device

Model: MYCESTRO-001

FCC ID: 2ABH4INNDEV001

Testing Commenced: Dec. 12, 2013

Testing Ended: Jan. 24, 2014

Summary of Test Results: Page 4

Standards:

- OET FCC Bulletin 65
- KDB447498

-091213

Report Number: F2LQ5768-05E Page 1 of 8 Issue Date: Feb. 10, 2014

Jac Kneppe

Evaluation Conducted by:

Joe Knepper, EMC Proj. Eng.

Michael Toth, Senior EMC Eng.

IZ. . L'III. EMO T. . I. M. .


Ken Littell, EMC Tech. Mgr.

Report Reviewed by:

Wendy Fuster, President

F2 Labs 26501 Ridge Road Damascus, MD 20872 Ph 301.253.4500 Fax 301.253.5179 F2 Labs 16740 Peters Road Middlefield, OH 44062 Ph 440.632.5541 Fax 440.632.5542

This test report may be reproduced in full; partial reproduction only may be made with the written consent of F2 Labs. The results in this report apply only to the equipment tested.



Client: Innovative Developments LLC Model: MYCESTRO-001

TABLE OF CONTENTS

Section	Title	Page
1	ADMINISTRATIVE INFORMATION	3
2	SUMMARY OF TEST RESULTS/MODIFICATIONS	4
3	ENGINEERING STATEMENT	5
4	EUT INFORMATION AND DATA	6
5	RF EXPOSURE FOR DEVICE >20cm FROM HUMAN	7

Client: Innovative Developments LLC

Model: MYCESTRO-001

1 ADMINISTRATIVE INFORMATION

1.1 Measurement Location:

F2 Labs in Middlefield, Ohio. Site description and attenuation data are on file with the FCC's Sampling and Measurement Branch at the FCC Laboratory in Columbia, MD.

1.2 Measurement Procedure:

All measurements were performed according to KDB558074.

1.4 Document History

Document Number	Description	Issue Date	Approved By
F2LQ5797-05E	First Issue	Feb. 18, 2014	W. Fuster

Report Number: F2LQ5797-05E Page 4 of 8 Issue Date: Feb. 18, 2014



2 SUMMARY OF TEST RESULTS

Test Name	Standard(s)	Results
RF Exposure for Device >20cm from Human	OET FCC Bulletin 65 KDB447498	Complies

Note: product was operated using Internal Rechargeable Batteries.

Modifications Made to the Equipm	ent
None	

Report Number: F2LQ5797-05E Page 5 of 8 Issue Date: Feb. 18, 2014

Client: Innovative Developments LLC

Model: MYCESTRO-001

3 ENGINEERING STATEMENT

This report has been prepared on behalf of Innovative Developments LLC. to provide documentation for the testing described herein. This equipment has been tested and found to comply with OET FCC Bulletin 65 and KDB447498. The test results found in this test report relate only to the items tested.

Report Number: F2LQ5797-05E Page 6 of 8 Issue Date: Feb. 18, 2014

Client: Innovative Developments LLC

Model: MYCESTRO-001

4 **EUT INFORMATION AND DATA**

4.1 **EUT INFORMATION AND DATA**

4.1 **Equipment Under Test:**

Product: 3D Human/Computer Input Device

Model: MYCESTRO-001

Serial No.: TBD

FCC ID: 2ABH4INNDEV001

4.2 **Trade Name:**

Innovative Developments LLC

4.3 **Power Supply:**

Internal Rechargeable Battery

4.4 **Applicable Rules:**

- OET FCC Bulletin 65
- KDB447498

4.5 **Equipment Category:**

Radio Transmitter-DTS

4.6 Antenna:

0dBi Integral

4.7 Accessories:

N/A

4.8 **Test Item Condition:**

The equipment to be tested was received in good condition.

Report Number: F2LQ5797-05E Page 7 of 8 Issue Date: Feb. 18, 2014



5. RF EXPOSURE FOR DEVICE > 20cm FROM HUMAN

5.1 Limit: 1mW/cm2

> $\frac{\text{E.I.R.P.}}{4 \text{ m R}^2}$ Formula used for result:

Results: E.I.R.P. with 0dBi antenna: 0.01563mW at the 2440

MHz Mid Channel, which is the highest.

The device is exempt from the requirement due to its low output power.

Report Number: F2LQ5797-05E Page 8 of 8 Issue Date: Feb. 18, 2014