


# **Channel 149 (5745MHz)**

## Channel 157 (5785MHz)






# **Channel 165 (5825MHz)**




## 802.11ac-VHT20 PSD - Ant 2 / Ant 0 + 1 + 2 + 3, Beam Forming

### Channel 149 (5745MHz)


### Channel 157 (5785MHz)



























# Channel 149 (5745MHz)

## Channel 157 (5785MHz)





# **Channel 165 (5825MHz)**




## 802.11ac-VHT20 PSD - Ant 3 / Ant 0 + 1 + 2 + 3, Beam Forming

### Channel 149 (5745MHz)


## **Channel 157 (5785MHz)**




















## 7.5. Conducted Band Edge and Out-of-Band Emissions §15.247(d); RSS-210 [A8.5]

#### 7.5.1. Test Limit

The limit for out-of-band spurious emissions at the band edge is 20dB below the fundamental emission level, as determined from the in-band power measurement of the DTS channel performed in a 100kHz bandwidth per the PSD procedure.

#### 7.5.2. Test Procedure Used

KDB 558074 D01v03r01 - Section 11.2 & Section 11.3

### 7.5.3. Test Settitng


#### 1. Reference level measurement

- (a) Set instrument center frequency to DTS channel center frequency
- (b) Set the span to ≥ 1.5 times the DTS bandwidth
- (c) Set the RBW = 100 kHz
- (d) Set the VBW  $\geq$  3 x RBW
- (e) Detector = peak
- (f) Sweep time = auto couple
- (g) Trace mode = max hold
- (h) Allow trace to fully stabilize

#### 2. Emission level measurement


- (a) Set the center frequency and span to encompass frequency range to be measured
- (b) RBW = 100kHz
- (c)VBW = 300kHz
- (d) Detector = Peak
- (e) Number of sweep points ≥ 2 x Span/RBW
- (f) Trace mode = max hold
- (g) Sweep time = auto couple
- (h) The trace was allowed to stabilize


IC: 4009A-8X4G1





# 7.5.4. Test Setup








## 7.5.5. Test Result

Test Mode	Data Rate (Mbps)	Channel No.	Frequency (MHz)	Limit	Result			
Ant 0								
802.11b	1	01	2412	20dBc	Pass			
802.11b	1	06	2437	20dBc	Pass			
802.11b	1	11	2462	20dBc	Pass			
802.11g	6	01	2412	20dBc	Pass			
802.11g	6	06	2437	20dBc	Pass			
802.11g	6	11	2462	20dBc	Pass			
802.11n-HT20	6.5	01	2412	20dBc	Pass			
802.11n-HT20	6.5	06	2437	20dBc	Pass			
802.11n-HT20	6.5	11	2462	20dBc	Pass			
802.11n-HT40	13.5	03	2422	20dBc	Pass			
802.11n-HT40	13.5	06	2437	20dBc	Pass			
802.11n-HT40	13.5	09	2452	20dBc	Pass			
Ant 1								
802.11n-HT20	6.5	01	2412	20dBc	Pass			
802.11n-HT20	6.5	06	2437	20dBc	Pass			
802.11n-HT20	6.5	11	2462	20dBc	Pass			
802.11n-HT40	13.5	03	2422	20dBc	Pass			
802.11n-HT40	13.5	06	2437	20dBc	Pass			
802.11n-HT40	13.5	09	2452	20dBc	Pass			
Ant 0 + 1								
802.11n-HT20	6.5	01	2412	20dBc	Pass			
802.11n-HT20	6.5	06	2437	20dBc	Pass			
802.11n-HT20	6.5	11	2462	20dBc	Pass			
802.11n-HT40	13.5	03	2422	20dBc	Pass			
802.11n-HT40	13.5	06	2437	20dBc	Pass			
802.11n-HT40	13.5	09	2452	20dBc	Pass			





Test Mode	Data Rate (Mbps)	Channel No.	Frequency (MHz)	Limit	Result			
Ant 0 + 1 + 2 + 3								
802.11a	6	149	5745	20dBc	Pass			
802.11a	6	157	5785	20dBc	Pass			
802.11a	6	165	5825	20dBc	Pass			
802.11n-HT20	6.5	149	5745	20dBc	Pass			
802.11n-HT20	6.5	157	5785	20dBc	Pass			
802.11n-HT20	6.5	165	5825	20dBc	Pass			
802.11ac-VHT20	6.5	149	5745	20dBc	Pass			
802.11ac-VHT20	6.5	157	5785	20dBc	Pass			
802.11ac-VHT20	6.5	165	5825	20dBc	Pass			
802.11n-HT40	13.5	151	5755	20dBc	Pass			
802.11n-HT40	13.5	159	5795	20dBc	Pass			
802.11ac-VHT40	13.5	151	5755	20dBc	Pass			
802.11ac-VHT40	13.5	159	5795	20dBc	Pass			
802.11ac-VHT80	29.3	155	5775	20dBc	Pass			