



U1A
HI3518C

PWR Interface 1 of 4

Baichuan Security Technology Co., Ltd			
Title	H1801C		
Size	Document	Number	Rev
Custom	Power of HI3518C		V100
Date:	Friday, March 07, 2014	Sheet 1 of 10	




Baichuan Security Technology Co., Ltd			
Title	H1801C		
Size	Document	Number	Rev
Custom	DDR of H1801C		v100
Date:	Friday, March 07, 2014	Sheet	2 of 10




The configuration of SFC_ADDR_MODE is related to the type of the SPI FLASH.






Baichuan Security Technology Co., Ltd			
Title	H1801C		
Size	Document Number	Rev	
Custom	PERIPHERAL of H3518C	Y100	
Date:	Friday, March 07, 2014	Sheet	4 of 10






Baichuan Security Technology Co., Ltd			
Title		H1801C	
Size	Document Number	Rev	
B	RTL8201 FOR ETH	V100	
Date:	Friday, March 07, 2014	Sheet	5 of 10





Baichuan Security Technology Co., Ltd


Title		
H18C01		
Size	Document Number	Rev V100
Date:	Friday, March 07, 2014	Sheet 6 of 10



Baichuan Security Technology Co., Ltd			
Title		H1801C	
Size	Document Number	Rev	
B	CONNECTOR	V100	
Date:	Friday, March 07, 2014	Sheet	7 of 10



Baichuan Security Technology Co., Ltd			
Title			
H1801C			
Size	Document	Number	Rev
B	OV9712		V100
Date:	Friday, March 07, 2014	Sheet	9 of 10



Baichuan Security Technology Co., Ltd		
Title		
H1801C		
Size	Document Number	Rev
A	10:IR_CUT Driver	V100
Date:	Friday, March 07, 2014	Sheet 10 of 10

