




Manufacturer: Jiangyin Kryon Import And Export Co., Ltd.

Product Name: Smart helmete light

Model NO: GX1

Activating: Activate before operation (only for the first operation)	Method: Insert the activation bar to the mini-USB interface	It is activated successfully when the centre indicator of the UP system turns blue
Smart power off/on	3 seconds later after the ignition switch is on, the UP system starts successfully when the blue light in the center turns blue. 10 seconds after the ignition switch is off, all the lights are off and the UP system automatically shuts down.	The UP system goes to sleep when the helmet is motionless. And the UP system awakes when vibration occurs after the ignition switch is on.
Press left turn	Left yellow light flashes	
Press right turn	Right yellow light flashes	
Brake	Both sides red light on	
Press left turn and brake	Left yellow light flashes, and right red light on 	
Press right turn and brake	Right yellow light flashes and left red light on 	
Press left & right and left turn in order	changing the status of the rider's running light Constant on Flashes off	It is valid when all operations are done within 3 seconds.
Brake, then press left & right and left turn in order	Switch off or switch on all indication lights	It is valid when all operations are done within 3 seconds.
Low power warning	The centre red light flashes (left & right turn and brake light don't work), all indication lights are off when power is lower.	Warn to charge as soon as possible
Charging	The centre red light is constantly on, the red lamp becomes green and is constantly on when it is fully charged	
Matching, only used for added equipment	Brake and then insert the activation bar into the mini-USB interface, it means matching is successful when the centre green light becomes blue; it can normally operate when the activation bar is drawn out.	Close to the transmitter as possible during the matching



Electrical parameters:

Smart helmets light	
Transmitting frequency	433MHZ
Weight	39g
Size (mm)	47*44*16.5
Effective range	5m
Transmitter operating voltage (external power supply)	12V
Transmitter peak current	39ma
Transmitter Standby Current	0ma
Wiring	Quick Connection Card
Receptor	
Receiver charging voltage	5v
Receiver Power	Built-in lithium battery
The maximum power consumption of the receiver	60mah
Receiver Standby Current	0.19ma
Weight	78.5g
Size (mm)	380*45.5*23
Waterproof Rating	IPX3 (Can withstand rain)

Matters needing attention:

Emitter when installation should pay attention to waterproof.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

JIANGYIN KRYON IMPORT AND EXPORT CO.,LTD, declares that this Radio-Frequency peripheral is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.