SPOT CHECK EVALUATION

FCC ID : 2ABVH-INARI10B2

Equipment : Tablet Brand Name : AAVA

Model Name : INARI10B-LTG-1
Applicant : Aava Mobile Oy

NAHKATEHTAANKATU 2 90130 OULU FINLAND

Manufacturer : Aava Mobile Oy

NAHKATEHTAANKATU 2 90130 OULU FINLAND

Standard : FCC Part 15 Subpart C §15.247

FCC Part 15 Subpart C §15.225

The product was received on Jun. 06, 2019 and testing was started from Jul. 09, 2019 and completed on Jul. 16, 2019. We, SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The report must not be used by the client to claim product certification, approval, or endorsement by TAF or any agency of government.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.

Approved by: Jones Tsai

TEL: 886-3-327-3456

FAX: 886-3-328-4978

SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)

Page Number : 1 of 8

Issued Date : Jul. 31, 2019

1190

Report No.: 960640

Report Version : 01

TABLE OF CONTENTS

HIS	STORY OF THIS TEST REPORT	3
1.	INTRODUCTION SECTION	4
2.	DIFFERENCE SECTION	5
•	CROT CUECK VERIFICATION DATA CECTION	_
ა.	SPOT CHECK VERIFICATION DATA SECTION	6

TEL: 886-3-327-3456 Page Number : 2 of 8
FAX: 886-3-328-4978 Issued Date : Jul. 31, 2019

Report Version : 01

History of this test report

Version	Description	Issued Date
01	Initial issue of report	Jul. 31, 2019

TEL: 886-3-327-3456 Page Number : 3 of 8
FAX: 886-3-328-4978 Issued Date : Jul. 31, 2019

Report Version : 01

1. Introduction Section

The original model (FCC ID: 2ABVH-INARI10B1) and the variant model (FCC ID: 2ABVH-INARI10B2) has identical PCB layout, antenna, SW implementation for Bluetooth/Wi-Fi. Based on their similarity, the FCC Part 15C (equipment class: DTS, DSS) test data issued for original model also apply for the variant model.

The applicant takes full responsibility that the test data as referenced in section 3 below represent compliance for this FCC ID (FCC ID: 2ABVH-INARI10B2).

TEL: 886-3-327-3456 Page Number : 4 of 8
FAX: 886-3-328-4978 Issued Date : Jul. 31, 2019

Report Version : 01

2. Difference Section

The original model: Inari10B-WIG-1 (FCC ID: 2ABVH-INARI10B1) and the variant model: Inari10B-LTG-1 (FCC ID: 2ABVH-INARI10B2) has identical PCB layout, antenna, SW implementation for Bluetooth/Wi-Fi. The details of similarity and difference can be found in the Operating Description.

The product specification is outlined in the following table:

FCC ID	FCC ID		2ABVH-INARI10B2	
Wireless Tech	Mode	Frequency (MHz)		
Wi-Fi	11b/11g/11n(HT20)/11n(HT40)	2412-2462 MHz	2412-2462 MHz	
	11a/11n(HT20)/11n(HT40)/11ac(VHT20)/	5180-5240 MHz	5180-5240 MHz	
	11ac(VHT40)/11ac(VHT80)	5260-5320 MHz	5260-5320 MHz	
		5500-5720 MHz	5500-5720 MHz	
		5745-5825 MHz	5745-5825 MHz	
Bluetooth	BR/EDR/LE	2402-2480 MHz	2402-2480 MHz	
NFC	NFC	13.56MHz	13.56MHz	
WWAN	WWAN	NA	WCDMA2, 4, 5	
			LTE2, 4, 5, 7, 12, 13,	
			17, 25, 26, 30, 38, 41,	
			66	

TEL: 886-3-327-3456 Page Number : 5 of 8
FAX: 886-3-328-4978 Issued Date : Jul. 31, 2019

Report Version : 01

3. Spot Check Verification Data Section

Summary of the spot check:

Test Item	Mode	2ABVH-INARI10B1 Worst Result	2ABVH-INARI10B2 Worst Result	Difference (dB)
Avorago	Bluetooth (BR/EDR)	10.18	10.37	0.19
Average Conducted Power	Bluetooth (LE)	5.36	5.27	-0.09
(dBm)	802.11b	16.64	16.41	-0.23
(abiii)	802.11g	16.72	16.57	-0.15
Peak Radiated	Bluetooth (BR/EDR) ch78	56.00	58.15	2.15
Spurious Emission	Bluetooth (LE) ch39	58.71	60.44	1.73
(Band Edge) (dBuV/m)	802.11g ch01	66.55	56.41	-10.14
Average Radiated	Bluetooth (BR/EDR)	31.21	33.36	2.15
Spurious Emission	Bluetooth (LE)	49.57	51.5	1.93
(Band Edge) (dBuV/m)	802.11g	50.96	46.14	-4.82
QP Radiated Spurious Emission Field Strength (dBuV/m)	NFC 13.56MHz	22.95	21.77	-1.18
	3m to 30m distance extrapolation factor: -40			

TEL: 886-3-327-3456 Page Number : 6 of 8
FAX: 886-3-328-4978 Issued Date : Jul. 31, 2019

Report Version : 01

Conclusion:

WLAN Radiated spurious emission test against the variant model for non-cellular part based on the worst-case condition from the original model was performed in this filing to demonstrate the test data from original model remains representative for the variant model.

Based on the spot check test result, the test data from the original model is representative for the variant model.

The unwanted, harmonics, radiated spurious emission is reported peak measurement only due to spurious lower than 20dB than the limit.

The detail test results can be found in this document, original report Appendix A~B, hereafter.

END of this report

TEL: 886-3-327-3456 Page Number : 8 of 8
FAX: 886-3-328-4978 Issued Date : Jul. 31, 2019

Report Version : 01