


Date: 9.FEB.2015 13:55:13




Date: 9.FEB.2015 13:55:58



Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.03	0.47	5.50	17.00
CH40	5200	6.67	0.47	7.14	17.00
CH48	5240	6.37	0.47	6.84	17.00


CH36




Date: 9.FEB.2015 14:27:20

Report No.: BTL-FCCP-2-1502C010 Page 253 of 319





Date: 9.FEB.2015 14:28:13




Date: 9.FEB.2015 14:29:20



Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.85	0.47	6.32	17.00
CH40	5200	7.66	0.47	8.13	17.00
CH48	5240	5.96	0.47	6.43	17.00


CH36




Date: 9.FEB.2015 15:00:23

Report No.: BTL-FCCP-2-1502C010 Page 255 of 319





Date: 9.FEB.2015 15:12:43



Date: 9.FEB.2015 15:13:26



Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.70	17.00
CH40	5200	12.15	17.00
CH48	5240	11.47	17.00

Report No.: BTL-FCCP-2-1502C010 Page 257 of 319




Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.05	0.00	0.05	17.00
CH46	5230	1.96	0.00	1.96	17.00

Report No.: BTL-FCCP-2-1502C010 Page 258 of 319





Date: 9.FEB.2015 14:14:08



Date: 9.FEB.2015 14:15:34




Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.30	0.00	0.30	17.00
CH46	5230	2.08	0.00	2.08	17.00

Report No.: BTL-FCCP-2-1502C010 Page 260 of 319









Date: 9.FEB.2015 14:43:57




Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.41	0.00	0.41	17.00
CH46	5230	3.54	0.00	3.54	17.00

Report No.: BTL-FCCP-2-1502C010 Page 262 of 319





Date: 9.FEB.2015 15:36:48



Date: 9.FEB.2015 15:38:04



Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.03	17.00
CH46	5230	7.36	17.00


Report No.: BTL-FCCP-2-1502C010 Page 264 of 319



Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	2.33	0.10	2.43	30.00
CH157	5785	3.16	0.10	3.26	30.00
CH165	5825	3.48	0.10	3.58	30.00


TX CH149



Date: 9.FEB.2015 11:00:35

Report No.: BTL-FCCP-2-1502C010 Page 265 of 319





Date: 9.FEB.2015 11:02:35

TX CH165 *RBW 1 MHz *VBW 3 MHz SWT 20 ms Marker 1 [T1] 3.48 dBm 5.823600000 GHz Ref 18 dBm *Att 30 dB Offset -2 dB 1 RM VIBW Span 50 MHz

Date: 9.FEB.2015 11:03:45


Center 5.825 GHz



Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	2.62	0.47	3.09	30.00
CH157	5785	2.82	0.47	3.29	30.00
CH165	5825	1.19	0.47	1.66	30.00


TX CH149




Date: 9.FEB.2015 13:56:50

Report No.: BTL-FCCP-2-1502C010 Page 267 of 319










Date: 9.FEB.2015 14:00:55



Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	2.28	0.47	2.75	30.00
CH157	5785	3.55	0.47	4.02	30.00
CH165	5825	1.26	0.47	1.73	30.00


TX CH149




Date: 9.FEB.2015 14:30:17

Report No.: BTL-FCCP-2-1502C010 Page 269 of 319





Date: 9.FEB.2015 14:31:09




Date: 9.FEB.2015 14:33:15



Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	2.35	0.47	2.82	30.00
CH157	5785	3.60	0.47	4.07	30.00
CH165	5825	1.70	0.47	2.17	30.00


TX CH149




Date: 9.FEB.2015 15:14:25

Report No.: BTL-FCCP-2-1502C010 Page 271 of 319





Date: 9.FEB.2015 15:16:12



Date: 9.FEB.2015 15:17:05



Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	7.66	0.47	7.66	30.00
CH157	5785	8.58	0.47	8.58	30.00
CH165	5825	6.63	0.47	6.63	30.00

Report No.: BTL-FCCP-2-1502C010 Page 273 of 319




Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-1.01	0.00	-1.01	30.00
CH159	5795	-0.68	0.00	-0.68	30.00

Report No.: BTL-FCCP-2-1502C010 Page 274 of 319





Date: 9.FEB.2015 14:16:22



Date: 9.FEB.2015 14:18:41



Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.38	0.00	-2.38	30.00
CH159	5795	-1.04	0.00	-1.04	30.00

Report No.: BTL-FCCP-2-1502C010 Page 276 of 319





Date: 9.FEB.2015 14:44:47



Date: 9.FEB.2015 14:47:39




Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-1.07	0.00	-1.07	30.00
CH159	5795	-1.38	0.00	-1.38	30.00

Report No.: BTL-FCCP-2-1502C010 Page 278 of 319





Date: 9.FEB.2015 15:38:57



Date: 9.FEB.2015 15:40:50



Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	3.33	30.00
CH159	5795	3.75	30.00


Report No.: BTL-FCCP-2-1502C010 Page 280 of 319



Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.11	0.00	5.11	17.00
CH40	5200	6.18	0.00	6.18	17.00
CH48	5240	4.97	0.00	4.97	17.00


CH36




Date: 9.FEB.2015 14:02:15

Report No.: BTL-FCCP-2-1502C010 Page 281 of 319










Date: 9.FEB.2015 14:03:52



Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.04	0.00	5.04	17.00
CH40	5200	6.76	0.00	6.76	17.00
CH48	5240	6.48	0.00	6.48	17.00


CH36




Date: 9.FEB.2015 14:34:12

Report No.: BTL-FCCP-2-1502C010 Page 283 of 319





Date: 9.FEB.2015 14:35:04




Date: 9.FEB.2015 14:35:45



Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.22	0.00	6.22	17.00
CH40	5200	7.96	0.00	7.96	17.00
CH48	5240	6.17	0.00	6.17	17.00


CH36




Date: 9.FEB.2015 15:18:44

Report No.: BTL-FCCP-2-1502C010 Page 285 of 319









Date: 9.FEB.2015 15:27:01



Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channal	Frequency	Power Density	Limit
Channel	(MHz)	(dBm/MHz)	(dBm/MHz)
CH36	5180	10.26	17.00
CH40	5200	11.80	17.00
CH48	5240	10.69	17.00

Report No.: BTL-FCCP-2-1502C010 Page 287 of 319




Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.99	0.38	1.37	17.00
CH46	5230	2.03	0.38	2.41	17.00

Report No.: BTL-FCCP-2-1502C010 Page 288 of 319









Date: 9.FEB.2015 13:20:50




Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.47	0.38	0.85	17.00
CH46	5230	2.15	0.38	2.53	17.00

Report No.: BTL-FCCP-2-1502C010 Page 290 of 319









Date: 9.FEB.2015 14:49:29





Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.93	0.38	1.31	17.00
CH46	5230	3.56	0.38	3.94	17.00

Report No.: BTL-FCCP-2-1502C010 Page 292 of 319









Date: 9.FEB.2015 15:42:42



Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.96	17.00
CH46	5230	7.79	17.00


Report No.: BTL-FCCP-2-1502C010 Page 294 of 319



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.17	0.51	-1.66	17.00

CH42



Date: 9.FEB.2015 13:25:42


Report No.: BTL-FCCP-2-1502C010 Page 295 of 319



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.12	0.51	-1.61	17.00

CH42



Date: 9.FEB.2015 14:52:27


Report No.: BTL-FCCP-2-1502C010 Page 296 of 319



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.20	0.51	-0.69	17.00

CH42



Date: 9.FEB.2015 15:46:12

Report No.: BTL-FCCP-2-1502C010 Page 297 of 319



Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency	Power Density	Limit
	(MHz)	(dBm/MHz)	(dBm/MHz)
CH42	5210	3.48	17.00


Report No.: BTL-FCCP-2-1502C010 Page 298 of 319



Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	2.31	0.00	2.31	30.00
CH157	5785	3.19	0.00	3.19	30.00
CH165	5825	2.02	0.00	2.02	30.00


TX CH149




Date: 9.FEB.2015 14:09:02

Report No.: BTL-FCCP-2-1502C010 Page 299 of 319





Date: 9.FEB.2015 14:09:50




Date: 9.FEB.2015 14:10:36



Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	2.36	0.00	2.36	30.00
CH157	5785	3.40	0.00	3.40	30.00
CH165	5825	1.62	0.00	1.62	30.00


TX CH149




Date: 9.FEB.2015 14:36:33

Report No.: BTL-FCCP-2-1502C010 Page 301 of 319





Date: 9.FEB.2015 14:37:31




Date: 9.FEB.2015 14:38:18



Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	3.05	0.00	3.05	30.00
CH157	5785	4.07	0.00	4.07	30.00
CH165	5825	2.81	0.00	2.81	30.00


TX CH149




Date: 9.FEB.2015 15:28:07

Report No.: BTL-FCCP-2-1502C010 Page 303 of 319





Date: 9.FEB.2015 15:33:51



Date: 9.FEB.2015 15:34:32



Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	7.36	30.00
CH157	5785	8.34	30.00
CH165	5825	6.95	30.00

Report No.: BTL-FCCP-2-1502C010 Page 305 of 319




Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-1.90	0.38	-1.52	30.00
CH159	5795	-1.11	0.38	-0.73	30.00

Report No.: BTL-FCCP-2-1502C010 Page 306 of 319





Date: 9.FEB.2015 13:21:44



Date: 9.FEB.2015 13:24:00




Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-1.95	0.38	-1.57	30.00
CH159	5795	-0.30	0.38	0.08	30.00

Report No.: BTL-FCCP-2-1502C010 Page 308 of 319





Date: 9.FEB.2015 14:50:21



Date: 9.FEB.2015 14:51:11




Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.12	0.38	-1.74	30.00
CH159	5795	-1.25	0.38	-0.87	30.00

Report No.: BTL-FCCP-2-1502C010 Page 310 of 319





Date: 9.FEB.2015 15:43:40



Date: 9.FEB.2015 15:44:39



Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	3.16	30.00
CH159	5795	4.29	30.00


Report No.: BTL-FCCP-2-1502C010 Page 312 of 319



Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-4.97	0.51	-4.46	30.00

TX CH155



Date: 9.FEB.2015 13:29:38


Report No.: BTL-FCCP-2-1502C010 Page 313 of 319



Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-5.92	0.51	-5.41	30.00

TX CH155



Date: 9.FEB.2015 14:53:36


Report No.: BTL-FCCP-2-1502C010 Page 314 of 319



Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-5.24	0.51	-4.73	30.00

TX CH155



Date: 9.FEB.2015 15:48:13

Report No.: BTL-FCCP-2-1502C010 Page 315 of 319



Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency	Power Density	Limit
	(MHz)	(dBm/MHz)	(dBm/MHz)
CH155	5775	-0.07	30.00

Report No.: BTL-FCCP-2-1502C010 Page 316 of 319



ATTACHMENT I - FREQUENCY STABILITY

Report No.: BTL-FCCP-2-1502C010 Page 317 of 319



Test Mode: UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0690
120	5180.0650
108	5180.0610
Max. Deviation (MHz)	0.0690
Max. Deviation (ppm)	13.3205

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5180.0000
0	5180.0470
5	5180.0430
15	5180.0490
25	5180.0440
35	5180.0450
40	5180.0420
Max. Deviation (MHz)	0.0490
Max. Deviation (ppm)	9.4595

Report No.: BTL-FCCP-2-1502C010 Page 318 of 319



Test Mode: UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0960
120	5745.0890
108	5745.0830
Max. Deviation (MHz)	0.0960
Max. Deviation (ppm)	16.7102

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5745.0000
0	5745.0780
5	5745.0570
15	5745.0560
25	5745.0560
35	5745.0540
40	5745.0590
Max. Deviation (MHz)	0.0780
Max. Deviation (ppm)	13.5770

Report No.: BTL-FCCP-2-1502C010 Page 319 of 319