




Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-2.38	0.00	-2.38	12.99
CH40	5200	-2.41	0.00	-2.41	12.99
CH48	5240	-2.42	0.00	-2.42	12.99

CH36




Date: 26.JUL.2018 15:00:52


Report No.: BTL-FCCP-2-1807C083 Page 312 of 340







Date: 26.JUL.2018 15:01:42



Date: 26.JUL.2018 15:02:48






Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.08	0.00	-0.08	12.99
CH40	5200	0.13	0.00	0.13	12.99
CH48	5240	0.22	0.00	0.22	12.99

CH36




Date: 26.JUL.2018 14:09:08


Report No.: BTL-FCCP-2-1807C083 Page 314 of 340







Date: 26.JUL.2018 14:09:53



Date: 26.JUL.2018 14:10:40





Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.93	12.99
CH40	5200	2.05	12.99
CH48	5240	2.11	12.99

Report No.: BTL-FCCP-2-1807C083 Page 316 of 340






Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.59	0.00	-5.59	12.99
CH46	5230	-5.15	0.00	-5.15	12.99


Report No.: BTL-FCCP-2-1807C083 Page 317 of 340







Date: 26.JUL.2018 14:51:24



Date: 26.JUL.2018 14:52:23






Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.76	0.00	-2.76	12.99
CH46	5230	-2.94	0.00	-2.94	12.99


Report No.: BTL-FCCP-2-1807C083 Page 319 of 340







Date: 26.JUL.2018 14:35:05



Date: 26.JUL.2018 14:36:25





Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.94	12.99
CH46	5230	-0.90	12.99

Report No.: BTL-FCCP-2-1807C083 Page 321 of 340






Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-7.74	0.00	-7.74	12.99

CH42



Date: 26.JUL.2018 14:48:59

Report No.: BTL-FCCP-2-1807C083 Page 322 of 340






Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.03	0.00	-4.03	12.99

CH42 *RBW 1 MHz *VBW 3 MHz SWT 20 ms



Date: 26.JUL.2018 14:40:45

Report No.: BTL-FCCP-2-1807C083 Page 323 of 340





Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency	Power Density	Limit
	(MHz)	(dBm/MHz)	(dBm/MHz)
CH42	5210	-2.49	12.99

Report No.: BTL-FCCP-2-1807C083 Page 324 of 340






Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.42	0.00	2.42	25.49
CH157	5785	2.29	0.00	2.29	25.49
CH165	5825	2.31	0.00	2.31	25.49

TX CH149




Date: 26.JUL.2018 15:03:50

Report No.: BTL-FCCP-2-1807C083 Page 325 of 340







Date: 26.JUL.2018 15:05:06



Date: 26.JUL.2018 15:06:13






Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.22	0.00	-4.22	25.49
CH157	5785	-3.82	0.00	-3.82	25.49
CH165	5825	-4.08	0.00	-4.08	25.49

TX CH149




Date: 26.JUL.2018 14:11:51


Report No.: BTL-FCCP-2-1807C083 Page 327 of 340







Date: 26.JUL.2018 14:13:00



Date: 26.JUL.2018 14:13:56





Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.27	25.49
CH157	5785	3.24	25.49
CH165	5825	3.21	25.49

Report No.: BTL-FCCP-2-1807C083 Page 329 of 340





Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.66	0.00	-0.66	25.49
CH159	5795	-0.38	0.00	-0.38	25.49

Report No.: BTL-FCCP-2-1807C083 Page 330 of 340










Date: 26.JUL.2018 14:53:41

TX CH159



Date: 26.JUL.2018 14:54:48





Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-7.04	0.00	-7.04	25.49
CH159	5795	-6.78	0.00	-6.78	25.49

Report No.: BTL-FCCP-2-1807C083 Page 332 of 340










Date: 26.JUL.2018 14:37:34

TX CH159



Date: 26.JUL.2018 14:38:35





Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.24	25.49
CH159	5795	0.52	25.49

Report No.: BTL-FCCP-2-1807C083 Page 334 of 340






Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-2.28	0.00	-2.28	25.49

TX CH155



Date: 26.JUL.2018 14:50:07

Report No.: BTL-FCCP-2-1807C083 Page 335 of 340






Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-7.25	0.00	-7.25	25.49

TX CH155



Date: 26.JUL.2018 14:41:55

Report No.: BTL-FCCP-2-1807C083 Page 336 of 340





Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency	Power Density	Limit
	(MHz)	(dBm/500kHz)	(dBm/500kHz)
CH155	5775	-1.08	25.49

Report No.: BTL-FCCP-2-1807C083 Page 337 of 340





ADDENDIVIL EDECLIENCY OTABILITY
APPENDIX H - FREQUENCY STABILITY

Report No.: BTL-FCCP-2-1807C083 Page 338 of 340





Test Mode: UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9908
120	5179.9908
108	5179.9908
Max. Deviation (MHz)	0.0092
Max. Deviation (ppm)	1.7761

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5180.0000
0	5179.9908
5	5179.9908
15	5179.9908
25	5179.9908
35	5179.9908
40	5179.9908
Max. Deviation (MHz)	0.0092
Max. Deviation (ppm)	1.7761

Report No.: BTL-FCCP-2-1807C083 Page 339 of 340





Test Mode: UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9904
120	5744.9900
108	5744.9896
Max. Deviation (MHz)	0.0104
Max. Deviation (ppm)	1.8103

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5745.0000
0	5744.9896
5	5744.9892
15	5744.9892
25	5744.9888
35	5744.9884
40	5744.9884
Max. Deviation (MHz)	0.0116
Max. Deviation (ppm)	2.0191

Report No.: BTL-FCCP-2-1807C083 Page 340 of 340