Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	8.89	0.62	9.51	30.00	1.00
CH46	5230	8.67	0.62	9.29	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	7.73	0.62	8.35	30.00	1.00
CH46	5230	7.39	0.62	8.01	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.98	30.00	1.00
CH46	5230	11.71	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	8.68	0.46	9.14	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	7.61	0.46	8.07	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	11.65	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.34	0.00	10.34	30.00	1.00
CH157	5785	12.05	0.00	12.05	30.00	1.00
CH165	5825	10.08	0.00	10.08	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	9.63	0.00	9.63	30.00	1.00
CH157	5785	11.75	0.00	11.75	30.00	1.00
CH165	5825	10.51	0.00	10.51	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	13.01	30.00	1.00
CH157	5785	14.91	30.00	1.00
CH165	5825	13.31	30.00	1.00

| Test Mode: UNII-3/TX AC40 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	10.11	0.62	10.73	30.00	1.00
CH159	5795	9.59	0.62	10.21	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	9.59	0.62	10.21	30.00	1.00
CH159	5795	9.14	0.62	9.76	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	13.49	30.00	1.00
CH159	5795	13.00	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	9.42	0.46	9.88	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	8.95	0.46	9.41	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	12.66	30.00	1.00

ATTACHMENTG - ANTENNA CONDUCTED SPURIOUS EMISSION

TX mode CH36

Date: 13.MAR.2015 14:38:47

TX modeCH48

Date: 13.MAR.2015 14:45:30

Test Mode:	UNII-1/TX N20 Mode_ANT 1

TX mode CH36

Date: 13.MAR.2015 15:31:36

TX modeCH48

Date: 13.MAR.2015 15:33:50

Test Mode:	UNII-1/TX N20 Mode_ANT 2

TX mode CH36

Date: 13.MAR.2015 15:35:20

TX modeCH48

Date: 13.MAR.2015 15:37:15

Test Mode:	UNII-1/TX N40 Mode_ANT 1

TX mode CH38

Date: 13.MAR.2015 16:27:47

TX modeCH46

Date: 13.MAR.2015 16:29:22

Test Mode:	UNII-1/TX N40 Mode_ANT 2

TX mode CH38

Date: 13.MAR.2015 16:31:18

TX modeCH46

Date: 13.MAR.2015 16:33:06

Test Mode:	**UNII-3/TX A Mode**

TX A Mode CH149

Date: 13.MAR.2015 15:04:28

TX A Mode CH165

Date: 13.MAR.2015 14:56:38

Test Mode:	UNII-3/TX N20 Mode_ANT 1

TX HT20 mode CH149

Date: 13.MAR.2015 15:49:50

TX HT20 mode CH165

Date: 13.MAR.2015 15:52:04

Test Mode:	UNII-3/TX N20 Mode_ANT 2

TX HT20 mode CH149

Date: 13.MAR.2015   15:42:25

X HT20 mode CH165

Test Mode:	UNII-3/TX N40 Mode_ANT 1

UNII-3/TX HT40 mode CH151

Date: 13.MAR.2015 16:38:03

UNII-3/TX HT40 mode CH159

Date: 13.MAR.2015 16:39:04

Test Mode:	UNII-3/TX N40 Mode_ANT 2

TX HT40 mode CH151

Date: 13.MAR.2015 16:35:25

## HT40 mode CH159

| Test Mode:	UNII-1/TX AC20 Mode_ANT 1

TX mode CH36

Date: 13.MAR.2015 16:09:17

TX modeCH48


Date: 13.MAR.2015 16:13:55

Test Mode:	UNII-1/TX AC20 Mode_ANT 2

TX mode CH36

Date: 13.MAR.2015 16:15:11

TX modeCH48

Date: 13.MAR.2015 16:17:38

Test Mode:	UNII-1/TX AC40 Mode_ANT 1

TX mode CH38

Date: 13.MAR.2015 16:41:40

TX modeCH46

Date: 13.MAR.2015 16:43:11

Test Mode:	UNII-1/TX AC40 Mode_ANT 2

TX mode CH38

Date: 13.MAR.2015 16:44:22

TX modeCH46

Date: 13.MAR.2015 16:45:17

TX mode CH42

Date: 13.MAR.2015 16:52:34

Date: 13.MAR.2015 16:52:42

TX mode CH42

Date: 13.MAR.2015 16:54:04

Date: 13.MAR.2015 16:54:11

Test Mode:	UNII-3/TX AC20 Mode_ANT 1

TXAC HT20 mode CH149

Date: 13.MAR.2015 16:24:02

TXAC HT20 mode CH165

Date: 13.MAR.2015 16:25:53

Test Mode:	UNII-3/TX AC20 Mode_ANT 2

TXAC HT20 mode CH149

Date: 13.MAR.2015 16:20:06

TXAC HT20 mode CH165

Test Mode:	UNII-3/TX AC40 Mode_ANT 1

TXAC HT40 mode CH151

Date: 13.MAR.2015 16:49:39

TXAC HT40 mode CH159

Date: 13.MAR.2015 16:50:44

Test Mode:	UNII-3/TX AC40 Mode_ANT 2

TX AC HT40 mode CH151

Date: 13.MAR.2015 16:46:38

TX AC HT40 mode CH159

Test Mode:	UNII-3/TX AC80 Mode_ANT 1

TXAC HT80 mode CH155

Date: 13.MAR.2015 16:57:08

Date: 13.MAR.2015 16:57:16

Test Mode:	UNII-3/TX AC80 Mode_ANT 2

TX AC HT80 mode CH155

Date: 13.MAR.2015 16:55:49

Date: 13.MAR.2015 16:55:57

ATTACHMENTH - POWER SPECTRAL DENSITY

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-4.29	0.12	-4.17	17.00
CH40	5200	-4.01	0.12	-3.89	17.00
CH48	5240	-4.52	0.12	-4.40	17.00

CH36

Date: 13.MAR.2015 14:38:40

CH40

Date: 13.MAR.2015 14:43:17

CH48

Date: 13.MAR.2015 14:45:23

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-6.19	0.29	-5.90	17.00
CH40	5200	-5.58	0.29	-5.29	17.00
CH48	5240	-6.52	0.29	-6.23	17.00

CH36

Date: 13.MAR.2015 15:31:28

CH40

Date: 13.MAR.2015   15:32:50

CH48

Date: 13.MAR.2015   15:33:42

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-6.68	0.29	-6.39	17.00
CH40	5200	-6.50	0.29	-6.21	17.00
CH48	5240	-6.87	0.29	-6.58	17.00

CH36

Date: 13.MAR.2015 15:35:13

CH40

Date: 13.MAR.2015 15:36:23

CH48

Date: 13.MAR.2015 15:37:07

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-3.13	17.00
CH40	5200	-2.72	17.00
CH48	5240	-3.39	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.74	0.00	-2.74	17.00
CH46	5230	-3.87	0.00	-3.87	17.00

CH38

Ref 20 dBm   *Att 30 dB   SWT 20 ms
*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   -2.74 dBm
5.194800000 GHz

Center 5.19 GHz   10 MHz/   Span 100 MHz

Date: 13.MAR.2015   16:27:39

CH46

Ref 20 dBm   *Att 30 dB   SWT 20 ms
*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   -3.87 dBm
5.225600000 GHz

Center 5.23 GHz   10 MHz/   Span 100 MHz

Date: 13.MAR.2015   16:29:14

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.52	0.00	-3.52	17.00
CH46	5230	-4.75	0.00	-4.75	17.00

CH38

RBW 1 MHz Marker 1 [T1]
VBW 3 MHz -3.52 dBm
Ref 20 dBm *Att 30 dB SWT 20 ms 5.185200000 GHz

26 Offset 1 dB

Center 5.19 GHz 10 MHz/ Span 100 MHz

Date: 13.MAR.2015 16:31:10

CH46

RBW 1 MHz Marker 1 [T1]
VBW 3 MHz -4.75 dBm
Ref 20 dBm *Att 30 dB SWT 20 ms 5.223800000 GHz

26 Offset 1 dB

Center 5.23 GHz 10 MHz/ Span 100 MHz

Date: 13.MAR.2015 16:32:58

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.10	0.00	-0.10	17.00
CH46	5230	-1.27	0.00	-1.27	17.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-1.44	0.12	-1.32	30.00
CH157	5785	1.27	0.12	1.39	30.00
CH165	5825	-1.61	0.12	-1.49	30.00

TX CH149

Date: 13.MAR.2015 15:04:20

TX CH157

Date: 13.MAR.2015 14:51:40

TX CH165

Date: 13.MAR.2015 15:00:04

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-1.98	0.29	-1.69	30.00
CH157	5785	0.55	0.29	0.84	30.00
CH165	5825	-3.30	0.29	-3.01	30.00

TX CH149

Date: 13.MAR.2015   15:48:24

TX CH157

Date: 13.MAR.2015 15:51:00

TX CH165

Date: 13.MAR.2015 15:51:56

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-1.70	0.29	-1.41	30.00
CH157	5785	-1.63	0.29	-1.34	30.00
CH165	5825	-3.35	0.29	-3.06	30.00

TX CH149

Date: 13.MAR.2015 15:41:24

TX CH157


Date: 13.MAR.2015   15:43:37

TX CH165

Date: 13.MAR.2015   15:44:34

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	1.47	30.00
CH157	5785	2.90	30.00
CH165	5825	-0.03	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-10.13	0.00	-10.13	30.00
CH159	5795	-10.12	0.00	-10.12	30.00

TX CH151

Date: 13.MAR.2015   16:37:55

TX CH159

Date: 13.MAR.2015   16:38:56

|				**Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2**	

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-10.56	0.00	-10.56	30.00
CH159	5795	-10.52	0.00	-10.52	30.00

TX CH151

Date: 13.MAR.2015 16:35:17

TX CH159

Date: 13.MAR.2015 16:36:20

		Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total		

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.33	30.00
CH159	5795	-7.30	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.03	0.00	2.03	17.00
CH40	5200	1.70	0.00	1.70	17.00
CH48	5240	0.24	0.00	0.24	17.00

CH36

Date: 13.MAR.2015 16:09:09

CH40

Date: 13.MAR.2015 16:10:16

CH48

Date: 13.MAR.2015 16:13:47

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.16	0.00	0.16	17.00
CH40	5200	0.31	0.00	0.31	17.00
CH48	5240	-0.93	0.00	-0.93	17.00

CH36

Date: 13.MAR.2015 16:15:03

CH40

Date: 13.MAR.2015 16:16:41

CH48

Date: 13.MAR.2015 16:17:30

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.20	17.00
CH40	5200	4.07	17.00
CH48	5240	2.70	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.11	0.62	-2.49	17.00
CH46	5230	-4.23	0.62	-3.61	17.00

CH38

Date: 13.MAR.2015   16:41:32

**CH46**

Date: 13.MAR.2015   16:43:03

| Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2 |

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.05	0.62	-3.43	17.00
CH46	5230	-5.03	0.62	-4.41	17.00

CH38


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz              -4.05 dBm
        Ref  20 dBm        *Att  30 dB   SWT 20 ms      5.185200000 GHz
      20 Offset  1 dB                                              A
      10

   1 RM*
   VIEW                                                            LVL
       0

     -10

     -20

     -30
            SWP   100 of  100                                     3DB
     -40

     -50

     -60

     -70

     -80
        Center 5.19 GHz        10 MHz/        Span 100 MHz
```

Date: 13.MAR.2015 16:44:14

CH46


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz              -5.03 dBm
        Ref  20 dBm        *Att  30 dB   SWT 20 ms      5.223600000 GHz
      20 Offset  1 dB                                              A
     -10

   1 RM*
   VIEW                                                            LVL
       0

     -10

     -20

     -30
            SWP   100 of  100                                     3DB
     -40

     -50

     -60

     -70

     -80
        Center 5.23 GHz        10 MHz/        Span 100 MHz
```

Date: 13.MAR.2015 16:45:08

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.08	0.62	0.08	17.00
CH46	5230	-0.98	0.62	-0.98	17.00

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.69	0.46	-5.23	17.00

CH42

Date: 13.MAR.2015 16:52:16

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.93	0.46	-6.47	17.00

CH42

Date: 13.MAR.2015 16:53:56

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.80	17.00

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-6.15	0.00	-6.15	30.00
CH157	5785	-4.26	0.00	-4.26	30.00
CH165	5825	-6.99	0.00	-6.99	30.00

TX CH149

Date: 13.MAR.2015 16:23:53

TX CH157

Date: 13.MAR.2015 16:24:52

TX CH165

Date: 13.MAR.2015 16:25:45

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-6.52	0.00	-6.52	30.00
CH157	5785	-4.46	0.00	-4.46	30.00
CH165	5825	-6.54	0.00	-6.54	30.00

TX CH149

Date: 13.MAR.2015 16:19:58

TX CH157

Ref 18 dBm * Att 30 dB

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   -4.46 dBm
SWT 20 ms   5.783600000 GHz

Offset -2 dB

Center 5.785 GHz   5 MHz/   Span 50 MHz

Date: 13.MAR.2015 16:21:13

TX CH165

Ref 18 dBm * Att 30 dB

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   -6.54 dBm
SWT 20 ms   5.823300000 GHz

Offset -2 dB

Center 5.825 GHz   5 MHz/   Span 50 MHz

Date: 13.MAR.2015 16:22:14

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.32	30.00
CH157	5785	-1.35	30.00
CH165	5825	-3.75	30.00

| Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-10.07	0.62	-9.45	30.00
CH159	5795	-10.67	0.62	-10.05	30.00

TX CH151

Date: 13.MAR.2015   16:48:46

TX CH159

Date: 13.MAR.2015   16:50:36

| | | | Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2 | | |

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-10.19	0.62	-9.57	30.00
CH159	5795	-10.23	0.62	-9.61	30.00

TX CH151

Date: 13.MAR.2015 16:46:29

TX CH159

Date: 13.MAR.2015 16:47:31

		Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total	

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.50	30.00
CH159	5795	-6.81	30.00

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-12.91	0.46	-12.45	30.00

TX CH155

Date: 13.MAR.2015 16:57:00

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-12.64	0.46	-12.18	30.00

TX CH155

Date: 13.MAR.2015 16:55:41

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total			

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-9.30	30.00

ATTACHMENTI-FREQUENCY STABILITY

Test Mode:	UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5179.9891
132	5179.9896
120	5179.9898
108	0.0109
Max. Deviation (MHz)	2.1042
Max. Deviation (ppm)	5179.9891

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5179.9905
0	5179.9901
5	5179.9898
15	5179.9896
25	5179.9894
35	5179.9891
40	5179.9887
Max. Deviation (MHz)	0.0113
Max. Deviation (ppm)	2.1815

Test Mode:	UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5744.9876
132	5744.9884
120	5744.9891
108	0.0124
Max. Deviation (MHz)	2.1584
Max. Deviation (ppm)	5744.9876

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5744.9893
0	5744.9890
5	5744.9887
15	5744.9884
25	5744.9881
35	5744.9879
40	5744.9876
Max. Deviation (MHz)	0.0124
Max. Deviation (ppm)	2.1584