


Annex B. LTE Peak to Average Ratio

1. LTE_Band41 120M


1.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	8.01	13	Pass




1.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	7.7	13	Pass




1.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	7.43	13	Pass




1.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	7.31	13	Pass




1.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	6.74	13	Pass




1.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	6.38	13	Pass




1.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	7.05	13	Pass




1.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	9.14	13	Pass



1.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	8.5	13	Pass




Average Power
17.43 dBm
29.73 % at 0dB

10.0 %	5.67 dB
1.0 %	8.00 dB
0.1 %	8.50 dB
0.01 %	8.68 dB
0.001 %	8.80 dB
0.0001 %	8.88 dB
Peak	10.65 dB 28.08 dBm


1.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	8.12	13	Pass




1.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	8.39	13	Pass




1.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	7.84	13	Pass




1.13. LTE Peak to Average Ratio(NTNV)(Subtest:13, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	7.88	13	Pass




1.14. LTE Peak to Average Ratio(NTNV)(Subtest:14, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2537.5	0.1	7.88	13	Pass




1.15. LTE Peak to Average Ratio(NTNV)(Subtest:15, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.29	13	Pass




1.16. LTE Peak to Average Ratio(NTNV)(Subtest:16, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.06	13	Pass




1.17. LTE Peak to Average Ratio(NTNV)(Subtest:17, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.15	13	Pass




1.18. LTE Peak to Average Ratio(NTNV)(Subtest:18, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.06	13	Pass




1.19. LTE Peak to Average Ratio(NTNV)(Subtest:19, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	7.71	13	Pass




1.20. LTE Peak to Average Ratio(NTNV)(Subtest:20, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	7.52	13	Pass




1.21. LTE Peak to Average Ratio(NTNV)(Subtest:21, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	7.53	13	Pass




1.22. LTE Peak to Average Ratio(NTNV)(Subtest:22, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.34	13	Pass




1.23. LTE Peak to Average Ratio(NTNV)(Subtest:23, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.87	13	Pass




1.24. LTE Peak to Average Ratio(NTNV)(Subtest:24, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.87	13	Pass




1.25. LTE Peak to Average Ratio(NTNV)(Subtest:25, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.8	13	Pass




1.26. LTE Peak to Average Ratio(NTNV)(Subtest:26, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.37	13	Pass




1.27. LTE Peak to Average Ratio(NTNV)(Subtest:27, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.33	13	Pass




1.28. LTE Peak to Average Ratio(NTNV)(Subtest:28, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.42	13	Pass




1.29. LTE Peak to Average Ratio(NTNV)(Subtest:29, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	8.25	13	Pass




1.30. LTE Peak to Average Ratio(NTNV)(Subtest:30, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	8.01	13	Pass




1.31. LTE Peak to Average Ratio(NTNV)(Subtest:31, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	7.72	13	Pass




1.32. LTE Peak to Average Ratio(NTNV)(Subtest:32, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	7.85	13	Pass




1.33. LTE Peak to Average Ratio(NTNV)(Subtest:33, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	7.54	13	Pass




1.34. LTE Peak to Average Ratio(NTNV)(Subtest:34, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	7.3	13	Pass




1.35. LTE Peak to Average Ratio(NTNV)(Subtest:35, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	7.44	13	Pass



1.36. LTE Peak to Average Ratio(NTNV)(Subtest:36, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	9.35	13	Pass



Average Power	17.09 dBm
	29.54 % at 0dB
10.0 %	5.57 dB
1.0 %	8.39 dB
0.1 %	9.35 dB
0.01 %	9.83 dB
0.001 %	10.13 dB
0.0001 %	10.33 dB
Peak	11.88 dB
	28.97 dBm

1.37. LTE Peak to Average Ratio(NTNV)(Subtest:37, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	8.78	13	Pass



Average Power
17.37 dBm
30.60 % at 0dB


10.0 %	5.53 dB
1.0 %	8.21 dB
0.1 %	8.78 dB
0.01 %	8.95 dB
0.001 %	9.05 dB
0.0001 %	9.10 dB
Peak	9.53 dB
	26.90 dBm

Center Freq 2.652500002 GHz Radio Std: None
Trig: Free Run Counts: 1.00 M/1.00 Mpt
#IFGain:Low #Atten: 40 dB

Frequency
Center Freq 2.652500002 GHz
CF Step 5.000000 MHz Man
Auto
Freq Offset 0 Hz


1.38. LTE Peak to Average Ratio(NTNV)(Subtest:38, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	8.86	13	Pass




1.39. LTE Peak to Average Ratio(NTNV)(Subtest:39, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	8.78	13	Pass



1.40. LTE Peak to Average Ratio(NTNV)(Subtest:40, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	9	13	Pass



Average Power	
17.34 dBm	
25.96 % at 0dB	
10.0 %	6.14 dB
1.0 %	8.78 dB
0.1 %	9.00 dB
0.01 %	9.08 dB
0.001 %	9.11 dB
0.0001 %	9.13 dB
Peak	10.52 dB
	27.86 dBm


1.41. LTE Peak to Average Ratio(NTNV)(Subtest:41, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	7.99	13	Pass




1.42. LTE Peak to Average Ratio(NTNV)(Subtest:42, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2652.5	0.1	8.05	13	Pass




1.43. LTE Peak to Average Ratio(NTNV)(Subtest:43, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	8.08	13	Pass




1.44. LTE Peak to Average Ratio(NTNV)(Subtest:44, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	6.51	13	Pass




1.45. LTE Peak to Average Ratio(NTNV)(Subtest:45, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	6.37	13	Pass




1.46. LTE Peak to Average Ratio(NTNV)(Subtest:46, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	7.51	13	Pass




1.47. LTE Peak to Average Ratio(NTNV)(Subtest:47, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	6.38	13	Pass




1.48. LTE Peak to Average Ratio(NTNV)(Subtest:48, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	7.46	13	Pass




1.49. LTE Peak to Average Ratio(NTNV)(Subtest:49, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	7.21	13	Pass




1.50. LTE Peak to Average Ratio(NTNV)(Subtest:50, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	10.07	13	Pass




1.51. LTE Peak to Average Ratio(NTNV)(Subtest:51, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	8.18	13	Pass




1.52. LTE Peak to Average Ratio(NTNV)(Subtest:52, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	8.23	13	Pass




1.53. LTE Peak to Average Ratio(NTNV)(Subtest:53, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	8.71	13	Pass




1.54. LTE Peak to Average Ratio(NTNV)(Subtest:54, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	6.87	13	Pass




1.55. LTE Peak to Average Ratio(NTNV)(Subtest:55, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	6.51	13	Pass




1.56. LTE Peak to Average Ratio(NTNV)(Subtest:56, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2540	0.1	7.88	13	Pass




1.57. LTE Peak to Average Ratio(NTNV)(Subtest:57, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.05	13	Pass




1.58. LTE Peak to Average Ratio(NTNV)(Subtest:58, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.11	13	Pass




1.59. LTE Peak to Average Ratio(NTNV)(Subtest:59, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	7.7	13	Pass




1.60. LTE Peak to Average Ratio(NTNV)(Subtest:60, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.13	13	Pass




1.61. LTE Peak to Average Ratio(NTNV)(Subtest:61, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	6.76	13	Pass




1.62. LTE Peak to Average Ratio(NTNV)(Subtest:62, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.03	13	Pass




1.63. LTE Peak to Average Ratio(NTNV)(Subtest:63, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.35	13	Pass




1.64. LTE Peak to Average Ratio(NTNV)(Subtest:64, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10.45	13	Pass




1.65. LTE Peak to Average Ratio(NTNV)(Subtest:65, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.96	13	Pass




1.66. LTE Peak to Average Ratio(NTNV)(Subtest:66, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.66	13	Pass




1.67. LTE Peak to Average Ratio(NTNV)(Subtest:67, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.42	13	Pass




1.68. LTE Peak to Average Ratio(NTNV)(Subtest:68, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.27	13	Pass




1.69. LTE Peak to Average Ratio(NTNV)(Subtest:69, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.46	13	Pass




1.70. LTE Peak to Average Ratio(NTNV)(Subtest:70, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.67	13	Pass




1.71. LTE Peak to Average Ratio(NTNV)(Subtest:71, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	8.82	13	Pass




1.72. LTE Peak to Average Ratio(NTNV)(Subtest:72, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	7.76	13	Pass



1.73. LTE Peak to Average Ratio(NTNV)(Subtest:73, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	8.09	13	Pass



1.74. LTE Peak to Average Ratio(NTNV)(Subtest:74, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2650	0.1	7.51	13	Pass

