


## Annex B. LTE Peak to Average Ratio


**1.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	8.04	13	Pass




**1.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	8.44	13	Pass




**1.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	8.47	13	Pass




**1.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	7.86	13	Pass




**1.5. LTE Peak to Average Ratio(NTV)(Subtest:5, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	7.39	13	Pass




**1.6. LTE Peak to Average Ratio(NTV)(Subtest:6, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	6.88	13	Pass




**1.7. LTE Peak to Average Ratio(NTV)(Subtest:7, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	7.1	13	Pass




**1.8. LTE Peak to Average Ratio(NTVV)(Subtest:8, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	8.87	13	Pass




**1.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	8.78	13	Pass




**1.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	9.86	13	Pass




**1.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	9.92	13	Pass




**1.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	8.25	13	Pass




**1.13. LTE Peak to Average Ratio(NTNV)(Subtest:13, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	9.18	13	Pass




**1.14. LTE Peak to Average Ratio(NTNV)(Subtest:14, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	8.93	13	Pass




**1.15. LTE Peak to Average Ratio(NTNV)(Subtest:15, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.56	13	Pass




**1.16. LTE Peak to Average Ratio(NTNV)(Subtest:16, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	7.97	13	Pass




**1.17. LTE Peak to Average Ratio(NTNV)(Subtest:17, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.82	13	Pass




**1.18. LTE Peak to Average Ratio(NTNV)(Subtest:18, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.89	13	Pass




**1.19. LTE Peak to Average Ratio(NTNV)(Subtest:19, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8	13	Pass




**1.20. LTE Peak to Average Ratio(NTNV)(Subtest:20, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.92	13	Pass




**1.21. LTE Peak to Average Ratio(NTNV)(Subtest:21, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	7.26	13	Pass




**1.22. LTE Peak to Average Ratio(NTNV)(Subtest:22, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.5	13	Pass




**1.23. LTE Peak to Average Ratio(NTNV)(Subtest:23, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.75	13	Pass




**1.24. LTE Peak to Average Ratio(NTNV)(Subtest:24, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.09	13	Pass




**1.25. LTE Peak to Average Ratio(NTNV)(Subtest:25, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.99	13	Pass




**1.26. LTE Peak to Average Ratio(NTNV)(Subtest:26, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.84	13	Pass




**1.27. LTE Peak to Average Ratio(NTNV)(Subtest:27, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.97	13	Pass




**1.28. LTE Peak to Average Ratio(NTNV)(Subtest:28, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.59	13	Pass




**1.29. LTE Peak to Average Ratio(NTNV)(Subtest:29, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	8.58	13	Pass




**1.30. LTE Peak to Average Ratio(NTNV)(Subtest:30, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	8.22	13	Pass




**1.31. LTE Peak to Average Ratio(NTNV)(Subtest:31, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	8.78	13	Pass




**1.32. LTE Peak to Average Ratio(NTNV)(Subtest:32, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	8.18	13	Pass




**1.33. LTE Peak to Average Ratio(NTNV)(Subtest:33, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	7.33	13	Pass




**1.34. LTE Peak to Average Ratio(NTNV)(Subtest:34, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	7.64	13	Pass




**1.35. LTE Peak to Average Ratio(NTNV)(Subtest:35, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	7.88	13	Pass




**1.36. LTE Peak to Average Ratio(NTNV)(Subtest:36, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	8.84	13	Pass




**1.37. LTE Peak to Average Ratio(NTNV)(Subtest:37, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	8.49	13	Pass




**1.38. LTE Peak to Average Ratio(NTNV)(Subtest:38, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	8.53	13	Pass




**1.39. LTE Peak to Average Ratio(NTNV)(Subtest:39, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	9.49	13	Pass




**1.40. LTE Peak to Average Ratio(NTNV)(Subtest:40, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	8.73	13	Pass




**1.41. LTE Peak to Average Ratio(NTNV)(Subtest:41, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	9.21	13	Pass




**1.42. LTE Peak to Average Ratio(NTNV)(Subtest:42, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	8.27	13	Pass




**1.43. LTE Peak to Average Ratio(NTNV)(Subtest:43, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	8.58	13	Pass




**1.44. LTE Peak to Average Ratio(NTNV)(Subtest:44, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	7.72	13	Pass




**1.45. LTE Peak to Average Ratio(NTNV)(Subtest:45, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	7.87	13	Pass




**1.46. LTE Peak to Average Ratio(NTNV)(Subtest:46, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	7.67	13	Pass




**1.47. LTE Peak to Average Ratio(NTNV)(Subtest:47, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	6.58	13	Pass




**1.48. LTE Peak to Average Ratio(NTNV)(Subtest:48, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	7.2	13	Pass




**1.49. LTE Peak to Average Ratio(NTNV)(Subtest:49, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	7.74	13	Pass




**1.50. LTE Peak to Average Ratio(NTNV)(Subtest:50, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	9.69	13	Pass




**1.51. LTE Peak to Average Ratio(NTNV)(Subtest:51, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	9.14	13	Pass




**1.52. LTE Peak to Average Ratio(NTNV)(Subtest:52, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	8.93	13	Pass




**1.53. LTE Peak to Average Ratio(NTNV)(Subtest:53, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	9.5	13	Pass




**1.54. LTE Peak to Average Ratio(NTNV)(Subtest:54, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	7.85	13	Pass




**1.55. LTE Peak to Average Ratio(NTNV)(Subtest:55, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	7.84	13	Pass




**1.56. LTE Peak to Average Ratio(NTNV)(Subtest:56, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	7.83	13	Pass




**1.57. LTE Peak to Average Ratio(NTNV)(Subtest:57, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.59	13	Pass




**1.58. LTE Peak to Average Ratio(NTNV)(Subtest:58, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.8	13	Pass




**1.59. LTE Peak to Average Ratio(NTNV)(Subtest:59, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.03	13	Pass




**1.60. LTE Peak to Average Ratio(NTNV)(Subtest:60, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.06	13	Pass




**1.61. LTE Peak to Average Ratio(NTNV)(Subtest:61, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.24	13	Pass




**1.62. LTE Peak to Average Ratio(NTNV)(Subtest:62, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	7.81	13	Pass




**1.63. LTE Peak to Average Ratio(NTNV)(Subtest:63, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	7.37	13	Pass




**1.64. LTE Peak to Average Ratio(NTNV)(Subtest:64, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.94	13	Pass




**1.65. LTE Peak to Average Ratio(NTNV)(Subtest:65, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.51	13	Pass




**1.66. LTE Peak to Average Ratio(NTNV)(Subtest:66, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.11	13	Pass




**1.67. LTE Peak to Average Ratio(NTNV)(Subtest:67, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.62	13	Pass




**1.68. LTE Peak to Average Ratio(NTNV)(Subtest:68, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.47	13	Pass




**1.69. LTE Peak to Average Ratio(NTNV)(Subtest:69, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.27	13	Pass




**1.70. LTE Peak to Average Ratio(NTNV)(Subtest:70, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	7.29	13	Pass




**1.71. LTE Peak to Average Ratio(NTNV)(Subtest:71, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	8.51	13	Pass




**1.72. LTE Peak to Average Ratio(NTNV)(Subtest:72, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	8.48	13	Pass




**1.73. LTE Peak to Average Ratio(NTNV)(Subtest:73, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	7.69	13	Pass




**1.74. LTE Peak to Average Ratio(NTNV)(Subtest:74, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	8.11	13	Pass




**1.75. LTE Peak to Average Ratio(NTNV)(Subtest:75, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	7.26	13	Pass




**1.76. LTE Peak to Average Ratio(NTNV)(Subtest:76, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	8.01	13	Pass




**1.77. LTE Peak to Average Ratio(NTNV)(Subtest:77, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	7.26	13	Pass




**1.78. LTE Peak to Average Ratio(NTNV)(Subtest:78, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	9.79	13	Pass




**1.79. LTE Peak to Average Ratio(NTNV)(Subtest:79, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	9.32	13	Pass




**1.80. LTE Peak to Average Ratio(NTNV)(Subtest:80, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	9.06	13	Pass




**1.81. LTE Peak to Average Ratio(NTNV)(Subtest:81, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	9.73	13	Pass




**1.82. LTE Peak to Average Ratio(NTNV)(Subtest:82, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	8.07	13	Pass




**1.83. LTE Peak to Average Ratio(NTNV)(Subtest:83, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	8.36	13	Pass




**1.84. LTE Peak to Average Ratio(NTNV)(Subtest:84, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	7.92	13	Pass




**1.85. LTE Peak to Average Ratio(NTNV)(Subtest:85, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	9.18	13	Pass




**1.86. LTE Peak to Average Ratio(NTNV)(Subtest:86, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	8.65	13	Pass




**1.87. LTE Peak to Average Ratio(NTNV)(Subtest:87, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	8.58	13	Pass




**1.88. LTE Peak to Average Ratio(NTNV)(Subtest:88, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	8.59	13	Pass




**1.89. LTE Peak to Average Ratio(NTNV)(Subtest:89, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	7.91	13	Pass




**1.90. LTE Peak to Average Ratio(NTNV)(Subtest:90, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	7.38	13	Pass




**1.91. LTE Peak to Average Ratio(NTNV)(Subtest:91, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	8.41	13	Pass




**1.92. LTE Peak to Average Ratio(NTNV)(Subtest:92, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	9.37	13	Pass




**1.93. LTE Peak to Average Ratio(NTNV)(Subtest:93, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	9.84	13	Pass




**1.94. LTE Peak to Average Ratio(NTNV)(Subtest:94, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	9.72	13	Pass




**1.95. LTE Peak to Average Ratio(NTNV)(Subtest:95, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	9.55	13	Pass




**1.96. LTE Peak to Average Ratio(NTNV)(Subtest:96, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	7.39	13	Pass



**1.97. LTE Peak to Average Ratio(NTNV)(Subtest:97, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	7.42	13	Pass



**1.98. LTE Peak to Average Ratio(NTNV)(Subtest:98, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	7.93	13	Pass

