


Annex B. LTE Peak to Average Ratio

1. LTE_Band7


1.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.07	13	Pass




1.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	4.7	13	Pass




1.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	4.62	13	Pass




1.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	4.72	13	Pass




1.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	3.4	13	Pass




1.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	3.28	13	Pass




1.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	3.42	13	Pass




1.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.83	13	Pass




1.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.59	13	Pass




1.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.51	13	Pass




1.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.6	13	Pass




1.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	4.3	13	Pass




1.13. LTE Peak to Average Ratio(NTNV)(Subtest:13, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	4.24	13	Pass




1.14. LTE Peak to Average Ratio(NTNV)(Subtest:14, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	4.32	13	Pass




1.15. LTE Peak to Average Ratio(NTNV)(Subtest:15, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.15	13	Pass




1.16. LTE Peak to Average Ratio(NTNV)(Subtest:16, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.83	13	Pass




1.17. LTE Peak to Average Ratio(NTNV)(Subtest:17, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.81	13	Pass




1.18. LTE Peak to Average Ratio(NTNV)(Subtest:18, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.84	13	Pass



1.19. LTE Peak to Average Ratio(NTNV)(Subtest:19, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.55	13	Pass



Average Power
22.72 dBm
48.78 % at 0dB

10.0 %	2.69 dB
1.0 %	3.46 dB
0.1 %	3.55 dB
0.01 %	3.60 dB
0.001 %	3.65 dB
0.0001 %	3.71 dB
Peak	3.71 dB
	26.43 dBm


Gaussian

Center Freq: 2.535000001 GHz
Radio Std: None
Trig: Free Run Counts:1.00 M/1.00 Mpt
#Atten: 40 dB

Frequency
Center Freq: 2.535000001 GHz
CF Step: 5.000000 MHz
Auto Man
Freq Offset: 0 Hz


1.20. LTE Peak to Average Ratio(NTNV)(Subtest:20, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.46	13	Pass



1.21. LTE Peak to Average Ratio(NTNV)(Subtest:21, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.55	13	Pass



Average Power
22.78 dBm
48.56 % at 0dB


10.0 %	2.68 dB
1.0 %	3.46 dB
0.1 %	3.55 dB
0.01 %	3.59 dB
0.001 %	3.65 dB
0.0001 %	3.69 dB
Peak	3.76 dB
	26.54 dBm

Center Freq 2.535000001 GHz Radio Std: None
Trig: Free Run Counts: 1.00 M/1.00 Mpt
#IFGain:Low #Atten: 40 dB

Frequency
Center Freq 2.535000001 GHz
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz


1.22. LTE Peak to Average Ratio(NTNV)(Subtest:22, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.01	13	Pass




1.23. LTE Peak to Average Ratio(NTNV)(Subtest:23, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.77	13	Pass




1.24. LTE Peak to Average Ratio(NTNV)(Subtest:24, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.71	13	Pass




1.25. LTE Peak to Average Ratio(NTNV)(Subtest:25, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.79	13	Pass



1.26. LTE Peak to Average Ratio(NTNV)(Subtest:26, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.34	13	Pass



Average Power
21.64 dBm
44.00 % at 0dB

10.0 %	2.98 dB
1.0 %	4.24 dB
0.1 %	4.34 dB
0.01 %	4.40 dB
0.001 %	4.44 dB
0.0001 %	4.45 dB
Peak	4.47 dB
	26.11 dBm

Center Freq 2.535000001 GHz
Radio Std: None
Trig: Free Run Counts:1.00 M/1.00 Mpt
#Atten: 40 dB

Gaussian


CF Step 5.000000 MHz
Auto Man

Freq Offset 0 Hz

MSG STATUS


1.27. LTE Peak to Average Ratio(NTNV)(Subtest:27, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.27	13	Pass




1.28. LTE Peak to Average Ratio(NTNV)(Subtest:28, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.36	13	Pass




1.29. LTE Peak to Average Ratio(NTNV)(Subtest:29, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.19	13	Pass




1.30. LTE Peak to Average Ratio(NTNV)(Subtest:30, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	4.94	13	Pass




1.31. LTE Peak to Average Ratio(NTNV)(Subtest:31, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	4.86	13	Pass




1.32. LTE Peak to Average Ratio(NTNV)(Subtest:32, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	4.89	13	Pass



1.33. LTE Peak to Average Ratio(NTNV)(Subtest:33, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	3.65	13	Pass




Average Power
22.88 dBm
47.98 % at 0dB

10.0 %	2.79 dB
1.0 %	3.53 dB
0.1 %	3.65 dB
0.01 %	3.72 dB
0.001 %	3.77 dB
0.0001 %	3.80 dB
Peak	3.80 dB
	26.68 dBm

Center Freq 2.567500001 GHz
Radio Std: None
Trig: Free Run
Counts: 1.00 M/1.00 Mpt
#Atten: 40 dB
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz

1.34. LTE Peak to Average Ratio(NTNV)(Subtest:34, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	3.48	13	Pass




Average Power
22.82 dBm
47.95 % at 0dB

10.0 %	2.76 dB
1.0 %	3.41 dB
0.1 %	3.48 dB
0.01 %	3.52 dB
0.001 %	3.54 dB
0.0001 %	3.56 dB
Peak	3.56 dB
	26.38 dBm

Center Freq 2.567500001 GHz
CF Step 5.000000 MHz
Freq Offset 0 Hz


1.35. LTE Peak to Average Ratio(NTNV)(Subtest:35, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	3.53	13	Pass



1.36. LTE Peak to Average Ratio(NTNV)(Subtest:36, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.96	13	Pass



Average Power	
21.20 dBm	
44.18 % at 0dB	
10.0 %	2.91 dB
1.0 %	5.03 dB
0.1 %	5.96 dB
0.01 %	6.46 dB
0.001 %	6.83 dB
0.0001 %	6.86 dB
Peak	6.87 dB
	28.07 dBm


1.37. LTE Peak to Average Ratio(NTNV)(Subtest:37, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.78	13	Pass




1.38. LTE Peak to Average Ratio(NTNV)(Subtest:38, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.75	13	Pass



1.39. LTE Peak to Average Ratio(NTNV)(Subtest:39, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.8	13	Pass




Average Power
20.87 dBm
43.02 % at 0dB

10.0 %	2.97 dB
1.0 %	5.10 dB
0.1 %	5.80 dB
0.01 %	6.00 dB
0.001 %	6.13 dB
0.0001 %	6.16 dB
Peak	6.16 dB
	27.03 dBm

Info BW 5.0000 MHz

1.40. LTE Peak to Average Ratio(NTNV)(Subtest:40, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	4.49	13	Pass



Average Power
21.68 dBm
43.45 % at 0dB


10.0 %	3.08 dB
1.0 %	4.40 dB
0.1 %	4.49 dB
0.01 %	4.54 dB
0.001 %	4.59 dB
0.0001 %	4.60 dB
Peak	4.65 dB
	26.33 dBm

Center Freq 2.567500001 GHz Center Freq: 2.567500001 GHz
Trig: Free Run Radio Std: None
Counts: 1.00 M/1.00 Mpt
#IFGain:Low #Atten: 40 dB

Frequency
Center Freq 2.567500001 GHz
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz


1.41. LTE Peak to Average Ratio(NTNV)(Subtest:41, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	4.37	13	Pass




1.42. LTE Peak to Average Ratio(NTNV)(Subtest:42, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	4.44	13	Pass




1.43. LTE Peak to Average Ratio(NTNV)(Subtest:43, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.06	13	Pass




1.44. LTE Peak to Average Ratio(NTNV)(Subtest:44, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	4.7	13	Pass




1.45. LTE Peak to Average Ratio(NTNV)(Subtest:45, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	4.65	13	Pass




1.46. LTE Peak to Average Ratio(NTNV)(Subtest:46, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	4.73	13	Pass




1.47. LTE Peak to Average Ratio(NTNV)(Subtest:47, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	3.32	13	Pass




1.48. LTE Peak to Average Ratio(NTNV)(Subtest:48, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	3.29	13	Pass




1.49. LTE Peak to Average Ratio(NTNV)(Subtest:49, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	3.36	13	Pass




1.50. LTE Peak to Average Ratio(NTNV)(Subtest:50, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.82	13	Pass




1.51. LTE Peak to Average Ratio(NTNV)(Subtest:51, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.62	13	Pass




1.52. LTE Peak to Average Ratio(NTNV)(Subtest:52, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.59	13	Pass




1.53. LTE Peak to Average Ratio(NTNV)(Subtest:53, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.67	13	Pass




1.54. LTE Peak to Average Ratio(NTNV)(Subtest:54, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	4.06	13	Pass




1.55. LTE Peak to Average Ratio(NTNV)(Subtest:55, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	3.92	13	Pass




1.56. LTE Peak to Average Ratio(NTNV)(Subtest:56, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	4.09	13	Pass




1.57. LTE Peak to Average Ratio(NTNV)(Subtest:57, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.11	13	Pass




1.58. LTE Peak to Average Ratio(NTNV)(Subtest:58, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.84	13	Pass




1.59. LTE Peak to Average Ratio(NTNV)(Subtest:59, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.8	13	Pass




1.60. LTE Peak to Average Ratio(NTNV)(Subtest:60, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.86	13	Pass




1.61. LTE Peak to Average Ratio(NTNV)(Subtest:61, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.51	13	Pass




1.62. LTE Peak to Average Ratio(NTNV)(Subtest:62, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.4	13	Pass




1.63. LTE Peak to Average Ratio(NTNV)(Subtest:63, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.53	13	Pass




1.64. LTE Peak to Average Ratio(NTNV)(Subtest:64, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.99	13	Pass




1.65. LTE Peak to Average Ratio(NTNV)(Subtest:65, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.78	13	Pass




1.66. LTE Peak to Average Ratio(NTNV)(Subtest:66, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.7	13	Pass




1.67. LTE Peak to Average Ratio(NTNV)(Subtest:67, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.79	13	Pass




1.68. LTE Peak to Average Ratio(NTNV)(Subtest:68, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.33	13	Pass




1.69. LTE Peak to Average Ratio(NTNV)(Subtest:69, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.53	13	Pass




1.70. LTE Peak to Average Ratio(NTNV)(Subtest:70, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.37	13	Pass




1.71. LTE Peak to Average Ratio(NTNV)(Subtest:71, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.14	13	Pass




1.72. LTE Peak to Average Ratio(NTNV)(Subtest:72, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.9	13	Pass




1.73. LTE Peak to Average Ratio(NTNV)(Subtest:73, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.86	13	Pass




1.74. LTE Peak to Average Ratio(NTNV)(Subtest:74, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.88	13	Pass




1.75. LTE Peak to Average Ratio(NTNV)(Subtest:75, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	3.57	13	Pass




1.76. LTE Peak to Average Ratio(NTNV)(Subtest:76, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	3.46	13	Pass




1.77. LTE Peak to Average Ratio(NTNV)(Subtest:77, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	3.37	13	Pass




1.78. LTE Peak to Average Ratio(NTNV)(Subtest:78, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	6.02	13	Pass




1.79. LTE Peak to Average Ratio(NTNV)(Subtest:79, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.85	13	Pass




1.80. LTE Peak to Average Ratio(NTNV)(Subtest:80, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.82	13	Pass




1.81. LTE Peak to Average Ratio(NTNV)(Subtest:81, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.81	13	Pass



1.82. LTE Peak to Average Ratio(NTNV)(Subtest:82, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.39	13	Pass



1.83. LTE Peak to Average Ratio(NTNV)(Subtest:83, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.34	13	Pass

