


## Annex B. LTE Peak to Average Ratio

## 1. LTE\_Band17


**1.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	5.3	13	Pass




**1.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	5.04	13	Pass




**1.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	4.99	13	Pass




**1.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	5.06	13	Pass




**1.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	4.66	13	Pass




**1.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	4.53	13	Pass




**1.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	4.67	13	Pass




**1.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	6.08	13	Pass




**1.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	5.95	13	Pass




**1.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	5.9	13	Pass




**1.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	5.98	13	Pass




**1.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	5.52	13	Pass



**1.13. LTE Peak to Average Ratio(NTNV)(Subtest:13, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	5.38	13	Pass




Statistic	Value
Average Power	21.84 dBm
42.31 % at 0dB	
10.0 %	2.92 dB
1.0 %	5.32 dB
0.1 %	5.38 dB
0.01 %	5.40 dB
0.001 %	5.41 dB
0.0001 %	5.41 dB
Peak	5.42 dB
	27.26 dBm

Center Freq  
706.500000 MHz  
  
 CF Step  
5.000000 MHz  
Auto  
  
 Freq Offset  
0 Hz


**1.14. LTE Peak to Average Ratio(NTNV)(Subtest:14, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	5.54	13	Pass




**1.15. LTE Peak to Average Ratio(NTNV)(Subtest:15, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.21	13	Pass




**1.16. LTE Peak to Average Ratio(NTNV)(Subtest:16, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.01	13	Pass




**1.17. LTE Peak to Average Ratio(NTNV)(Subtest:17, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5	13	Pass




**1.18. LTE Peak to Average Ratio(NTNV)(Subtest:18, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.02	13	Pass




**1.19. LTE Peak to Average Ratio(NTNV)(Subtest:19, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	4.67	13	Pass




**1.20. LTE Peak to Average Ratio(NTNV)(Subtest:20, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	4.53	13	Pass




**1.21. LTE Peak to Average Ratio(NTNV)(Subtest:21, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	4.68	13	Pass




**1.22. LTE Peak to Average Ratio(NTNV)(Subtest:22, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	6.11	13	Pass




**1.23. LTE Peak to Average Ratio(NTNV)(Subtest:23, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.95	13	Pass




**1.24. LTE Peak to Average Ratio(NTNV)(Subtest:24, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.93	13	Pass




**1.25. LTE Peak to Average Ratio(NTNV)(Subtest:25, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.98	13	Pass




**1.26. LTE Peak to Average Ratio(NTNV)(Subtest:26, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.44	13	Pass




**1.27. LTE Peak to Average Ratio(NTNV)(Subtest:27, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.37	13	Pass




**1.28. LTE Peak to Average Ratio(NTNV)(Subtest:28, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.47	13	Pass




**1.29. LTE Peak to Average Ratio(NTNV)(Subtest:29, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	5.26	13	Pass




**1.30. LTE Peak to Average Ratio(NTNV)(Subtest:30, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	5.06	13	Pass




**1.31. LTE Peak to Average Ratio(NTNV)(Subtest:31, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	4.97	13	Pass




**1.32. LTE Peak to Average Ratio(NTNV)(Subtest:32, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	4.97	13	Pass




**1.33. LTE Peak to Average Ratio(NTNV)(Subtest:33, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	4.65	13	Pass




**1.34. LTE Peak to Average Ratio(NTNV)(Subtest:34, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	4.51	13	Pass




**1.35. LTE Peak to Average Ratio(NTNV)(Subtest:35, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	4.51	13	Pass




**1.36. LTE Peak to Average Ratio(NTNV)(Subtest:36, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	6.23	13	Pass




**1.37. LTE Peak to Average Ratio(NTNV)(Subtest:37, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	5.96	13	Pass




**1.38. LTE Peak to Average Ratio(NTNV)(Subtest:38, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	5.91	13	Pass




**1.39. LTE Peak to Average Ratio(NTNV)(Subtest:39, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	5.9	13	Pass




**1.40. LTE Peak to Average Ratio(NTNV)(Subtest:40, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	5.48	13	Pass




**1.41. LTE Peak to Average Ratio(NTNV)(Subtest:41, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	5.35	13	Pass




**1.42. LTE Peak to Average Ratio(NTNV)(Subtest:42, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	5.45	13	Pass




**1.43. LTE Peak to Average Ratio(NTNV)(Subtest:43, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	5.22	13	Pass




**1.44. LTE Peak to Average Ratio(NTNV)(Subtest:44, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	4.99	13	Pass




**1.45. LTE Peak to Average Ratio(NTNV)(Subtest:45, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	4.93	13	Pass




**1.46. LTE Peak to Average Ratio(NTNV)(Subtest:46, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	4.92	13	Pass




**1.47. LTE Peak to Average Ratio(NTNV)(Subtest:47, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	4.54	13	Pass




**1.48. LTE Peak to Average Ratio(NTNV)(Subtest:48, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	4.44	13	Pass




**1.49. LTE Peak to Average Ratio(NTNV)(Subtest:49, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	4.47	13	Pass




**1.50. LTE Peak to Average Ratio(NTNV)(Subtest:50, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	6.06	13	Pass




**1.51. LTE Peak to Average Ratio(NTNV)(Subtest:51, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	5.96	13	Pass



**1.52. LTE Peak to Average Ratio(NTNV)(Subtest:52, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	5.9	13	Pass



Average Power  
21.21 dBm  
43.97 % at 0dB

10.0 %	2.94 dB
1.0 %	5.14 dB
0.1 %	5.90 dB
0.01 %	6.10 dB
0.001 %	6.25 dB
0.0001 %	6.29 dB
Peak	6.29 dB
	27.50 dBm

Center Freq  
709.000000 MHz


CF Step  
5.000000 MHz

Freq Offset  
0 Hz

MSG STATUS


**1.53. LTE Peak to Average Ratio(NTNV)(Subtest:53, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	5.92	13	Pass




**1.54. LTE Peak to Average Ratio(NTNV)(Subtest:54, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	5.35	13	Pass



**1.55. LTE Peak to Average Ratio(NTNV)(Subtest:55, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	5.23	13	Pass



**1.56. LTE Peak to Average Ratio(NTNV)(Subtest:56, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	5.26	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 09:05:52 上午 九月 06, 201

Center Freq 709.000000 MHz Center Freq: 709.000000 MHz Radio Std: None  
Trig: Free Run Counts: 1.00 M/1.00 Mpt  
#IFGain:Low #Atten: 40 dB

Average Power 22.69 dBm  
43.13 % at 0dB

10.0 % 2.95 dB  
1.0 % 5.14 dB  
0.1 % 5.26 dB  
0.01 % 5.30 dB  
0.001 % 5.34 dB  
0.0001 % 5.35 dB  
Peak 5.41 dB  
28.10 dBm

Gaussian




Info BW 10.000 MHz

Frequency  
Center Freq 709.000000 MHz  
CF Step 5.000000 MHz  
Auto Man  
Freq Offset 0 Hz

MSG STATUS


**1.57. LTE Peak to Average Ratio(NTNV)(Subtest:57, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.08	13	Pass



**1.58. LTE Peak to Average Ratio(NTNV)(Subtest:58, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	4.99	13	Pass



**1.59. LTE Peak to Average Ratio(NTNV)(Subtest:59, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	4.9	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 09:06:08 上午 九月 06, 201

Center Freq 710.000000 MHz Center Freq: 710.000000 MHz Radio Std: None  
Trig: Free Run Counts: 1.00 M/1.00 Mpt  
#IFGain:Low #Atten: 40 dB

Average Power 22.30 dBm  
46.37 % at 0dB

10.0 % 2.42 dB  
1.0 % 4.34 dB  
0.1 % 4.90 dB  
0.01 % 5.07 dB  
0.001 % 5.21 dB  
0.0001 % 5.24 dB  
Peak 5.25 dB  
27.55 dBm

Gaussian




0 dB 20 dB  
Info BW 10.000 MHz

Frequency  
Center Freq 710.000000 MHz  
CF Step 5.000000 MHz  
Auto Man  
Freq Offset 0 Hz

MSG STATUS


**1.60. LTE Peak to Average Ratio(NTNV)(Subtest:60, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	4.93	13	Pass




**1.61. LTE Peak to Average Ratio(NTNV)(Subtest:61, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	4.64	13	Pass




**1.62. LTE Peak to Average Ratio(NTNV)(Subtest:62, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	4.5	13	Pass




**1.63. LTE Peak to Average Ratio(NTNV)(Subtest:63, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	4.57	13	Pass




**1.64. LTE Peak to Average Ratio(NTNV)(Subtest:64, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.99	13	Pass



**1.65. LTE Peak to Average Ratio(NTNV)(Subtest:65, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.99	13	Pass



**1.66. LTE Peak to Average Ratio(NTNV)(Subtest:66, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.89	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 09:06:37 上午 九月 06, 201

Center Freq 710.000000 MHz Center Freq: 710.000000 MHz Radio Std: None  
Trig: Free Run Counts: 1.00 M/1.00 Mpt  
#IFGain:Low #Atten: 40 dB

Average Power  
**21.45 dBm**  
44.18 % at 0dB

10.0 % 2.94 dB  
1.0 % 5.13 dB  
0.1 % 5.89 dB  
0.01 % 6.09 dB  
0.001 % 6.20 dB  
0.0001 % 6.23 dB  
Peak 6.23 dB  
27.68 dBm

Gaussian




0 dB 20 dB  
Info BW 10.000 MHz

Frequency  
Center Freq 710.000000 MHz  
CF Step 5.000000 MHz  
Auto Man  
Freq Offset 0 Hz

MSG STATUS


**1.67. LTE Peak to Average Ratio(NTNV)(Subtest:67, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.95	13	Pass




**1.68. LTE Peak to Average Ratio(NTNV)(Subtest:68, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.58	13	Pass




**1.69. LTE Peak to Average Ratio(NTNV)(Subtest:69, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.37	13	Pass




**1.70. LTE Peak to Average Ratio(NTNV)(Subtest:70, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.54	13	Pass




**1.71. LTE Peak to Average Ratio(NTNV)(Subtest:71, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.04	13	Pass




**1.72. LTE Peak to Average Ratio(NTNV)(Subtest:72, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5	13	Pass




**1.73. LTE Peak to Average Ratio(NTNV)(Subtest:73, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	4.9	13	Pass




**1.74. LTE Peak to Average Ratio(NTNV)(Subtest:74, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	4.98	13	Pass




**1.75. LTE Peak to Average Ratio(NTNV)(Subtest:75, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	4.59	13	Pass




**1.76. LTE Peak to Average Ratio(NTNV)(Subtest:76, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	4.47	13	Pass




**1.77. LTE Peak to Average Ratio(NTNV)(Subtest:77, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	4.46	13	Pass




**1.78. LTE Peak to Average Ratio(NTNV)(Subtest:78, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	6.03	13	Pass




**1.79. LTE Peak to Average Ratio(NTNV)(Subtest:79, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.97	13	Pass




**1.80. LTE Peak to Average Ratio(NTNV)(Subtest:80, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.88	13	Pass




**1.81. LTE Peak to Average Ratio(NTNV)(Subtest:81, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.95	13	Pass




**1.82. LTE Peak to Average Ratio(NTNV)(Subtest:82, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.47	13	Pass




**1.83. LTE Peak to Average Ratio(NTNV)(Subtest:83, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.32	13	Pass



**1.84. LTE Peak to Average Ratio(NTNV)(Subtest:84, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.33	13	Pass



---

END